

Supplementary material 1

Barcoded species

Checklist after Huemer & Karsholt (2020)

BC = DNA barcode sequence \geq 500 bp available; (BC) DNA barcode sequence <500 bp and \geq 250 bp available

Taxon	Barcode
Gelechiidae Stainton, 1854	
Anacampsinae Bruand d'Uzelle, 1851	
Anacampsini Bruand d'Uzelle, 1851	
<i>Stomopteryx</i> Heinemann, 1870	BC
<i>Stomopteryx detersella</i> (Zeller, 1847)	BC
<i>Stomopteryx bolschewickiella</i> (Caradja, 1920)	
<i>Stomopteryx nugatricella</i> Rebel, 1893	BC
<i>Stomopteryx mongolica</i> Piskunov, 1975	BC
<i>Stomopteryx lineolella</i> (Eversmann, 1844)	BC
<i>Stomopteryx basalis</i> (Staudinger, 1876)	BC
<i>Stomopteryx deverrae</i> (Walsingham, 1905)	BC
<i>Stomopteryx flavoclavella</i> Zerny, 1935	BC
<i>Stomopteryx remissella</i> (Zeller, 1847)	BC
<i>Stomopteryx spathulella</i> Nel, Varenne & Labonne, 2019	
<i>Stomopteryx orthogonella</i> (Staudinger, 1871)	
<i>Stomopteryx orthogonella</i> (Staudinger, 1871)	
<i>Stomopteryx flavipalpella</i> Jäckh, 1959	BC
<i>Stomopteryx hungaricella</i> Gozmány, 1957	BC
<i>Stomopteryx lusitaniella</i> Corley & Karsholt, 2014	BC
<i>Stomopteryx jeppeseni</i> Karsholt & Šumpich, 2018	BC
<i>Stomopteryx alpinella</i> Nel & Varenne, 2016	BC
<i>Stomopteryx schizogynae</i> (Walsingham, 1908)	
<i>Aproaerema</i> Durrant, 1897	
<i>Aproaerema patruella</i> (Mann, 1857)	BC
<i>Aproaerema coronillella</i> (Treitschke, 1833)	BC
<i>Aproaerema incognitana</i> (Gozmány, 1957)	BC

<i>Aproaerema sangiella</i> (Stainton, 1863)	BC
<i>Aproaerema cinctella</i> (Clerck, 1759)	BC
<i>Aproaerema cinctelloides</i> (Nel & Varenne, 2012)	BC
<i>Aproaerema larseniella</i> (Gozmány, 1957)	BC
<i>Aproaerema wormiella</i> (Wolff, 1958)	BC
<i>Aproaerema azosterella</i> (Herrich-Schäffer, 1854)	BC
<i>Aproaerema ochrofasciella</i> (Toll, 1936)	BC
<i>Aproaerema taeniolella</i> (Zeller, 1839)	BC
<i>Aproaerema montanata</i> (Gozmány, 1957)	
<i>Aproaerema albifrontella</i> (Heinemann, 1870)	BC
<i>Aproaerema cincticulella</i> (Bruand, 1851)	BC
<i>Aproaerema vinella</i> Bankes, 1898	BC
<i>Aproaerema buvati</i> (Nel, 1995)	BC
<i>Aproaerema linella</i> (Chrétien, 1904)	BC
<i>Aproaerema albipalpella</i> (Herrich-Schäffer, 1854)	BC
<i>Aproaerema suecicella</i> (Wolff, 1958)	BC
<i>Aproaerema captivella</i> (Herrich-Schäffer, 1854)	BC
<i>Aproaerema polychromella</i> (Rebel, 1902)	BC
<i>Aproaerema karvoneni</i> (Hackman, 1950)	BC
<i>Aproaerema semicostella</i> (Staudinger, 1871)	BC
<i>Aproaerema steppicolella</i> (Junnilainen, 2010)	BC
<i>Aproaerema cottiennella</i> (Nel, 2012)	
<i>Aproaerema genistae</i> (Walsingham, 1908)	BC
<i>Aproaerema thaumalea</i> (Walsingham, 1905)	BC
<i>Aproaerema anthyllidella</i> (Hübner, 1813)	BC
<i>Aproaerema lerauti</i> Vives, 2001	BC
<i>Aproaerema mercedella</i> Walsingham, 1908	BC
<i>Iwaruna</i> Gozmány, 1957	
<i>Iwaruna heringi</i> Gozmány, 1957	
<i>Iwaruna biguttella</i> (Duponchel, 1843)	BC
<i>Iwaruna klimeschi</i> Wolff, 1958	BC
<i>Iwaruna robineaui</i> Nel, 2008	BC
<i>Anacampsis</i> Curtis, 1827	
<i>Anacampsis populella</i> (Clerck, 1759)	BC

<i>Anacamptis blattariella</i> (Hübner, 1796)	BC
<i>Anacamptis timidella</i> (Wocke, 1887)	BC
<i>Anacamptis scintillella</i> (Fischer v. Röslerstamm, 1841)	BC
<i>Anacamptis temerella</i> (Lienig & Zeller, 1846)	BC
<i>Anacamptis trifoliella</i> (Constant, 1890)	BC
<i>Anacamptis fuscella</i> (Eversmann, 1844)	BC
<i>Anacamptis hirsutella</i> (Constant, 1885)	
<i>Anacamptis obscurella</i> ([Denis & Schiffermüller], 1775)	BC
<i>Anacamptis malella</i> Amsel, 1959	
Mesophleps Hübner, 1825	
<i>Mesophleps corsicella</i> (Herrich-Schäffer, 1856)	BC
<i>Mesophleps silacella</i> (Hübner, 1796)	BC
<i>Mesophleps oxycedrella</i> (Millière, 1871)	BC
<i>Mesophleps trinotella</i> Herrich-Schäffer, 1856	BC
<i>Mesophleps ochracella</i> (Turati, 1926)	BC
Chelariini Le Marchand, 1947	
Nothris Hübner, 1825	
<i>Nothris congressariella</i> (Bruand, 1858)	BC
<i>Nothris lemniscellus</i> (Zeller, 1839)	BC
<i>Nothris gregersenii</i> Karsholt & Šumpich, 2015	BC
<i>Nothris verbascella</i> ([Denis & Schiffermüller], 1775)	BC
<i>Nothris sulcella</i> Staudinger, 1879	BC
<i>Nothris radiata</i> (Staudinger, 1879)	BC
<i>Nothris skyvai</i> Karsholt & Šumpich, 2015	BC
Neofaculta Gozmány, 1955	
<i>Neofaculta ericetella</i> (Geyer, 1832)	BC
<i>Neofaculta infernella</i> (Herrich-Schäffer, 1854)	BC
<i>Neofaculta taigana</i> Ponomarenko, 1998	BC
Hypatima Hübner, 1825	
<i>Hypatima rhomboidella</i> (Linnaeus, 1758)	BC
Anarsia Zeller, 1839	
<i>Anarsia lineatella</i> Zeller, 1839	BC
<i>Anarsia innoxia</i> Gregersen & Karsholt, 2017	BC
<i>Anarsia spartiella</i> (Schrank, 1802)	BC

<i>Anarsia bilbainella</i> (Rössler, 1877)	BC
<i>Anarsia eleagnella</i> Kuznetsov, 1957	BC
<i>Anarsia dejoannisi</i> Réal, 1994	
<i>Anarsia leberonella</i> Réal, 1994	BC
<i>Anarsia sibirica</i> Park & Ponomarenko, 1996	BC
<i>Anarsia stepposella</i> Ponomarenko, 2002	
<i>Anarsia acaciae</i> Walsingham, 1896	BC
<i>Anarsia balioneura</i> Meyrick, 1921	
Dichomeridinae Hampson, 1918	
<i>Dichomeris</i> Hübner, 1818	
<i>Dichomeris acuminatus</i> (Staudinger, 1876)	BC
<i>Dichomeris cisti</i> (Staudinger, 1859)	BC
<i>Dichomeris limbipunctellus</i> (Staudinger, 1859)	BC
<i>Dichomeris neatodes</i> Meyrick, 1923	BC
<i>Dichomeris helianthemi</i> (Walsingham, 1903)	BC
<i>Dichomeris castellana</i> (Schmidt, 1941)	
<i>Dichomeris juniperella</i> (Linnaeus, 1761)	BC
<i>Dichomeris marginella</i> (Fabricius, 1781)	BC
<i>Dichomeris ustalella</i> (Fabricius, 1794)	BC
<i>Dichomeris derasella</i> ([Denis & Schiffermüller], 1775)	BC
<i>Dichomeris limosellus</i> (Schläger, 1849)	BC
<i>Dichomeris nitiellus</i> (Costantini, 1923)	BC
<i>Dichomeris rasilella</i> (Herrich-Schäffer, 1854)	BC
<i>Dichomeris barbella</i> ([Denis & Schiffermüller], 1775)	BC
<i>Dichomeris alacella</i> (Zeller, 1839)	BC
<i>Dichomeris latipennella</i> (Rebel, 1937)	BC
<i>Anasphaltis</i> Meyrick, 1925	
<i>Anasphaltis renigerellus</i> (Zeller, 1839)	BC
<i>Acompsia</i> Hübner, 1825	
<i>Acompsia cinerella</i> (Clerck, 1759)	BC
<i>Acompsia pyrenaella</i> Huemer & Karsholt, 2002	BC
<i>Acompsia antirrhinella</i> Millière, 1866	BC
<i>Acompsia baldizzonei</i> Pinzari, Nel & Pinzari, 2016	BC
<i>Acompsia maculosella</i> (Stainton, 1851)	BC

<i>Acompsia dimorpha</i> Petry, 1904	BC
<i>Acompsia subpunctella</i> Svensson, 1966	BC
<i>Acompsia delmastroella</i> Huemer, 1998	BC
<i>Acompsia muellerrutzi</i> Wehrli, 1925	
<i>Acompsia caucasella</i> Huemer & Karsholt, 2002	
<i>Acompsia minorella</i> Rebel, 1899	BC
<i>Acompsia tripunctella</i> ([Denis & Schiffermüller], 1775)	BC
<i>Acompsia ponomarenkoae</i> Huemer & Karsholt, 2002	BC
<i>Acompsia schmidtiellus</i> (Heyden, 1848)	BC
<i>Brachmia</i> Hübner, 1825	
<i>Brachmia dimidiella</i> ([Denis & Schiffermüller], 1775)	BC
<i>Brachmia blandella</i> (Fabricius, 1798)	BC
<i>Brachmia procursella</i> Rebel, 1903	BC
<i>Brachmia inornatella</i> (Douglas, 1850)	BC
<i>Helcystogramma</i> Zeller, 1877	
<i>Helcystogramma lineolella</i> (Zeller, 1839)	BC
<i>Helcystogramma triannulella</i> (Herrich-Schäffer, 1854)	BC
<i>Helcystogramma lutatella</i> (Herrich-Schäffer, 1854)	BC
<i>Helcystogramma rufescens</i> (Haworth, 1828)	BC
<i>Helcystogramma albinervis</i> (Gerasimov, 1929)	BC
<i>Helcystogramma arulensis</i> (Rebel, 1929)	BC
<i>Helcystogramma klimeschi</i> Ponomarenko & Huemer, 2001	
<i>Helcystogramma flavescens</i> Junnilainen, 2010	BC
<i>Helcystogramma convolvuli</i> (Walsingham, 1908)	
<i>Helcystogramma lamprostoma</i> (Zeller, 1847)	BC
<i>Pseudosophronia</i> Corley, 2001	
<i>Pseudosophronia exustellus</i> (Zeller, 1847)	BC
<i>Pseudosophronia cosmella</i> (Constant, 1885)	BC
Apatetrinae Le Marchand, 1947	
Pexicopiini Hodges, 1986	
<i>Harpagidia</i> Ragonot, 1895	
<i>Harpagidia magnetella</i> (Staudinger, 1871)	BC
<i>Pectinophora</i> Busck, 1917	
<i>Pectinophora gossypiella</i> (Saunders, 1844)	BC

<i>Pexicopia</i> Common, 1958	
<i>Pexicopia malvella</i> (Hübner, 1805)	BC
<i>Platyedra</i> Meyrick, 1895	
<i>Platyedra subcinerea</i> (Haworth, 1828)	BC
<i>Sitotroga</i> Heinemann, 1870	
<i>Sitotroga psacasta</i> Meyrick, 1908	BC
<i>Sitotroga cerealella</i> (Olivier, 1789)	BC
Apatetrini Le Marchand, 1947	
<i>Dactylotula</i> Cockerell, 1888	
<i>Dactylotula altithermella</i> (Walsingham, 1903)	
<i>Dactylotula kinkerella</i> (Snellen, 1876)	BC
<i>Apatetris</i> Staudinger, 1879	
<i>Apatetris agenjoi</i> Gozmány, 1954	BC
<i>Apatetris mediterranella</i> Nel & Varenne, 2012	BC
<i>Catatinagma</i> Rebel, 1903	
<i>Catatinagma trivittellum</i> Rebel, 1903	BC
<i>Catatinagma kraterella</i> Junnilainen & Nupponen, 2010	BC
<i>Coloptilia</i> Fletcher, 1940	
<i>Coloptilia conchylidella</i> (Hofmann, 1898)	BC
<i>Chrysoesthia</i> Hübner, 1825	
<i>Chrysoesthia drurella</i> (Fabricius, 1775)	BC
<i>Chrysoesthia eppelsheimi</i> (Staudinger, 1885)	BC
<i>Chrysoesthia verrucosa</i> Tokár, 1999	BC
<i>Chrysoesthia sexguttella</i> (Thunberg, 1794)	BC
<i>Chrysoesthia halimionella</i> Bidzilya & Budashkin, 2015	BC
<i>Chrysoesthia atriplicella</i> (Amsel, 1939)	
<i>Chrysoesthia gaditella</i> (Staudinger, 1859)	BC
<i>Chrysoesthia aletris</i> (Walsingham, 1919)	
<i>Chrysoesthia boseae</i> (Walsingham, 1908)	BC
<i>Chrysoesthia falkovitshi</i> Lvovsky & Piskunov, 1989	(BC)
<i>Chrysoesthia hispanica</i> Karsholt & Vives, 2014	BC
<i>Metanarsia</i> Staudinger, 1871	
<i>Metanarsia modesta</i> Staudinger, 1871	BC
<i>Metanarsia onzella</i> Christoph, 1887	

<i>Metanarsia guberlica</i> Nupponen, 2010	BC
<i>Metanarsia incertella</i> (Herrich-Schäffer, 1861)	BC
<i>Oecocecis</i> Guenée, 1870	
<i>Oecocecis guyonella</i> Guenée, 1870	
Thiotrichinae Karsholt, Mutanen, Lee & Kaila, 2013	
<i>Thiotricha</i> Meyrick, 1886	
<i>Thiotricha majorella</i> (Rebel, 1910)	BC
<i>Thiotricha subocellea</i> (Stephens, 1834)	BC
<i>Thiotricha coleella</i> (Constant, 1885)	
<i>Thiotricha wollastoni</i> (Walsingham, 1884)	BC
<i>Palumbina</i> Rondani, 1876	
<i>Palumbina guerinii</i> (Stainton, 1858)	BC
Anomologinae Meyrick, 1926	
<i>Bryotropha</i> Heinemann, 1870	
<i>Bryotropha sabulosella</i> (Rebel, 1905)	BC
<i>Bryotropha domestica</i> (Haworth, 1828)	BC
<i>Bryotropha vondermuhlli</i> Nel & Brusseau, 2003	BC
<i>Bryotropha rossica</i> Anikin & Piskunov, 1996	BC
<i>Bryotropha azovica</i> Bidzilia, 1997	BC
<i>Bryotropha arabica</i> Amsel, 1952	BC
<i>Bryotropha patockai</i> Elsner & Karsholt, 2003	BC
<i>Bryotropha purpurella</i> (Zetterstedt, 1839)	BC
<i>Bryotropha tachyptilella</i> (Rebel, 1916)	BC
<i>Bryotropha italica</i> Karsholt & Rutten, 2005	BC
<i>Bryotropha politella</i> (Stainton, 1851)	BC
<i>Bryotropha aliterrella</i> (Rebel, 1935)	BC
<i>Bryotropha nupponeni</i> Karsholt & Rutten, 2005	BC
<i>Bryotropha satschkovi</i> Anikin & Piskunov, 2018	
<i>Bryotropha terrella</i> ([Denis & Schiffermüller], 1775)	BC
<i>Bryotropha sattleri</i> Nel, 2003	BC
<i>Bryotropha desertella</i> (Douglas, 1850)	BC
<i>Bryotropha wolschrijni</i> Karsholt & Rutten, 2005	BC
<i>Bryotropha heckfordi</i> Karsholt & Rutten, 2005	BC
<i>Bryotropha figulella</i> (Staudinger, 1859)	BC

<i>Bryotropha plantariella</i> (Tengström, 1848)	BC
<i>Bryotropha galbanella</i> (Zeller, 1839)	BC
<i>Bryotropha boreella</i> (Douglas, 1851)	BC
<i>Bryotropha sutteri</i> Karsholt & Rutten, 2005	BC
<i>Bryotropha gallurella</i> Amsel, 1952	BC
<i>Bryotropha hendrikseni</i> Karsholt & Rutten, 2005	BC
<i>Bryotropha pallorella</i> Amsel, 1952	BC
<i>Bryotropha hulli</i> Karsholt & Rutten, 2005	BC
<i>Bryotropha plebejella</i> (Zeller, 1847)	BC
<i>Bryotropha dryadella</i> (Zeller, 1850)	BC
<i>Bryotropha basaltinella</i> (Zeller, 1839)	BC
<i>Bryotropha affinis</i> (Haworth, 1828)	BC
<i>Bryotropha umbrosella</i> (Zeller, 1839)	BC
<i>Bryotropha similis</i> (Stainton, 1854)	BC
<i>Bryotropha senectella</i> (Zeller, 1839)	BC
<i>Epidola</i> Staudinger, 1859	
<i>Epidola stigma</i> Staudinger, 1859	BC
<i>Epidola barcinonella</i> Millièrè, 1867	BC
<i>Epidola semitica</i> Amsel, 1942	BC
<i>Epidola nuraghella</i> Hartig, 1939	BC
<i>Epidola melitensis</i> Amsel, 1955	
<i>Aristotelia</i> Hübner, 1825	
<i>Aristotelia decurtella</i> (Hübner, 1813)	BC
<i>Aristotelia decoratella</i> (Staudinger, 1879)	BC
<i>Aristotelia leonhardi</i> Krone, 1907	
<i>Aristotelia ericinella</i> (Zeller, 1839)	BC
<i>Aristotelia subdecurtella</i> (Stainton, 1859)	BC
<i>Aristotelia subericinella</i> (Duponchel, 1843)	BC
<i>Aristotelia billii</i> Varenne & Nel, 2013	BC
<i>Aristotelia montarcella</i> Schmidt, 1941	BC
<i>Aristotelia heliacella</i> (Herrich-Schäffer, 1854)	BC
<i>Aristotelia pancaliella</i> (Staudinger, 1871)	(BC)
<i>Aristotelia baltica</i> Sulcs & Sulcs, 1983	BC
<i>Aristotelia brizella</i> (Treitschke, 1833)	BC

<i>Aristotelia brizelloidea</i> Amsel, 1935	
<i>Aristotelia confusella</i> Bidzilya & Budashkin, 2015	BC
<i>Aristotelia staticella</i> Millière, 1876	BC
<i>Aristotelia mirandella</i> Chrétien, 1908	
<i>Aristotelia frankeniae</i> Walsingham, 1898	BC
<i>Aristotelia calastomella</i> (Christoph, 1873)	BC
<i>Aristotelia mirabilis</i> (Christoph, 1888)	BC
<i>Caulastrocecis</i> Chrétien, 1931	BC
<i>Caulastrocecis pudicellus</i> (Mann, 1861)	
<i>Caulastrocecis gypsella</i> (Constant, 1893)	BC
<i>Caulastrocecis furfurella</i> (Staudinger, 1871)	BC
<i>Caulastrocecis cryptoxena</i> (Gozmány, 1952)	BC
<i>Caulastrocecis perexigella</i> Junnilainen, 2010	BC
<i>Caulastrocecis interstratella</i> (Christoph, 1873)	BC
<i>Paranarsia</i> Ragonot, 1895	
<i>Paranarsia joannisiella</i> Ragonot, 1895	BC
<i>Megacraspedus</i> Zeller, 1839	
<i>Megacraspedus lanceolellus</i> (Zeller, 1850)	BC
<i>Megacraspedus bengtssoni</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus junnilaineni</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus uzunsyrtus</i> Bidzilya & Budashkin, 2015	BC
<i>Megacraspedus similellus</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus tokari</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus dolosellus</i> (Zeller, 1839)	BC
<i>Megacraspedus neli</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus faunierensis</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus gredosensis</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus cuencellus</i> Caradja, 1920	BC
<i>Megacraspedus bidentatus</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus fuscus</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus trineae</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus tristictus</i> Walsingham, 1910	BC
<i>Megacraspedus alfacarellus</i> Wehrli, 1926	BC
<i>Megacraspedus pusillus</i> Walsingham, 1903	BC

<i>Megacraspedus skoui</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus spinophallus</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus occidentellus</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus granadensis</i> Huemer & Karsholt, 2018	
<i>Megacraspedus heckfordi</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus tenuiuncus</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus lativalvellus</i> Amsel, 1954	
<i>Megacraspedus dejectella</i> (Staudinger, 1859)	BC
<i>Megacraspedus devorator</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus binotella</i> (Duponchel, 1843)	BC
<i>Megacraspedus brachypteris</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus barcodiellus</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus bilineatella</i> Huemer & Karsholt, 1996	BC
<i>Megacraspedus andreneli</i> Varenne & Nel, 2014	BC
<i>Megacraspedus sumpichi</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus gallicus</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus ribbeella</i> (Caradja, 1920)	BC
<i>Megacraspedus numidellus</i> (Chrétien, 1915)	BC
<i>Megacraspedus albovenata</i> Junnilainen, 2010	BC
<i>Megacraspedus longipalpella</i> Junnilainen, 2010	BC
<i>Megacraspedus niphorrhoea</i> (Meyrick, 1926)	BC
<i>Megacraspedus fallax</i> (Mann, 1867)	BC
<i>Megacraspedus balneariellus</i> (Chrétien, 1907)	BC
<i>Megacraspedus podolicus</i> (Toll, 1942)	BC
<i>Megacraspedus knudlarseni</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus imparellus</i> (Fischer v. Röslerstamm, 1843)	BC
<i>Megacraspedus multispinella</i> Junnilainen & Nupponen, 2010	BC
<i>Megacraspedus cerussatellus</i> Rebel, 1930	BC
<i>Megacraspedus attritellus</i> Staudinger, 1871	BC
<i>Megacraspedus lagopellus</i> (Herrich-Schäffer, 1860)	BC
<i>Megacraspedus argyroneurellus</i> Staudinger, 1871	BC
<i>Megacraspedus ibericus</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus squalida</i> Meyrick, 1926	BC
<i>Megacraspedus pentheres</i> Walsingham, 1920	

<i>Megacraspedus teriolensis</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus korabicus</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus quadrstrictus</i> Lhomme, 1946	BC
<i>Megacraspedus eburnellus</i> Huemer & Karsholt, 2001	BC
<i>Megacraspedus skulei</i> Huemer & Karsholt, 2018	BC
<i>Megacraspedus peyerimhoffi</i> Le Cerf, 1925	BC
<i>Megacraspedus peslieri</i> Huemer & Karsholt, 2018	BC
<i>Dirhinosa</i> Rebel, 1905	
<i>Dirhinosa cervinella</i> (Eversmann, 1844)	BC
<i>Dirhinosa arnoldiella</i> (Rebel, 1905)	BC
<i>Dirhinosa interposita</i> Bidzilya & Budashkin, 2015	BC
<i>Psamathocrita</i> Meyrick, 1925	
<i>Psamathocrita osseella</i> (Stainton, 1860)	BC
<i>Psamathocrita argentella</i> Pierce & Metcalfe, 1942	BC
<i>Psamathocrita dalmatinella</i> Huemer & Tokár, 2000	BC
<i>Chimericorsa</i> Varenne, Huemer & Nel, 2017	
<i>Chimericorsa nioloensis</i> Varenne, Huemer & Nel, 2017	BC
<i>Spiniphallellus</i> Bidzilya & Karsholt, 2008	
<i>Spiniphallellus desertus</i> Bidzilya & Karsholt, 2008	BC
<i>Spiniphallellus chrysotosella</i> Junnilainen, 2016	BC
<i>Deltophora</i> Janse, 1950	
<i>Deltophora maculata</i> (Staudinger, 1879)	BC
<i>Deltophora stictella</i> (Rebel, 1927)	BC
<i>Deltophora gielisia</i> Hull, 1995	(BC)
<i>Ivanauskiella</i> Ivinskis & Piskunov, 1980	
<i>Ivanauskiella psamathias</i> (Meyrick, 1891)	BC
<i>Ivanauskiella occitanica</i> (Nel & Varenne, 2013)	BC
<i>Ptocheuusa</i> Heinemann, 1870	
<i>Ptocheuusa paupella</i> (Zeller, 1847)	BC
<i>Ptocheuusa inopella</i> (Zeller, 1839)	BC
<i>Ptocheuusa abnormella</i> (Herrich-Schäffer, 1854)	BC
<i>Ptocheuusa minimella</i> (Rebel, 1936)	BC
<i>Ptocheuusa asterisci</i> (Walsingham, 1903)	
<i>Ptocheuusa scholastica</i> (Walsingham, 1903)	

<i>Ptocheuusa guimarensis</i> (Walsingham, 1908)	
<i>Ptocheuusa sublutella</i> Christoph, 1873	
<i>Ptocheuusa cinerella</i> (Chrétien, 1908)	
<i>Gladiovalva</i> Sattler, 1960	
<i>Gladiovalva rumicivorella</i> (Millière, 1881)	BC
<i>Gladiovalva aizpuruai</i> Vives, 1990	BC
<i>Gladiovalva badidorsella</i> (Rebel, 1935)	BC
<i>Ornativulva</i> Gozmány, 1955	
<i>Ornativulva heluanensis</i> (Debski, 1913)	BC
<i>Ornativulva ornatella</i> Sattler, 1967	BC
<i>Ornativulva tamariciella</i> (Zeller, 1850)	BC
<i>Ornativulva pseudotamariciella</i> Sattler, 1967	BC
<i>Ornativulva antipyramis</i> (Meyrick, 1925)	(BC)
<i>Ornativulva plutelliformis</i> (Staudinger, 1859)	BC
<i>Ornativulva sieversi</i> (Staudinger, 1871)	
<i>Ornativulva mixolitha</i> (Meyrick, 1918)	BC
<i>Atremaea</i> Staudinger, 1871	
<i>Atremaea lonchoptera</i> Staudinger, 1871	BC
<i>Amblypalpis</i> Ragonot, 1886	
<i>Amblypalpis olivierella</i> Ragonot, 1887	
<i>Parapodia</i> Joannis, 1912	
<i>Parapodia sinaica</i> (Frauenfeld, 1859)	BC
<i>Isophrictis</i> Meyrick, 1917	
<i>Isophrictis robinella</i> (Chrétien, 1907)	
<i>Isophrictis meridionella</i> (Herrich-Schäffer, 1854)	BC
<i>Isophrictis constantina</i> (Baker, 1888)	
<i>Isophrictis cerdanica</i> Nel, 1995	
<i>Isophrictis lineatellus</i> (Zeller, 1850)	BC
<i>Isophrictis kefersteiniellus</i> (Zeller, 1850)	BC
<i>Isophrictis striatella</i> ([Denis & Schiffermüller], 1775)	BC
<i>Isophrictis corsicella</i> Amsel, 1936	BC
<i>Isophrictis invisella</i> (Constant, 1885)	
<i>Isophrictis anthemidella</i> (Wocke, 1871)	BC
<i>Isophrictis impugnata</i> Gozmány, 1957	

<i>Pyncostola</i> Meyrick, 1917	
<i>Pyncostola bohemiella</i> (Nickerl, 1864)	BC
<i>Metzneria</i> Zeller, 1839	
<i>Metzneria paucipunctella</i> (Zeller, 1839)	BC
<i>Metzneria tenuiella</i> (Mann, 1864)	BC
<i>Metzneria neuropterella</i> (Zeller, 1839)	BC
<i>Metzneria aestivella</i> (Zeller, 1839)	BC
<i>Metzneria lappella</i> (Linnaeus, 1758)	BC
<i>Metzneria castiliella</i> (Möschler, 1866)	BC
<i>Metzneria littorella</i> (Douglas, 1850)	BC
<i>Metzneria riadella</i> Englert, 1974	BC
<i>Metzneria diffusella</i> Englert, 1974	BC
<i>Metzneria fulva</i> Labonne, Huemer, Thibault & Nel, 2019	BC
<i>Metzneria torosulella</i> (Rebel, 1893)	BC
<i>Metzneria ehikeella</i> Gozmány, 1954	BC
<i>Metzneria metzneriella</i> (Stainton, 1851)	BC
<i>Metzneria hilarella</i> Caradja, 1920	BC
<i>Metzneria staehelinella</i> Englert, 1974	BC
<i>Metzneria artificella</i> (Herrich-Schäffer, 1861)	BC
<i>Metzneria agraphella</i> (Ragonot, 1895)	BC
<i>Metzneria aprilella</i> (Herrich-Schäffer, 1854)	BC
<i>Metzneria subflavella</i> Englert, 1974	BC
<i>Metzneria filia</i> Piskunov, 1979	
<i>Metzneria intestinella</i> (Mann, 1864)	BC
<i>Metzneria santolinella</i> (Amsel, 1936)	BC
<i>Metzneria tristella</i> Rebel, 1901	BC
<i>Metzneria campicolella</i> (Mann, 1857)	BC
<i>Apodia</i> Heinemann, 1870	
<i>Apodia bifractella</i> (Duponchel, 1843)	BC
<i>Apodia martinii</i> Petry, 1911	BC
<i>Pragmatodes</i> Walsingham, 1908	
<i>Pragmatodes fruticosella</i> Walsingham, 1908	
<i>Pragmatodes melagonella</i> (Constant, 1895)	BC
<i>Pragmatodes albagonella</i> (Varenne & Nel, 2010)	BC

<i>Pragmatodes cyrneogonella</i> (Nel & Varenne, 2012)	BC
<i>Pragmatodes parvulata</i> (Gozmány, 1953)	BC
Argolamprotes Benander, 1945	
<i>Argolamprotes micella</i> ([Denis & Schiffermüller], 1775)	BC
Monochroa Heinemann, 1870	
<i>Monochroa rumicetella</i> (Hofmann, 1868)	BC
<i>Monochroa rebeli</i> (Hering, 1927)	BC
<i>Monochroa sepicolella</i> (Herrich-Schäffer, 1854)	BC
<i>Monochroa rectificasciella</i> (Fuchs, 1902)	BC
<i>Monochroa tenebrella</i> (Hübner, 1817)	BC
<i>Monochroa scutatella</i> (Müller-Rutz, 1920)	BC
<i>Monochroa dellabeffai</i> (Rebel, 1932)	BC
<i>Monochroa servella</i> (Zeller, 1839)	BC
<i>Monochroa conspersella</i> (Herrich-Schäffer, 1854)	BC
<i>Monochroa tetragonella</i> (Stainton, 1885)	BC
<i>Monochroa elongella</i> (Heinemann, 1870)	BC
<i>Monochroa inflexella</i> Svensson, 1992	BC
<i>Monochroa sperata</i> Huemer & Karsholt, 2010	BC
<i>Monochroa lutulentella</i> (Zeller, 1839)	BC
<i>Monochroa aenigma</i> Anikin & Piskunov, 2018	
<i>Monochroa saltenella</i> (Benander, 1928)	BC
<i>Monochroa palustrellus</i> (Douglas, 1850)	BC
<i>Monochroa divisella</i> (Douglas, 1850)	BC
<i>Monochroa lucidella</i> (Stephens, 1834)	BC
<i>Monochroa simplicella</i> (Lienig & Zeller, 1846)	BC
<i>Monochroa moyses</i> Uffen, 1991	BC
<i>Monochroa arundinetella</i> (Stainton, 1858)	BC
<i>Monochroa suffusella</i> (Douglas, 1850)	BC
<i>Monochroa cytisella</i> (Curtis, 1837)	BC
<i>Monochroa ferrea</i> (Frey, 1870)	BC
<i>Monochroa nomadella</i> (Zeller, 1868)	BC
<i>Monochroa bronzella</i> Karsholt, Nel, Fournier, Varenne & Huemer, 2013	BC
<i>Monochroa hornigi</i> (Staudinger, 1883)	BC
<i>Monochroa niphognatha</i> (Gozmány, 1953)	BC

<i>Oxypteryx</i> Rebel, 1911	
<i>Oxypteryx nigromaculella</i> (Millière, 1872)	BC
<i>Oxypteryx wilkella</i> (Linnaeus, 1758)	BC
<i>Oxypteryx ochricapilla</i> (Rebel, 1903)	BC
<i>Oxypteryx superbella</i> (Zeller, 1839)	BC
<i>Oxypteryx mirusella</i> (Huemer & Karsholt, 2013)	BC
<i>Oxypteryx baldizzonei</i> (Karsholt & Huemer, 2013)	BC
<i>Oxypteryx occidentella</i> (Huemer & Karsholt, 2011)	BC
<i>Oxypteryx libertinella</i> (Zeller, 1872)	BC
<i>Oxypteryx gemerensis</i> (Elsner, 2013)	BC
<i>Oxypteryx deserta</i> (Piskunov, 1990)	
<i>Oxypteryx unicolorella</i> (Duponchel, 1843)	BC
<i>Oxypteryx atrella</i> ([Denis & Schiffermüller], 1775)	BC
<i>Oxypteryx nigrítella</i> (Zeller, 1847)	BC
<i>Oxypteryx immaculatella</i> (Douglas, 1850)	BC
<i>Oxypteryx plumbella</i> (Heinemann, 1870)	BC
<i>Oxypteryx isostacta</i> (Meyrick, 1926)	BC
<i>Oxypteryx helotella</i> (Staudinger, 1859)	BC
<i>Oxypteryx parahelotella</i> (Nel, 1995)	BC
<i>Oxypteryx graecatella</i> (Šumpich & Skyva, 2012)	BC
Gelechiinae Stainton, 1954	
Gelechiini Stainton, 1954	
<i>Xystophora</i> Wocke, 1876	
<i>Xystophora carchariella</i> (Zeller, 1839)	BC
<i>Xystophora pulveratella</i> (Herrich-Schäffer, 1854)	BC
<i>Athrips</i> Billberg, 1820	
<i>Athrips spiraeae</i> (Staudinger, 1871)	BC
<i>Athrips pruinosa</i> (Lienig & Zeller, 1846)	BC
<i>Athrips rancidella</i> (Herrich-Schäffer, 1854)	BC
<i>Athrips thymifoliella</i> (Constant, 1893)	BC
<i>Athrips amoenella</i> (Frey, 1882)	BC
<i>Athrips nigricostella</i> (Duponchel, 1842)	BC
<i>Athrips tetrapunctella</i> (Thunberg, 1794)	BC
<i>Athrips mouffetella</i> (Linnaeus, 1758)	BC

<i>Athrips asarinella</i> (Chrétien, 1930)	
<i>Athrips medjella</i> (Chrétien, 1900)	
<i>Athrips patockai</i> (Povolný, 1979)	(BC)
<i>Athrips polymaculella</i> Park, 1991	BC
<i>Athrips stepposa</i> Bidzilya, 2005	BC
<i>Athrips aquila</i> Junnilainen, 2010	BC
<i>Athrips bidzilyai</i> Junnilainen, 2010	BC
<i>Athrips fagoniae</i> (Walsingham, 1904)	BC
<i>Neofriseria</i> Sattler, 1960	
<i>Neofriseria peliella</i> (Treitschke, 1835)	BC
<i>Neofriseria singula</i> (Staudinger, 1876)	BC
<i>Neofriseria pseudoterrella</i> (Rebel, 1928)	(BC)
<i>Neofriseria baungaardiella</i> Huemer & Karsholt, 1999	BC
<i>Neofriseria hitadoella</i> Karsholt & Vives, 2014	BC
<i>Neofriseria kuznetzovae</i> Bidzilya, 2002	BC
<i>Neofriseria caucasicella</i> Sattler, 1960	
<i>Neofriseria mongolinella</i> Piskunov, 1987	BC
<i>Prolita</i> Leraut, 1993	
<i>Prolita sexpunctella</i> (Fabricius, 1794)	BC
<i>Prolita solutella</i> (Zeller, 1839)	BC
<i>Sophronia</i> Hübner, 1825	
<i>Sophronia semicostella</i> (Hübner, 1813)	BC
<i>Sophronia gelidella</i> Nordman, 1941	BC
<i>Sophronia consanguinella</i> Herrich-Schäffer, 1854	BC
<i>Sophronia illustrella</i> (Hübner, 1796)	BC
<i>Sophronia grandii</i> Hering, 1933	BC
<i>Sophronia chilonella</i> (Treitschke, 1833)	BC
<i>Sophronia finitimella</i> Rebel, 1905	(BC)
<i>Sophronia acaudella</i> Rebel, 1903	
<i>Sophronia curonella</i> Standfuss, 1884	
<i>Sophronia humerella</i> ([Denis & Schiffermüller], 1775)	BC
<i>Sophronia sicariellus</i> (Zeller, 1839)	BC
<i>Sophronia santolinae</i> Staudinger, 1863	BC
<i>Mirificarma</i> Gozmány, 1955	

<i>Mirificarma rhodoptera</i> (Mann, 1866)	BC
<i>Mirificarma minimella</i> Huemer & Karsholt, 2001	BC
<i>Mirificarma denotata</i> Pitkin, 1984	BC
<i>Mirificarma maculatella</i> (Hübner, 1796)	BC
<i>Mirificarma aflavella</i> (Amsel, 1935)	BC
<i>Mirificarma flavella</i> (Duponchel, 1844)	BC
<i>Mirificarma eburnella</i> ([Denis & Schiffermüller], 1775)	BC
<i>Mirificarma fasciata</i> Pitkin, 1984	BC
<i>Mirificarma lentiginosella</i> (Zeller, 1839)	BC
<i>Mirificarma pederskouei</i> Huemer & Karsholt, 1999	BC
<i>Mirificarma cytisella</i> (Treitschke, 1833)	BC
<i>Mirificarma monticolella</i> (Rebel, 1931)	BC
<i>Mirificarma interrupta</i> (Curtis, 1827)	BC
<i>Mirificarma burdonella</i> (Rebel, 1930)	BC
<i>Mirificarma cabezella</i> (Chrétien, 1925)	BC
<i>Mirificarma ulicinella</i> (Staudinger, 1859)	BC
<i>Mirificarma mulinella</i> (Zeller, 1839)	BC
Aroga Busck, 1914	
<i>Aroga velocella</i> (Zeller, 1839)	BC
<i>Aroga flavicomella</i> (Zeller, 1839)	BC
<i>Aroga eatoni</i> Corley & Goodey, 2014	
<i>Aroga pascuicola</i> (Staudinger, 1871)	BC
<i>Aroga aristotelis</i> (Millière, 1876)	BC
<i>Aroga corsa</i> Varenne & Nel, 2019	
<i>Aroga temporariella</i> Sattler, 1960	BC
<i>Aroga balcanicola</i> Huemer & Karsholt, 1999	BC
Filatima Busck, 1939	
<i>Filatima angustipennis</i> Sattler, 1961	
<i>Filatima pallipalpella</i> (Snellen, 1884)	BC
<i>Filatima spurcella</i> (Duponchel, 1843)	BC
<i>Filatima transsilvanella</i> Kovács & Kovács, 2002	BC
<i>Filatima algarbiella</i> Corley, 2014	
<i>Filatima tephritidella</i> (Duponchel, 1844)	BC
<i>Filatima textorella</i> (Chrétien, 1908)	BC

<i>Filatima djakovica</i> Anikin & Piskunov, 1996	
<i>Filatima incomptella</i> (Herrich-Schäffer, 1854)	BC
<i>Filatima ukrainica</i> Piskunov, 1971	BC
<i>Filatima zagulajevi</i> Anikin & Piskunov, 1996	(BC)
<i>Chionodes</i> Hübner, 1825	
<i>Chionodes lugubrella</i> (Fabricius, 1794)	BC
<i>Chionodes tragicella</i> (Heyden, 1865)	BC
<i>Chionodes soella</i> Huemer & Sattler, 1995	BC
<i>Chionodes luctuella</i> (Hübner, 1793)	BC
<i>Chionodes aprilella</i> Huemer & Sattler, 1995	BC
<i>Chionodes violacea</i> (Tengström, 1848)	BC
<i>Chionodes mongolica</i> Piskunov, 1979	
<i>Chionodes holosericella</i> (Herrich-Schäffer, 1854)	BC
<i>Chionodes praeclarella</i> (Herrich-Schäffer, 1854)	BC
<i>Chionodes caucasicella</i> Huemer & Sattler, 1995	
<i>Chionodes nubilella</i> (Zetterstedt, 1839)	BC
<i>Chionodes continuella</i> (Zeller, 1839)	BC
<i>Chionodes perpetuella</i> (Herrich-Schäffer, 1854)	BC
<i>Chionodes apolectella</i> (Walsingham, 1900)	BC
<i>Chionodes distinctella</i> (Zeller, 1839)	BC
<i>Chionodes hayreddini</i> Koçak, 1986	BC
<i>Chionodes hinnella</i> (Rebel, 1935)	
<i>Chionodes bastuliella</i> (Rebel, 1931)	BC
<i>Chionodes electella</i> (Zeller, 1839)	BC
<i>Chionodes viduella</i> (Fabricius, 1794)	BC
<i>Chionodes nebulosella</i> (Heinemann, 1870)	BC
<i>Chionodes fumatella</i> (Douglas, 1850)	BC
<i>Chionodes ignorantella</i> (Herrich-Schäffer, 1854)	BC
<i>Gelechia</i> Hübner, 1825	
<i>Gelechia rhombella</i> ([Denis & Schiffermüller], 1775)	BC
<i>Gelechia scotinella</i> Herrich-Schäffer, 1854	BC
<i>Gelechia senticetella</i> (Staudinger, 1859)	BC
<i>Gelechia obscuripennis</i> (Frey, 1880)	BC
<i>Gelechia sabinellus</i> (Zeller, 1839)	BC

<i>Gelechia atlanticella</i> (Amsel, 1955)	BC
<i>Gelechia nervosella</i> (Zerny, 1927)	BC
<i>Gelechia sororculella</i> (Hübner, 1817)	BC
<i>Gelechia jakovlevi</i> Krulikovsky, 1905	BC
<i>Gelechia muscosella</i> Zeller, 1839	BC
<i>Gelechia cuneatella</i> Douglas, 1852	BC
<i>Gelechia aspoecki</i> Huemer, 1992	BC
<i>Gelechia asinella</i> (Hübner, 1796)	BC
<i>Gelechia hippophaella</i> (Schrank, 1802)	BC
<i>Gelechia basipunctella</i> Herrich-Schäffer, 1854	BC
<i>Gelechia nigra</i> (Haworth, 1828)	BC
<i>Gelechia turpella</i> ([Denis & Schiffermüller], 1775)	BC
<i>Gelechia rhombelliformis</i> Staudinger, 1871	BC
<i>Gelechia sirotina</i> Omelko, 1986	
<i>Gelechia sestertiella</i> Herrich-Schäffer, 1854	BC
<i>Gelechia mediterranea</i> Huemer, 1991	BC
<i>Gelechia dujardini</i> Huemer, 1991	BC
<i>Psoricoptera</i> Stainton, 1854	
<i>Psoricoptera speciosella</i> Teich, 1893	BC
<i>Psoricoptera gibbosella</i> (Zeller, 1839)	BC
<i>Agnippe</i> Chambers, 1872	
<i>Agnippe echinuloides</i> Bidzilya & Li, 2010	BC
<i>Agnippe lunaki</i> (Rebel, 1941)	
<i>Agnippe pseudolella</i> (Christoph, 1888)	BC
<i>Holcophora</i> Staudinger, 1871	
<i>Holcophora statices</i> Staudinger, 1871	BC
<i>Holcophora inderskella</i> (Caradja, 1920)	
<i>Holcophora obtusipalpis</i> (Walsingham, 1905)	BC
<i>Gnorimoschemini</i> Povolný, 1964	
<i>Gnorimoschema</i> Busck, 1900	
<i>Gnorimoschema soffneri</i> (Riedl, 1965)	BC
<i>Gnorimoschema herbichii</i> (Nowicki, 1864)	BC
<i>Gnorimoschema bodillum</i> Karsholt & Nielsen, 1974	(BC)
<i>Gnorimoschema nupponeni</i> Huemer & Karsholt, 2010	BC

<i>Gnorimoschema robustella</i> (Staudinger, 1871)	BC
<i>Gnorimoschema steueri</i> Povolný, 1975	BC
<i>Gnorimoschema epithymella</i> (Staudinger, 1859)	BC
<i>Gnorimoschema nordlandicolella</i> (Strand, 1902)	BC
<i>Gnorimoschema nilsi</i> Huemer, 1996	BC
<i>Gnorimoschema valesiella</i> (Staudinger, 1877)	BC
<i>Gnorimoschema streliciella</i> (Herrich-Schäffer, 1854)	BC
<i>Gnorimoschema hoefneri</i> (Rebel, 1909)	BC
<i>Scrobipalopsis</i> Povolný, 1967	
<i>Scrobipalopsis petasitis</i> (Pfaffenzeller, 1867)	BC
<i>Tecia</i> Povolný, 1973	
<i>Tecia solanivora</i> (Povolný, 1973)	BC
<i>Scrobipalpa</i> Janse, 1951	
<i>Scrobipalpa aptatella</i> (Walker, 1864)	BC
<i>Scrobipalpa kasyi</i> Povolný, 1968	BC
<i>Scrobipalpa notata</i> (Povolný, 2001)	BC
<i>Scrobipalpa acuminatella</i> (Sircom, 1850)	BC
<i>Scrobipalpa skulei</i> Huemer & Karsholt, 2010	BC
<i>Scrobipalpa hungariae</i> (Staudinger, 1871)	
<i>Scrobipalpa adaptata</i> (Povolný, 2001)	BC
<i>Scrobipalpa brahmiella</i> (Heyden, 1862)	BC
<i>Scrobipalpa vasconiella</i> (Rössler, 1877)	BC
<i>Scrobipalpa dorsolutea</i> Huemer & Karsholt, 2010	BC
<i>Scrobipalpa amseli</i> Povolný, 1966	BC
<i>Scrobipalpa hyssopi</i> Nel, 2003	BC
<i>Scrobipalpa montanella</i> (Chrétien, 1910)	BC
<i>Scrobipalpa corleyi</i> Huemer & Karsholt, 2010	BC
<i>Scrobipalpa chrysanthemella</i> (Hofmann, 1867)	BC
<i>Scrobipalpa proclivella</i> (Fuchs, 1886)	BC
<i>Scrobipalpa frugifera</i> Povolný, 1969	
<i>Scrobipalpa oleksiyella</i> Huemer & Karsholt, 2010	BC
<i>Scrobipalpa smithi</i> Povolný & Bradley, 1964	BC
<i>Scrobipalpa occulta</i> (Povolný, 2002)	BC
<i>Scrobipalpa grisea</i> Povolný, 1969	BC

<i>Scrobipalpa usingeri</i> Povolný, 1969	
<i>Scrobipalpa clintoni</i> Povolný, 1968	BC
<i>Scrobipalpa reiprichi</i> Povolný, 1984	BC
<i>Scrobipalpa obsoletella</i> (Fischer v. Röslerstamm, 1841)	BC
<i>Scrobipalpa feralella</i> (Zeller, 1872)	BC
<i>Scrobipalpa halonella</i> (Herrich-Schäffer, 1854)	BC
<i>Scrobipalpa perinii</i> (Klimesch, 1951)	BC
<i>Scrobipalpa phagnalella</i> (Constant, 1895)	BC
<i>Scrobipalpa tokari</i> Huemer & Karsholt, 2010	BC
<i>Scrobipalpa karadaghi</i> (Povolný, 2001)	BC
<i>Scrobipalpa heimi</i> Huemer & Karsholt, 2010	BC
<i>Scrobipalpa acuta</i> (Povolný, 2001)	
<i>Scrobipalpa soffneri</i> Povolný, 1964	BC
<i>Scrobipalpa jariorum</i> Huemer & Karsholt, 2010	BC
<i>Scrobipalpa murinella</i> (Duponchel, 1843)	BC
<i>Scrobipalpa wiltshirei</i> Povolný, 1966	BC
<i>Scrobipalpa caucasica</i> (Povolný, 2001)	
<i>Scrobipalpa pauperella</i> (Heinemann, 1870)	BC
<i>Scrobipalpa spumata</i> (Povolný, 2001)	BC
<i>Scrobipalpa arenbergeri</i> Povolný, 1973	BC
<i>Scrobipalpa mercantourica</i> Varenne & Nel, 2018	BC
<i>Scrobipalpa nana</i> Povolný, 1973	BC
<i>Scrobipalpa heretica</i> Povolný, 1973	
<i>Scrobipalpa bigoti</i> Povolný, 1973	BC
<i>Scrobipalpa dorsoflava</i> (Povolný, 1996)	BC
<i>Scrobipalpa magnificella</i> Povolný, 1967	BC
<i>Scrobipalpa abstrusa</i> Huemer & Karsholt, 2010	BC
<i>Scrobipalpa superstes</i> Povolný, 1977	BC
<i>Scrobipalpa remota</i> Povolný, 1972	
<i>Scrobipalpa plesiopicta</i> Povolný, 1969	BC
<i>Scrobipalpa bradleyi</i> Povolný, 1971	BC
<i>Scrobipalpa selectella</i> (Caradja, 1920)	
<i>Scrobipalpa alterna</i> (Falkovitsh & Bidzilya, 2006)	BC
<i>Scrobipalpa lutea</i> Povolný, 1977	BC

<i>Scrobipalpa griseoflava</i> Bidzilya & Budashkin, 2011	BC
<i>Scrobipalpa niveifacies</i> Povolný, 1977	BC
<i>Scrobipalpa indignella</i> (Staudinger, 1879)	BC
<i>Scrobipalpa punctata</i> (Povolný, 1996)	BC
<i>Scrobipalpa lagodes</i> (Meyrick, 1926)	
<i>Scrobipalpa deluccae</i> Povolný, 1966	
<i>Scrobipalpa atriplicella</i> (Fischer von Röslerstamm, 1841)	BC
<i>Scrobipalpa suaedella</i> (Richardson, 1893)	BC
<i>Scrobipalpa solitaria</i> Povolný, 1969	BC
<i>Scrobipalpa dagmaris</i> Povolný, 1987	
<i>Scrobipalpa suasella</i> (Constant, 1895)	BC
<i>Scrobipalpa hendrikseni</i> Huemer & Karsholt, 2010	BC
<i>Scrobipalpa halimifolia</i> Bidzilya & Budashkin, 2011	BC
<i>Scrobipalpa traganella</i> (Chrétien, 1915)	BC
<i>Scrobipalpa bazae</i> Povolný, 1977	BC
<i>Scrobipalpa artemisiella</i> (Treitschke, 1833)	BC
<i>Scrobipalpa stangei</i> (Hering, 1889)	BC
<i>Scrobipalpa suaedivorella</i> (Chrétien, 1915)	BC
<i>Scrobipalpa bryophiloides</i> Povolný, 1966	BC
<i>Scrobipalpa algeriensis</i> Povolný & Bradley, 1964	BC
<i>Scrobipalpa deutschii</i> Huemer & Karsholt, 2010	BC
<i>Scrobipalpa disjectella</i> (Staudinger, 1859)	BC
<i>Scrobipalpa fontanensis</i> Varenne & Nel, 2017	BC
<i>Scrobipalpa mixta</i> Huemer & Karsholt, 2010	
<i>Scrobipalpa achtubica</i> Anikin & Piskunov, 2018	
<i>Scrobipalpa rebeli</i> (Preissecker, 1914)	BC
<i>Scrobipalpa gallicella</i> (Constant, 1885)	BC
<i>Scrobipalpa ustulatella</i> (Staudinger, 1871)	BC
<i>Scrobipalpa postulatella</i> Huemer & Karsholt, 2010	BC
<i>Scrobipalpa filia</i> Povolný, 1969	
<i>Scrobipalpa nitentella</i> (Fuchs, 1902)	BC
<i>Scrobipalpa costella</i> (Humphreys & Westwood, 1845)	BC
<i>Scrobipalpa hyoscyamella</i> (Stainton, 1869)	BC
<i>Scrobipalpa portosanctana</i> (Stainton, 1859)	BC

<i>Scrobipalpa vicaria</i> (Meyrick, 1921)	BC
<i>Scrobipalpa ocellatella</i> (Boyd, 1858)	BC
<i>Scrobipalpa pulchra</i> Povolný, 1967	BC
<i>Scrobipalpa gecko</i> (Walsingham, 1911)	
<i>Scrobipalpa hannemanni</i> Povolný, 1966	BC
<i>Scrobipalpa erichi</i> Povolný, 1964	BC
<i>Scrobipalpa divisella</i> (Rebel, 1936)	BC
<i>Scrobipalpa voltinella</i> (Chrétien, 1898)	BC
<i>Scrobipalpa corsicamontes</i> Varenne & Nel, 2013	
<i>Scrobipalpa suaedicola</i> (Mabille, 1906)	BC
<i>Scrobipalpa monochromella</i> (Constant, 1895)	BC
<i>Scrobipalpa samadensis</i> (Pfaffenzeller, 1870)	BC
<i>Scrobipalpa salinella</i> (Zeller, 1847)	BC
<i>Scrobipalpa spergulariella</i> (Chrétien, 1910)	
<i>Scrobipalpa salicorniae</i> (Hering, 1889)	BC
<i>Scrobipalpa halimioniella</i> Huemer & Karsholt, 2010	BC
<i>Scrobipalpa thymelaeae</i> (Amsel, 1939)	BC
<i>Scrobipalpa halymella</i> (Millière, 1864)	BC
<i>Scrobipalpa camphorosmella</i> Nel, 1999	BC
<i>Scrobipalpa stabilis</i> Povolný, 1977	BC
<i>Scrobipalpa instabilella</i> (Douglas, 1846)	BC
<i>Scrobipalpa peterseni</i> (Povolný, 1965)	
<i>Scrobipalpa ergasima</i> (Meyrick, 1916)	BC
<i>Turcopalpa</i> Povolný, 1973	
<i>Turcopalpa glaseri</i> Povolný, 1973	BC
<i>Scrobipalpula</i> Povolný, 1964	
<i>Scrobipalpula psilella</i> (Herrich-Schäffer, 1854)	BC
<i>Scrobipalpula ramosella</i> (Müller-Rutz, 1934)	BC
<i>Scrobipalpula seniorum</i> Povolný, 2000	BC
<i>Scrobipalpula diffluella</i> (Frey, 1870)	BC
<i>Scrobipalpula tussilaginis</i> (Stainton, 1867)	BC
<i>Phthorimaea</i> Meyrick, 1902	
<i>Phthorimaea operculella</i> (Zeller, 1873)	BC
<i>Tuta</i> Kieffer & Jørgensen, 1910	

<i>Tuta absoluta</i> (Meyrick, 1917)	BC
<i>Keiferia</i> Busck, 1939	
<i>Keiferia lycopersicella</i> (Walsingham, 1897)	
<i>Ephysteris</i> Meyrick, 1908	
<i>Ephysteris promptella</i> (Staudinger, 1859)	BC
<i>Ephysteris tenuisaccus</i> Nupponen, 2010	
<i>Ephysteris deserticolella</i> (Staudinger, 1871)	BC
<i>Ephysteris insulella</i> (Heinemann, 1870)	BC
<i>Ephysteris brachyptera</i> Karsholt & Sattler, 1998	
<i>Ephysteris diminutella</i> (Zeller, 1839)	BC
<i>Ephysteris inustella</i> (Zeller, 1847)	BC
<i>Ephysteris olympica</i> Povolný, 1968	BC
<i>Ephysteris iberica</i> Povolný, 1977	BC
<i>Ochrodia</i> Povolný, 1966	
<i>Ochrodia subdiminutella</i> (Stainton, 1867)	BC
<i>Vladimirea</i> Povolný, 1967	
<i>Vladimirea glebicolorella</i> (Erschoff, 1874)	
<i>Microlechia</i> Turati, 1924	
<i>Microlechia rhamnifoliae</i> (Amsel & Hering, 1931)	BC
<i>Microlechia chretieni</i> Turati, 1924	BC
<i>Microlechia klimeschi</i> (Povolný, 1972)	BC
<i>Microlechia karsholti</i> (Nupponen, 2010)	BC
<i>Cosmardia</i> Povolný, 1965	
<i>Cosmardia moritzella</i> (Treitschke, 1835)	BC
<i>Lutilabria</i> Povolný, 1965	
<i>Lutilabria lutilabrella</i> (Mann, 1857)	BC
<i>Lutilabria volgensis</i> Anikin & Piskunov, 1996	BC
<i>Lutilabria prolata</i> Junnilainen & Nupponen, 2010	BC
<i>Klimeschiopsis</i> Povolný, 1967	
<i>Klimeschiopsis kiningerella</i> (Duponchel, 1843)	BC
<i>Klimeschiopsis discontinuella</i> (Rebel, 1899)	BC
<i>Klimeschiopsis maritimaealpina</i> Nel & Varenne, 2011	BC
<i>Klimeschiopsis terroris</i> (Hartig, 1938)	BC
<i>Caryocolum</i> Gregor & Povolný, 1954	

<i>Caryocolum fischerella</i> (Treitschke, 1833)	BC
<i>Caryocolum tischeriella</i> (Zeller, 1839)	BC
<i>Caryocolum alsinella</i> (Zeller, 1868)	BC
<i>Caryocolum viscariella</i> (Stainton, 1855)	BC
<i>Caryocolum albifaciella</i> (Heinemann, 1870)	BC
<i>Caryocolum vicinella</i> (Douglas, 1851)	BC
<i>Caryocolum bosaella</i> (Rebel, 1936)	BC
<i>Caryocolum sciurella</i> (Walsingham, 1908)	BC
<i>Caryocolum amaurella</i> (Hering, 1924)	BC
<i>Caryocolum crypticum</i> Huemer, Karsholt & Mutanen, 2014	BC
<i>Caryocolum tredosella</i> Nel & Requena, 2017	
<i>Caryocolum oculatella</i> (Thomann, 1930)	BC
<i>Caryocolum leucofasciatum</i> Huemer, 1989	BC
<i>Caryocolum petryi</i> (Hofmann, 1899)	BC
<i>Caryocolum baischi</i> Huemer & Karsholt, 2010	BC
<i>Caryocolum repentis</i> Huemer & Luquet, 1992	BC
<i>Caryocolum siculum</i> Bella, 2008	BC
<i>Caryocolum inflativorella</i> (Klimesch, 1938)	
<i>Caryocolum saginella</i> (Zeller, 1868)	BC
<i>Caryocolum cauligenella</i> (Schmid, 1863)	BC
<i>Caryocolum trauniella</i> (Zeller, 1868)	BC
<i>Caryocolum peregrinella</i> (Herrich-Schäffer, 1854)	BC
<i>Caryocolum delphinatella</i> (Constant, 1890)	BC
<i>Caryocolum provinciella</i> (Stainton, 1869)	BC
<i>Caryocolum mucronatella</i> (Chrétien, 1900)	BC
<i>Caryocolum leucomelanella</i> (Zeller, 1839)	BC
<i>Caryocolum mazeli</i> Huemer & Nel, 2005	BC
<i>Caryocolum leucothoracellum</i> (Klimesch, 1953)	BC
<i>Caryocolum schleichi</i> (Christoph, 1872)	BC
<i>Caryocolum arenariella</i> (Benander, 1937)	BC
<i>Caryocolum marmorea</i> (Haworth, 1828)	BC
<i>Caryocolum pullatella</i> (Tengström, 1848)	BC
<i>Caryocolum stramentella</i> (Rebel, 1935)	BC
<i>Caryocolum hispanicum</i> Huemer, 1988	

<i>Caryocolum confluens</i> Huemer, 1988	BC
<i>Caryocolum srnkai</i> Huemer & Karsholt, 2011	BC
<i>Caryocolum gallagenellum</i> Huemer, 1989	BC
<i>Caryocolum fraternella</i> (Douglas, 1851)	BC
<i>Caryocolum klosi</i> (Rebel, 1917)	BC
<i>Caryocolum interalbicella</i> (Herrich-Schäffer, 1854)	BC
<i>Caryocolum laceratella</i> (Zeller, 1868)	BC
<i>Caryocolum dauphini</i> Grange & Nel, 2012	BC
<i>Caryocolum blandella</i> (Douglas, 1852)	BC
<i>Caryocolum blandelloides</i> Karsholt, 1981	BC
<i>Caryocolum horoscopa</i> (Meyrick, 1926)	BC
<i>Caryocolum jaspidella</i> (Chrétien, 1908)	BC
<i>Caryocolum proxima</i> (Haworth, 1828)	BC
<i>Caryocolum blandulella</i> (Tutt, 1887)	BC
<i>Caryocolum arenbergeri</i> Huemer, 1989	BC
<i>Caryocolum tricolorella</i> (Haworth, 1812)	BC
<i>Caryocolum fibigerium</i> Huemer, 1988	BC
<i>Caryocolum junctella</i> (Douglas, 1851)	BC
<i>Caryocolum cassella</i> (Walker, 1864)	BC
<i>Caryocolum moehringiae</i> (Klimesch, 1954)	BC
<i>Caryocolum petrophila</i> (Preissecker, 1914)	BC
<i>Caryocolum huebneri</i> (Haworth, 1828)	BC
<i>Caryocolum kroesmanniella</i> (Herrich-Schäffer, 1854)	BC
Tila Povolný, 1965	
<i>Tila capsophilella</i> (Chrétien, 1900)	BC
Pogochaetia Staudinger, 1879	
<i>Pogochaetia solitaria</i> Staudinger, 1879	BC
Agonochaetia Povolný, 1967	
<i>Agonochaetia terrestrella</i> (Zeller, 1872)	BC
<i>Agonochaetia intermedia</i> Sattler, 1968	BC
<i>Agonochaetia quartana</i> Povolný, 1990	
Canarischema Karsholt, 2017	
<i>Canarischema fuerteventura</i> Karsholt, 2017	BC
Sattleria Povolný, 1965	

<i>Sattleria melaleucella</i> (Constant, 1865)	BC
<i>Sattleria arcuata</i> Pitkin & Sattler, 1991	BC
<i>Sattleria pyrenaica</i> (Petry, 1904)	BC
<i>Sattleria taurandi</i> Nel & Varenne, 2019	
<i>Sattleria karsholti</i> Huemer & Hebert, 2011	BC
<i>Sattleria cottiella</i> Huemer & Hebert, 2011	BC
<i>Sattleria marguareisi</i> Huemer & Sattler, 1992	BC
<i>Sattleria izoardi</i> Huemer & Sattler, 1992	BC
<i>Sattleria graiaeella</i> Huemer & Hebert, 2011	BC
<i>Sattleria dolomitica</i> Huemer, 2014	
<i>Sattleria basistrigella</i> Huemer, 1997	BC
<i>Sattleria triglavica</i> Povolný, 1987	BC
<i>Sattleria dinarica</i> Huemer, 2014	BC
<i>Sattleria haemusi</i> Huemer, 2014	BC
<i>Sattleria dzieduszyckii</i> (Nowicki, 1864)	BC
<i>Sattleria angustispina</i> Pitkin & Sattler, 1991	
<i>Sattleria breviramus</i> Pitkin & Sattler, 1991	BC
<i>Sattleria sophiae</i> Timossi, 2014	BC
<i>Sattleria styriaca</i> Pitkin & Sattler, 1991	BC
Litini Bruand d'Uzelle 1859	
<i>Schneidereria</i> Weber, 1957	
<i>Schneidereria pistaciella</i> Weber, 1957	BC
<i>Teleiodes</i> Sattler, 1960	
<i>Teleiodes vulgella</i> ([Denis & Schiffermüller], 1775)	BC
<i>Teleiodes italica</i> Huemer, 1992	BC
<i>Teleiodes brevivalva</i> Huemer, 1992	BC
<i>Teleiodes waga</i> (Nowicki, 1860)	BC
<i>Teleiodes saltuum</i> (Zeller, 1878)	BC
<i>Teleiodes kaitilai</i> Junnilainen, 2010	BC
<i>Teleiodes luculella</i> (Hübner, 1813)	BC
<i>Teleiodes flavimaculella</i> (Herrich-Schäffer, 1854)	BC
<i>Teleiodes albidorsella</i> Huemer & Karsholt, 1999	
<i>Teleiodes albiluculella</i> Huemer & Karsholt, 2001	BC
<i>Neotelphusa</i> Janse, 1958	

<i>Neotelphusa sequax</i> (Haworth, 1828)	BC
<i>Neotelphusa huemeri</i> (Nel, 1998)	BC
<i>Neotelphusa traugotti</i> (Huemer & Karsholt, 2001)	(BC)
<i>Neotelphusa cisti</i> (Stainton, 1869)	BC
<i>Carpatolechia</i> Capuse, 1964	
<i>Carpatolechia decorella</i> (Haworth, 1812)	BC
<i>Carpatolechia aenigma</i> (Sattler, 1983)	BC
<i>Carpatolechia fugitivella</i> (Zeller, 1839)	BC
<i>Carpatolechia fugacella</i> (Zeller, 1839)	BC
<i>Carpatolechia minor</i> (Kasy, 1978)	
<i>Carpatolechia filipjevi</i> (Lvovsky & Piskunov, 1993)	BC
<i>Carpatolechia alburnella</i> (Zeller, 1839)	BC
<i>Carpatolechia notatella</i> (Hübner, 1813)	BC
<i>Carpatolechia proximella</i> (Hübner, 1796)	BC
<i>Carpatolechia intermediella</i> Huemer & Karsholt, 1999	
<i>Carpatolechia epomidella</i> (Tengström, 1869)	BC
<i>Pseudotelphusa</i> Janse, 1958	
<i>Pseudotelphusa scalella</i> (Scopoli, 1763)	BC
<i>Pseudotelphusa istrella</i> (Mann, 1866)	BC
<i>Pseudotelphusa occidentella</i> Huemer & Karsholt, 1999	BC
<i>Pseudotelphusa paripunctella</i> (Thunberg, 1794)	BC
<i>Pseudotelphusa tessella</i> (Linnaeus, 1758)	BC
<i>Istrianis</i> Meyrick, 1918	
<i>Istrianis myricariella</i> (Frey, 1870)	BC
<i>Istrianis arenicolella</i> (Caradja, 1920)	BC
<i>Istrianis pseudomyricariella</i> Bidzilya & Karsholt, 2015	
<i>Istrianis nilssoni</i> Bidzilya & Karsholt, 2015	BC
<i>Istrianis brucinella</i> (Mann, 1872)	
<i>Istrianis femoralis</i> (Staudinger, 1876)	BC
<i>Istrianis piskunovi</i> Bidzilya & Karsholt, 2015	
<i>Streyella</i> Janse, 1958	
<i>Streyella canariensis</i> (Walsingham, 1908)	BC
<i>Streyella anguinella</i> (Herrich-Schäffer, 1861)	BC
<i>Teleiopsis</i> Sattler, 1960	

<i>Teleiopsis terebinthinella</i> (Herrich-Schäffer, 1856)	BC
<i>Teleiopsis latisacculus</i> Pitkin, 1988	BC
<i>Teleiopsis diffinis</i> (Haworth, 1828)	BC
<i>Teleiopsis lunariella</i> (Walsingham, 1908)	BC
<i>Teleiopsis bagriotella</i> (Duponchel, 1840)	BC
<i>Teleiopsis laetitia</i> Schmid, 2011	BC
<i>Teleiopsis lindae</i> Schmid, 2011	BC
<i>Teleiopsis albifemorella</i> (Hofmann, 1867)	BC
<i>Teleiopsis paulheberti</i> Huemer & Mutanen, 2012	BC
<i>Teleiopsis rosabella</i> (Fologne, 1862)	BC
<i>Xenolechia</i> Meyrick, 1895	
<i>Xenolechia aethiops</i> (Humphreys & Westwood, 1845)	BC
<i>Xenolechia lindae</i> Huemer & Karsholt, 1999	BC
<i>Xenolechia pseudovulgella</i> Huemer & Karsholt, 1999	BC
<i>Altenia</i> Sattler, 1960	
<i>Altenia perspersella</i> (Wocke, 1862)	BC
<i>Altenia scriptella</i> (Hübner, 1796)	BC
<i>Altenia elsneriella</i> Huemer & Karsholt, 1999	BC
<i>Altenia mersinella</i> (Staudinger, 1879)	BC
<i>Altenia wagneriella</i> (Rebel, 1926)	BC
<i>Altenia modesta</i> (Danilevsky, 1955)	BC
<i>Recurvaria</i> Haworth, 2828	
<i>Recurvaria nanella</i> ([Denis & Schiffermüller], 1775)	BC
<i>Recurvaria leucatella</i> (Clerck, 1759)	BC
<i>Recurvaria thomeriella</i> (Chrétien, 1901)	BC
<i>Recurvaria costimaculella</i> Huemer & Karsholt, 2001	
<i>Coleotechnites</i> Chambers, 1880	
<i>Coleotechnites piceaella</i> (Kearfott, 1903)	BC
<i>Exoteleia</i> Wallengren, 1881	
<i>Exoteleia dodecella</i> (Linnaeus, 1758)	BC
<i>Exoteleia succinctella</i> (Zeller, 1872)	BC
<i>Stenolechia</i> Meyrick, 1894	
<i>Stenolechia gemmella</i> (Linnaeus, 1758)	BC
<i>Parastenolechia</i> Kanazawa, 1985	

<i>Parastenolechia nigrinotella</i> (Zeller, 1847)	BC
<i>Stenolechiodes</i> Elsner, 1996	
<i>Stenolechiodes pseudogemmellus</i> Elsner, 1996	BC
<i>Stenolechiodes macrolepiellus</i> Huemer & Karsholt, 1999	BC
<i>Parachronistis</i> Meyrick, 1925	
<i>Parachronistis albiceps</i> (Zeller, 1839)	BC
<i>Schistophila</i> Chrétien, 1899	
<i>Schistophila laurocistella</i> Chrétien, 1899	BC
unplaced genus	
" <i>Telphusa</i> " <i>cistiflorella</i> (Constant, 1890)	BC