

Supporting Information 3. Androconia, forewing upperside and hindwing underside in select *Tomares* species.

No.	Sample ID	Taxon	Locality
1	DNAwthTomares 051	<i>T. callimachus</i> ♂	W Azerbaijan, Caucasus, N Xaldan, Turjan-caj-reserve, 100 m, 4. V. 2007
2	DNAwthTomares 052	<i>T. callimachus</i> ♂	Iran, Tehran, S Kendevan-Pass, Gachsar, 2200 m, 16. V. 2005
3	DNAwthTomares 056	<i>T. callimachus</i> ♂	Iran, Azarbaygan-e-Garbi, Miyandoab – Takab, 5 km N Shahin Dez, 1500 m, 2. V. 2002
4	DNAwthTomares 059	<i>T. callimachus</i> ♂	Armenia, Aiotzdzorsky range, 1800 m, Yeghegnadzor, 26. V. 2007
5	DNAwthTomares 002	<i>T. callimachus</i> ♂	Ukraine, Crimea, Feodosia, 3. IV. 1997
6	DNAwthTomares 050	<i>T. callimachus</i> ♂	Russia, Krasnodar, Anapa, 15. IV. 2000
7 (androconia)	DNAwthTomares 043	<i>T. desinens desinens</i> ♂	Azarbaidzhan, Talish, Zuvand, 29. V. 2004
7 (wings)	DNASalkTomares 2	<i>T. desinens mebepe</i> ♀!	Iran, Kordestan, Sanandaj, 1800 m, 27. IV. 2000
8	DNAwthTomares 008	<i>T. desinens alborsicus</i> ♂	Iran, Qazvin, Alamout pass, 22.5.2008
9	DNAwthTomares 066	<i>T. nesimachus</i> ♂	Syria, Maalula, At Tavani, 1400 m, 18. IV. 1998
10	DNAwthTomares 065	<i>T. nesimachus</i> ♂	Syria, Maalula, At Tavani, 1400 m, 18. IV. 1998
11	DNAwthTomares 092	<i>T. nogellii</i> ♂	Turkey, Erzurum, Gölyurt-gecidi, 23. VI. 1997, 2200 m
12	DNAwthTomares 121	<i>T. nogellii</i> ♂	Turkey, Nevsehir, 1200 m, 8. VII. 1983
13	DNAwthTomares 118	<i>T. nogellii dobrogensis</i> ♂	Ukraine, Zaporoshie, 25. V. 1999
14	DNAwthTomares 085	<i>T. nogellii dobrogensis</i> ♂	Ukraine, Azov sea, 10. – 20. VI. 2001
15	DNAwthTomares 112	<i>T. romanovi</i> ♂	Turkey, Hakkari, 20-30 km W Yüksekova, 1700 m, 18. V. 2008
16	DNAwthTomares 005	<i>T. telemachus</i> ♂	Turkmenia, W Kopet Dagh Mts, Kara-Kala, 5. IV. 1996





