

Pupal data of *Sinobirma bouyeri* raised on *Coriaria nepalensis* and *Prunus cerasoides*

ZHENGYANG LIU

Zhangdian District, Zibo, Shandong Province 255000, China

E-mail: saturniidae@qq.com

<i>Coriaria nepalensis</i>			<i>Prunus cerasoides</i>		
Depth	Weight	Gender	Depth	Weight	Gender
ca. 12 cm	2.00 g	♂	ca. 8 cm	1.74 g	♂
ca. 9 cm	1.89 g	♂	ca. 7 cm	1.53 g	♀
ca. 11 cm	2.15 g	♂	ca. 6 cm	1.67 g	♂
ca. 12 cm	2.21 g	♀	ca. 7 cm	1.82 g	♀
ca. 11 cm	2.43 g	♀	ca. 7 cm	1.74 g	♂
ca. 8 cm	2.19 g	♀	ca. 8 cm	1.67 g	♂
ca. 9 cm	2.03 g	♀	ca. 7 cm	1.45 g	♂
ca. 8 cm	2.25 g	♀	ca. 7 cm	1.23 g	♂
ca. 9 cm	2.00 g	♂	ca. 8 cm	1.59 g	♀
ca. 10 cm	2.22 g	♀	ca. 9 cm	2.27 g	♀
ca. 10 cm	2.12 g	♂	ca. 9 cm	1.85 g	♀
ca. 9 cm	2.66 g	♀	ca. 10 cm	2.17 g	♀
ca. 9 cm	1.56 g	♂	ca. 9 cm	1.64 g	♂
ca. 12 cm	2.34 g	♀	ca. 11 cm	1.66 g	♂
ca. 8 cm	2.56 g	♀	ca. 10 cm	1.65 g	♂
ca. 9 cm	2.40 g	♀	ca. 10 cm	Died	Died
ca. 9 cm	2.20 g	♀	ca. 9 cm	Died	Died
ca. 9 cm	2.30 g	♀			
ca. 9 cm	2.34 g	♀			

Depth = the distances from pupae to the surface of moss-layer. Weight = The weights of pupae. Gender = The genders of pupae.