# Food products identified as source of a foodborne disease outbreak by a fast and robust likelihood estimation

Jakub Fusiak<sup>‡</sup>, Kyrre Kausrud<sup>§</sup>, Marion Gottschald<sup>‡</sup>, Dominic Tölle<sup>‡</sup>, Marco Rügen<sup>‡</sup>, Birgit Lewicki<sup>‡</sup>, Isaak Gerber<sup>‡</sup>, Michele Kayser<sup>‡</sup>, Alexander Falenski<sup>‡</sup>, Armin Weiser<sup>‡</sup>, Solveig Jore<sup>l</sup>, Madelaine Norström<sup>§</sup>, Katja Alt<sup>‡</sup>

- ‡ German Federal Institute for Risk Assessment, Berlin, Germany
- § Norwegian Veterinary Institute, Oslo, Norway
- | Norwegian Institute of Public Health, Oslo, Norway

Corresponding author: Jakub Fusiak (jakub.fusiak@bfr.bund.de)

#### **Abstract**

Identifying a specific product causing a foodborne disease outbreak can be difficult, especially when do a large amounts of suspicious food items and weak epidemiological evidence.

A previously described likelihood model (Norström et al. 2015), improved within the OHEJP NOVA project, helps to prioritize food products that should be sampled for laboratory analysis. It is the aim of our study to integrate this approach into state of the art tracing software FoodChain-Lab (FCL; <a href="https://foodrisklabs.bfr.bund.de/foodchain-lab">https://foodrisklabs.bfr.bund.de/foodchain-lab</a>) developed at BfR to facilitate outbreak investigations.

The model improved by Kausrud et al. in R (lhaka and Gentleman 1996) uses wholesale data, the distribution of disease cases and census data to sort food items by their estimated likelihood to be the source of an outbreak. We developed a fast and secure intuitive software module using the Web Assembly technology (Haas et al. 2017) allowing professionals to embed the module easily into other applications.

We integrated the module into the FCL web application for tracing (FCL Web; <a href="https://fcl-portal.bfr.berlin">https://fcl-portal.bfr.berlin</a>) to provide an intuitive and user-friendly solution. This solution combines a simple data input with extended data wrangling to make the calculation of the NOVA model as easy as possible. Since the model can be executed directly inside the web browser and therefore does not rely on any server environment, the possibility of data leakage can be highly reduced. The implementation of the advanced likelihood model into FCL Web increase the availability of this model and provides investigators easy, fast and reliable usage to improve outbreak investigation workflows.

## Keywords

foodborne outbreak investigation, FoodChain-Lab, web application, model, WebAssembly

# Presenting author

Jakub Fusiak

### Funding program

One Health EJP NOVA

#### Grant title

This project has received funding from the European Union's Horizon 2020 research and innovation programme under Grant Agreement No 773830.

#### Conflicts of interest

## References

- Haas A, Rossberg A, Schuff D, Titzer B, Holman M, Gohman D, Wagner L, Zakai A, Bastien J (2017) Bringing the web up to speed with WebAssembly. Proceedings of the 38th ACM SIGPLAN Conference on Programming Language Design and Implementation https://doi.org/10.1145/3062341.3062363
- Ihaka R, Gentleman R (1996) R: A Language for Data Analysis and Graphics. Journal of Computational and Graphical Statistics 5 (3): 299-314. <a href="https://doi.org/10.1080/10618600.1996.10474713">https://doi.org/10.1080/10618600.1996.10474713</a>
- Norström M, Kristoffersen AB, Görlach FS, Nygård K, Hopp P (2015) An Adjusted Likelihood Ratio Approach Analysing Distribution of Food Products to Assist the Investigation of Foodborne Outbreaks. PLOS ONE 10 (8). <a href="https://doi.org/10.1371/journal.pone.0134344">https://doi.org/10.1371/journal.pone.0134344</a>