

# New records and detailed distribution and abundance of selected arthropod species collected between 1999 and 2011 in Azorean native forests

Paulo A.V. Borges<sup>‡</sup>, Clara Gaspar<sup>‡</sup>, Luís Carlos Fonseca Crespo<sup>§,‡</sup>, François Rigal<sup>‡</sup>, Pedro Cardoso<sup>¶</sup>,  
‡, Fernando Pereira<sup>‡</sup>, Carla Rego<sup>‡</sup>, Isabel R. Amorim<sup>‡</sup>, Catarina Melo<sup>‡</sup>, Carlos Aguiar<sup>#</sup>, Genage André  
#, Enésima P. Mendonça<sup>‡</sup>, Sérgio Ribeiro<sup>‡,‡</sup>, Joaquín Hortal<sup>«,‡</sup>, Ana M.C. Santos<sup>«,‡</sup>, Luís Barcelos<sup>‡</sup>,  
Henrik Enghoff<sup>¶</sup>, Volker Mahner<sup>†,^</sup>, Margarida T. Pita<sup>˘</sup>, Jordi Ribes<sup>!</sup>, Arturo Baz<sup>?</sup>, António B. Sousa<sup>ˆ</sup>,  
Virgílio Vieira<sup>‡,‡</sup>, Jörg Wunderlich<sup>‡</sup>, Aristeidis Parmakelis<sup>‡,‡</sup>, Robert J. Whittaker<sup>¶</sup>, José Alberto  
Quartau<sup>#</sup>, Artur R.M. Serrano<sup>#</sup>, Kostas A. Triantis<sup>‡,‡</sup>

‡ cE3c – Centre for Ecology, Evolution and Environmental Changes / Azorean Biodiversity Group and Universidade dos Açores - Departamento de Ciências e Engenharia do Ambiente, Rua Capitão João d'Ávila, São Pedro, 9700-042 Angra do Heroísmo, Terceira, Azores, Portugal

§ Department de Biologia Animal and Institut de Recerca de la Biodiversitat (IRBio), Universitat de Barcelona, Avinguda Diagonal 643, 08071, Barcelona, Spain

| Environment and Microbiology Team, IPREM UMR-CNRS-UPPA 5254, IBEAS BP1155, Université de Pau et des Pays de l'Adour, 64013 Pau Cedex, France

¶ Finnish Museum of Natural History, University of Helsinki, Pohjoinen Rautatiekatu 13, P.O.Box 17, 00014, Helsinki, Finland

# cE3c, Centre for Ecology, Evolution and Environmental Changes & Faculty of Sciences, University of Lisbon, 1749-016, Lisbon, Portugal

‡ Laboratório de Ecologia Evolutiva de Herbívoros de Dossel, DEBIO, Instituto de Ciências Exatas e Biológicas, Universidade Federal de Ouro Preto, Campus Morro do Cruzeiro, 35400-000, Ouro Preto, MG, Brazil

« Departamento de Biogeografía y Cambio Global, Museo Nacional de Ciencias Naturales (CSIC), C/José Gutiérrezz Abascal 2, 28006, Madrid, Spain

» Natural History Museum of Denmark, University of Copenhagen, Universitetsparken 15, DK-2100, Copenhagen OE, Denmark

^ Museum d'Histoire Naturelle, Case Postale 6434, 1211, Geneva, Swaziland

˘ Centro de Estudos da Macaronésia (CEM), Universidade da Madeira, Campus Universitário da Penteada - Bloco C - Piso 1, 9000-399 Funchal, Madeira, Portugal

! Valencia 123-125, ent., 3a, E-08011, Barcelona, Spain

? Dep. de Ciencias de la Vida. Universidad de Alcalá, 28871 Alcalá de Henares, Madrid, Spain

ˆ SPEN – Sociedade Portuguesa de Entomologia, Apartado 8221, P-1803-001, Lisboa, Portugal

‡ Departamento de Biologia, Universidade dos Açores, Apartado 1422, 9501-301, Ponta Delgada, S. Miguel, Azores, Portugal

‡ Hindenburgstr. 94, D-75334, Straubenhardt, Germany

‡ Department of Ecology and Taxonomy, Faculty of Biology, National and Kapodistrian University of Athens, Athens, GR-15784, Greece

¶ Biodiversity Research Group, Oxford University, Centre for the Environment, South Parks Road, Oxford, OX1 3QY, United Kingdom

† Deceased author

Corresponding author: Paulo A.V. Borges ([pborges@uac.pt](mailto:pborges@uac.pt))

Academic editor: Pavel Stoev

## Abstract

### Background

In this contribution we present detailed distribution and abundance data for arthropod species identified during the [BALA](#) – *Biodiversity of Arthropods from the Laurisilva of the Azores* (1999-2004) and [BALA2](#) projects (2010-2011) from 18 native forest fragments in seven of the nine Azorean islands (all excluding Graciosa and Corvo islands, which have no native forest left).

### New information

Of the total 286 species identified, 81% were captured between 1999 and 2000, a period during which only 39% of all the samples were collected. On average, arthropod richness for each island increased by 10% during the time frame of these projects. The classes Arachnida, Chilopoda and Diplopoda represent the most remarkable cases of new island records, with more than 30% of the records being novelties. This study stresses the need to expand the approaches applied in these projects to other habitats in the Azores, and more importantly to other less surveyed taxonomic groups (e.g. Diptera and Hymenoptera). These steps are fundamental for getting a more accurate assessment of biodiversity in the archipelago.

### Keywords

Azores; terrestrial arthropods; BALA project; laurissilva forest; Linnean, Wallacean and Prestonian shortfalls.

### Introduction

In 1999 a group of researchers from the University of the Azores and the University of Lisbon started a long-term (1999-2004) standardized sampling program to inventory the arthropod biodiversity in native forest remnants of the Azores - the [BALA I](#) project – *Biodiversity of Arthropods from the Laurisilva of the Azores* (Borges et al. 2000, Borges et al. 2005a, Borges et al. 2011, Ribeiro et al. 2005, Gaspar et al. 2008). More recently, this project was extended by researchers from the Universities of the Azores, Athens and Oxford, by surveying part of the same native forest plots almost 10 years later - [BALA II](#) project (2010-2011).

Eight years of standardized survey of the native forest in seven of the nine Azorean islands resulted in a major improvement on the knowledge of the Azorean arthropod fauna, in particular concerning Araneae, Opiliones, Pseudoscorpionida, Diplopoda, Chilopoda and

Insecta (excluding Collembola, Diptera and Hymenoptera). As a consequence, several new endemic taxa were described for the archipelago (e.g. Blas and Borges 1999, Ribes and Borges 2001, Platia and Borges 2002, Quartau and Borges 2003, Borges et al. 2004, Borges and Wunderlich 2008, Crespo et al. 2013, Crespo et al. 2014) or are in the process of being described (Borges et al. 2016 in press). In fact, after examining the shape and characteristics of discovery curves, Lobo and Borges (2010) clearly show that it is very likely that many new species of arthropods remain to be discovered in the Azores particularly for less studied groups in this archipelago such as Diptera and Hymenoptera. Besides purely faunistic results, the BALA data was also used to evaluate abundance, spatial variance and occupancy of arthropods (Gaston et al. 2006, Rigal et al. 2013), the effects of disturbance and biotic integrity of the native forests on arthropod assemblages (Cardoso et al. 2007, Cardoso et al. 2013, Gaspar et al. 2011, Florencio et al. 2013, Florencio et al. 2015), the extinction debt of Azorean forest specialist species (Triantis et al. 2010) and the performance of species richness estimators (Hortal et al. 2006). Moreover, such data allowed the ranking of conservation priorities for the fauna and flora of the Azores (e.g. Borges et al. 2005a, Martín et al. 2010) and allowed the estimation of extinction debt in Azores (Terzopoulou et al. 2015, Triantis et al. 2010).

During this period, two complete checklists of Azorean arthropod fauna were produced (Borges et al. 2005b, Borges et al. 2010), which included the distribution of each species per island. In this paper we compile and synthesize the faunistic results of both [BALA](#) projects, highlighting novel distribution records and presenting not only detailed distribution but also abundance data for each species, adding taxonomical and biogeographical information whenever possible. Finally, we provide a general and updated overview on the diversity of the Azorean arthropods.

## **Materials and methods**

### ***Area of study: The Azores***

The remote Azores archipelago extends for 615 km in the North Atlantic Ocean (37-40 °N, 25-31 °W), 1584 km to the east (southern Europe) and 2150 km to the west (northern America) of the nearest mainland. It comprises nine main islands and some small islets, all of volcanic origin, and is located at the triple junction of the Eurasian, African and American tectonic plates. The nine islands are divided into three groups: the western group (Corvo and Flores isls.), the central group (Faial, Pico, Graciosa, São Jorge and Terceira isls.), and the eastern group (São Miguel and Santa Maria isls) (Fig. 1). The climate is temperate and oceanic, strongly influenced by the ocean and island topography, which together produce high relative atmospheric humidity, above 95% on average on native forests.

### ***Sampling protocol***

Eighteen native forest fragments distributed across seven of the nine islands were sampled (Table 1; see also Gaspar et al. 2008). Graciosa and Corvo islands were excluded as they no longer present native forest. Human settlement in the Azores lead to

considerable native forest destruction which has left the entire archipelago with little over 2% of the original forest cover. During the summer (June to September) 150 m long and 5 m wide transects were set up in 100 sites from 1999 to 2004 ([BALA I](#): 18 native forest fragments) and some were sampled twice in that period totalling 123 samples; about 29 of those sites were resampled from 2010 to 2011 using the same protocol ([BALA II](#) project; 15 native forest fragments). Along each transect, arthropods from the soil (mainly epigeal) and herbaceous vegetation were surveyed with pitfall traps, while arthropods from woody plants were sampled using a beating tray. Pitfall traps consisted of plastic cups with 4.2 cm diameter and 7.8 cm height. Thirty pitfall traps were set up per transect. Half of the traps were filled with a non-attractive ethylene glycol preservative solution (antifreeze solution), and the remaining with a general attractive solution, a modified version of Turquin (Turquin 1973) prepared mainly with dark beer and preservative agents. A few drops of dishwashing liquid were added to both solutions to reduce surface tension. Traps were sunk in the soil (cup rim at surface level) every 5 m along the transects, those filled with Turquin alternating with traps containing antifreeze solution. Traps were protected from rain using a plastic plate, placed about 5 cm above surface level and fixed to the ground by two pieces of wire. Accidental collection of small vertebrates and damage by rodents was prevented using a piece of plastic mesh placed on top of the trap and fixed to the ground by pieces of wire. The traps remained active in the field for two weeks.

Canopy sampling was conducted during the trapping period, when the vegetation was dry. A 5 m wide square was established every 15 m (total of 10 squares per transect). Two woody plant specimens of the most abundant species (up to three species when available) were sampled in each square. For each selected plant, a branch was chosen at random and a beating tray placed beneath. The tray consisted of a 1 m wide and 60 cm deep cloth inverted pyramid, with a plastic bag at the vertex. Five beatings were made using a stick for each plant individual sampled.

The arthropod taxa considered in this study were selected based on the availability of expert taxonomists and ability to readily separate them by morphological criteria. All Araneae, Opiliones, Pseudoscorpionida, Diplopoda, Chilopoda and Insecta (excluding Collembola, Diptera and Hymenoptera) were assigned to morphospecies through comparison with a reference collection. Various taxonomists (PAVB, ARMS, LC, PC, HE, FI, VM, MTP, JR, AB, ABS, RzS, VV, JW, JAQ, and see also Acknowledgments) checked the assignment to morphospecies, performed species identifications and supplied additional ecological information. The taxonomic nomenclature follows the most recent list of Azorean arthropods (Borges et al. 2010).

All specimens are deposited in the Entomological Collection Dalberto Teixeira Pombo at the University of the Azores (Portugal), under the curation of Paulo A. V. Borges ([pborges@uac.pt](mailto:pborges@uac.pt)).

In this contribution we list the 286 species for which we obtained an identification. The new records for each island are marked with \*. For this list two families of Coleoptera were not considered since they will be presented elsewhere, Staphylinidae (Borges et al. in prep.)

and Zopheridae (Borges et al. 2016). For detailed maps on the distribution of these species in Azores consult the [Azores Bioportal](#).

All specimens were assigned a SITE CODE composed of several letters and numbers that read as follows (see Suppl. material 1 for complete data). Detailed metadata is given in Suppl. material 2):

i) the first three letters refer to island name (FLO – Flores; FAI – Faial; PIC – Pico; SJG – São Jorge; GRA – Graciosa; TER – Terceira; SMG – São Miguel; SMR – Santa Maria);

ii) the following two letters refer to fragment name (Flores: FR - Caldeiras Funda e Rasa, MA - Morro Alto e Pico da Sé; Faial: CF – Caldeira do Faial, CG – Cabeço do Fogo; Pico: CA – Caveiro, LC – Lagoa do Caiado, MP – Mistério da Prainha; São Jorge: PP – Pico Pinheiro, TO – Topo; Terceira: BF – Biscoito da Ferraria, GM – Caldeira do Guilherme Moniz, PG – Pico do Galhardo, SB – Serra de Santa Bárbara, TB – Terra Brava; São Miguel: AT – Atalhada, GR – Graminhais, PV – Pico da Vara; Santa Maria: PA – Pico Alto);

iii) the following three characters refer to the sampling transect; and

iv) the next letter refers to the sampling technique: P - pitfall, B - canopy beating; for pitfall samples (P) TU – Turquin and ET – ethylene glycol; for canopy samples (B) the next two letters refer to the plant sampled: CA = *Calluna vulgaris*, CL = *Clethra arborea*, ER = *Erica azorica*, FR = *Frangula azorica*, IL = *Ilex perado azorica*, JU = *Juniperus brevifolia*, LA = *Laurus azorica*, MC = *Morella faya*, MS = *Myrsine africana*, PI = *Picconia azorica*, PT = *Pittosporum undulatum*, VA = *Vaccinium cylindraceum*.

For the geographical location of transects within reserves (UTM coordinates) see Suppl. material 3.

Accumulation curves were obtained using the software “[Species Diversity and Richness](#)” V. 4.

## Checklist of the Studied Azorean Arthropods

**Kingdom Animalia**

**Phylum Arthropoda**

**Class Arachnida**

**Order Pseudoscorpiones**

**Family Chthoniidae**

***Chthonius ischnocheles* (Hermann, 1804)**

- <http://azoresbioportal.uac.pt/azores-species/chthonius-ischnocheles-10257/>

**Native status:** Introduced

**Distribution:** COR; FLO\*; FAI; PIC; GRA; SJG\*; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

***Chthonius tetrachelatus* (Preyssler, 1790)**

- <http://azoresbioportal.uac.pt/azores-species/chthonius-tetrachelatus-10380/>

**Native status:** Introduced

**Distribution:** COR; FLO\*; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

**Family Neobisiidae**

***Neobisium maroccanum* Beier, 1930**

- <http://azoresbioportal.uac.pt/azores-species/neobisium-maroccanum-10482/>

**Native status:** Introduced

**Distribution:** FLO; FAI; PIC; GRA; SJG\*; TER\*

**Notes:** Biogeographical Realm: Palearctic

**Order Opiliones**

**Family Phalangiidae**

***Homalenotus coriaceus* (Simon, 1879)**

- <http://azoresbioportal.uac.pt/azores-species/homalenotus-coriaceus-8096/>

**Native status:** Native

**Distribution:** FLO\*; FAI\*; PIC\*; TER\*; SMG; SMR\*

**Notes:** Biogeographical Realm: Palearctic

### ***Leiobunum blackwalli* Meade, 1861**

- <http://azoresbiportal.uac.pt/azores-species/leiobunum-blackwalli-7831/>

**Native status:** Native

**Distribution:** FLO\*; FAI\*; PIC\*; GRA; SJG\*; TER\*; SMG\*

**Notes:** Biogeographical Realm: Western Palearctic

## **Order Araneae**

### **Family Araneidae**

### ***Gibbaranea occidentalis* Wunderlich, 1989**

- <http://azoresbiportal.uac.pt/azores-species/gibbaranea-occidentalis-6895/>

**Native status:** Azores endemic

**Distribution:** FLO; FAI; PIC\*; GRA; SJG\*; TER\*; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Mangora acalypha* (Walckenaer, 1802)**

- <http://azoresbiportal.uac.pt/azores-species/mangora-acalypha-7972/>

**Native status:** Introduced

**Distribution:** FLO; FAI; PIC; GRA; SJG\*; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

## **Family Clubionidae**

### ***Cheiracanthium erraticum* (Walckenaer, 1802)**

- <http://azoresbiportal.uac.pt/azores-species/cheiracanthium-erraticum-6898/>

**Native status:** Introduced

**Distribution:** FLO; FAI\*; PIC\*; GRA; SJG\*; TER; SMG; SMR\*

**Notes:** Biogeographical Realm: Palearctic

***Cheiracanthium floresense* Wunderlich, 2008**

- <http://azoresbioportal.uac.pt/azores-species/cheiracanthium-floresense-7719/>

**Native status:** Azores endemic

**Distribution:** FLO\*

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

***Cheiracanthium jorgeense* Wunderlich, 2008**

- <http://azoresbioportal.uac.pt/azores-species/cheiracanthium-jorgeense-7720/>

**Native status:** Azores endemic

**Distribution:** SJG\*

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

***Clubiona decora* Blackwall, 1859**

- <http://azoresbioportal.uac.pt/azores-species/clubiona-decora-7726/>

**Native status:** Native

**Distribution:** COR; FLO\*; FAI\*; PIC\*; GRA; SJG\*; TER; SMG\*; SMR\*

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

***Clubiona genevensis* L. Koch, 1866**

- <http://azoresbioportal.uac.pt/azores-species/clubiona-genevensis-7717/>

**Native status:** Introduced

**Distribution:** FAI; PIC\*; GRA; TER; SMG; SMR

**Notes:** Biogeographical Realm: Palearctic

***Clubiona terrestris* Westring, 1851**

- <http://azoresbioportal.uac.pt/azores-species/clubiona-terrestris-7716/>

**Native status:** Introduced

**Distribution:** FLO\*; FAI\*; PIC\*; GRA; TER\*; SMG; SMR\*

**Notes:** Biogeographical Realm: Western Palearctic



## Family Dictynidae

### *Altella lucida* (Simon, 1874)

- <http://azoresbioportal.uac.pt/azores-species/altella-lucida-7692/>

**Native status:** Introduced

**Distribution:** SJG\*; TER

**Notes:** Biogeographical Realm: Western Palearctic

### *Emblyna acreensis* Wunderlich, 1992

- <http://azoresbioportal.uac.pt/azores-species/emblyna-acreensis-7699/>

**Native status:** Azores endemic

**Distribution:** COR; FLO; FAI; PIC\*; GRA; SJG; TER

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### *Lathys dentichelis* (Simon, 1883)

- <http://azoresbioportal.uac.pt/azores-species/lathys-dentichelis-7083/>

**Native status:** Native

**Distribution:** COR; FLO\*; FAI\*; PIC; SJG\*; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic (Macaronesia))

### *Nigma puella* (Simon, 1870)

- <http://azoresbioportal.uac.pt/azores-species/nigma-puella-7653/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC\*; GRA; SJG\*; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic (Macaronesia))

## Family Dysderidae

### ***Dysdera crocata* C. L. Koch, 1838**

- <http://azoresbiportal.uac.pt/azores-species/dysdera-crocata-7212/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG\*; TER; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Cosmopolitan)

### **Family Linyphiidae**

#### ***Acorigone acoreensis* (Wunderlich, 1992)**

- <http://azoresbiportal.uac.pt/azores-species/acorigone-acoreensis-7081/>

**Native status:** Azores endemic

**Distribution:** FLO\*; FAI\*; PIC\*; SJG\*; TER; SMG\*; SMR\*

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

#### ***Acorigone zebraneus* Wunderlich, 2008**

- <http://azoresbiportal.uac.pt/azores-species/acorigone-zebraneus-7753/>

**Native status:** Azores endemic

**Distribution:** SJG\*

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

#### ***Agyneta decora* (O. P.-Cambridge, 1871)**

- <http://azoresbiportal.uac.pt/azores-species/agyneta-decora-7739/>

**Native status:** Introduced

**Distribution:** FLO\*; SJG\*; TER

**Notes:** Biogeographical Realm: Palearctic

#### ***Agyneta depigmentata* Wunderlich, 2008**

- <http://azoresbiportal.uac.pt/azores-species/agyneta-depigmentata-6947/>

**Native status:** Azores endemic

**Distribution:** FLO\*

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Agyneta rugosa* Wunderlich, 1992**

- <http://azoresbiportal.uac.pt/azores-species/agyneta-rugosa-7740/>

Native status: Azores endemic

Distribution: FAI\*; SJG; SMG

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Canariphantes acreensis* (Wunderlich, 1992)**

- <http://azoresbiportal.uac.pt/azores-species/canariphantes-acreensis-12410/>

Native status: Azores endemic

Distribution: FAI; PIC; SJG\*; TER

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Canariphantes junipericola* Crespo & Bosmans, 2014**

- <http://azoresbiportal.uac.pt/azores-species/canariphantes-junipericola-12407/>

Native status: Azores endemic

Distribution: FLO\*

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Canariphantes relictus* Crespo & Bosmans, 2014**

- <http://azoresbiportal.uac.pt/azores-species/canariphantes-relictus-12412/>

Native status: Azores endemic

Distribution: SMR\*

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Erigone atra* Blackwall, 1833**

- <http://azoresbiportal.uac.pt/azores-species/erigone-atra-7096/>

Native status: Introduced

Distribution: COR; FLO; FAI; PIC; GRA; SJG\*; TER; SMG; SMR

Notes: Also present: MAD; CAN (Biogeographical Realm: Holarctic)

### ***Erigone autumnalis* Emerton, 1882**

- <http://azoresbiportal.uac.pt/azores-species/erigone-autumnalis-7758/>

Native status: Introduced

Distribution: FLO\*; FAI; PIC; GRA; SJG\*; TER; SMG; SMR

Notes: Also present: CAN (Biogeographical Realm: Nearctic)

### ***Erigone dentipalpis* (Wider, 1834)**

- <http://azoresbiportal.uac.pt/azores-species/erigone-dentipalpis-7759/>

Native status: Introduced

Distribution: FLO\*; FAI; PIC; GRA; SJG; TER; SMG; SMR

Notes: Also present: MAD; CAN (Biogeographical Realm: Holarctic)

### ***Lessertia dentichelis* (Simon, 1884)**

- <http://azoresbiportal.uac.pt/azores-species/lessertia-dentichelis-7773/>

Native status: Introduced

Distribution: SMG\*

Notes: Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

### ***Meioneta fuscipalpa* (C. L. Koch, 1836)**

- <http://azoresbiportal.uac.pt/azores-species/meioneta-fuscipalpa-7742/>

Native status: Introduced

Distribution: COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

Notes: Also present: MAD (Biogeographical Realm: Palearctic)

### ***Mermessus bryantae* (Ivie & Barrows, 1935)**

- <http://azoresbiportal.uac.pt/azores-species/mermessus-bryantae-7755/>

Native status: Introduced

Distribution: FAI; PIC\*; GRA; SJG\*; TER; SMG

Notes: Biogeographical Realm: Nearctic

### ***Mermessus fradeorum* (Berland, 1932)**

- <http://azoresbioportal.uac.pt/azores-species/mermessus-fradeorum-7756/>

**Native status:** Introduced

**Distribution:** FLO; FAI; PIC; GRA; TER; SMG; SMR

**Notes:** Biogeographical Realm: Cosmopolitan

### ***Mermessus trilobatus* (Emerton, 1882)**

- <http://azoresbioportal.uac.pt/azores-species/mermessus-trilobatus-7757/>

**Native status:** Introduced

**Distribution:** SJG\*; TER\*; SMG\*

**Notes:** Biogeographical Realm: Holarctic

### ***Microlinyphia johnsoni* (Blackwall, 1859)**

- <http://azoresbioportal.uac.pt/azores-species/microlinyphia-johnsoni-7150/>

**Native status:** Introduced

**Distribution:** FAI; PIC; SJG; TER; SMG

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic (Macaronesia))

### ***Minicia florensensis* Wunderlich, 1992**

- <http://azoresbioportal.uac.pt/azores-species/minicia-florensensis-7215/>

**Native status:** Azores endemic

**Distribution:** FLO; PIC; SJG\*; TER\*; SMG\*

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Nerienne clathrata* (Sundevall, 1830)**

- <http://azoresbioportal.uac.pt/azores-species/neriene-clathrata-7772/>

**Native status:** Introduced

**Distribution:** FAI; SJG; TER\*; SMG

Notes: Biogeographical Realm: Holarctic

### ***Oedothorax fuscus* (Blackwall, 1834)**

- <http://azoresbiportal.uac.pt/azores-species/oedothorax-fuscus-7763/>

**Native status:** Introduced

**Distribution:** COR; FLO\*; FAI\*; PIC; GRA; SJG\*; TER; SMG\*; SMR

**Notes:** Biogeographical Realm: Western Palearctic; Mediterranean

### ***Palliduphantes schmitzi* (Kulczynski, 1899)**

- <http://azoresbiportal.uac.pt/azores-species/palliduphantes-schmitzi-7743/>

**Native status:** Native

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG\*; TER; SMG; SMR\*

**Notes:** Also present: MAD (Biogeographical Realm: Western Palearctic (Macaronesia))

### ***Pelecopsis parallela* (Wider, 1834)**

- <http://azoresbiportal.uac.pt/azores-species/pelecopsis-parallela-7769/>

**Native status:** Introduced

**Distribution:** FAI\*; PIC; SJG; TER; SMG

**Notes:** Biogeographical Realm: Palearctic

### ***Porrhomma borgesii* Wunderlich, 2008**

- <http://azoresbiportal.uac.pt/azores-species/porrhomma-borgesii-7734/>

**Native status:** Azores endemic

**Distribution:** PIC\*; TER\*; SMG\*

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Prinerigone vagans* (Audouin, 1826)**

- <http://azoresbiportal.uac.pt/azores-species/prinerigone-vagans-7761/>

**Native status:** Introduced

**Distribution:** FLO; PIC; GRA; TER; SMG; SMR

Notes: Also present: MAD; CAN (Biogeographical Realm: Palearctic)

### ***Savigniorrhapis acorensis* Wunderlich, 1992**

- <http://azoresbiportal.uac.pt/azores-species/savigniorrhapis-acorensis-7160/>

**Native status:** Azores endemic

**Distribution:** FLO\*; FAI; PIC; SJG\*; TER; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Savigniorrhapis topographicus* Crespo, 2013**

- <http://azoresbiportal.uac.pt/azores-species/savigniorrhapis-topographicus-7061/>

**Native status:** Azores endemic

**Distribution:** SJG\*

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Tenuiphantes miguelensis* (Wunderlich, 1992)**

- <http://azoresbiportal.uac.pt/azores-species/tenuiphantes-miguelensis-7084/>

**Native status:** Native

**Distribution:** FLO\*; FAI\*; PIC\*; GRA; SJG\*; TER; SMG; SMR\*

**Notes:** Also present: MAD (Biogeographical Realm: Western Palearctic (Macaronesia))

### ***Tenuiphantes tenuis* (Blackwall, 1852)**

- <http://azoresbiportal.uac.pt/azores-species/tenuiphantes-tenuis-7161/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic; Mediterranean)

### ***Walckenaeria grandis* (Wunderlich, 1992)**

- <http://azoresbiportal.uac.pt/azores-species/walckenaeria-grandis-7213/>

**Native status:** Azores endemic

**Distribution:** FLO\*; PIC\*; SJG\*; TER; SMG

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

## Family Lycosidae

### *Pardosa acorensis* Simon, 1883

- <http://azoresbioportal.uac.pt/azores-species/pardosa-acionensis-7712/>

Native status: Azores endemic

Distribution: COR; FLO; FAI; PIC; GRA; SJG\*; TER; SMG; SMR

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

## Family Mimetidae

### *Ero furcata* (Villers, 1789)

- <http://azoresbioportal.uac.pt/azores-species/ero-furcata-7752/>

Native status: Introduced

Distribution: COR; FLO\*; FAI\*; PIC; GRA; SJG\*; TER; SMG\*; SMR

Notes: Also present: MAD; CAN (Biogeographical Realm: Palearctic)

## Family Oecobiidae

### *Oecobius navus* Blackwall, 1859

- <http://azoresbioportal.uac.pt/azores-species/oecobius-navus-7963/>

Native status: Introduced

Distribution: FAI; PIC; SJG; TER; SMG; SMR

Notes: Also present: MAD; CAN; CVP (Biogeographical Realm: Cosmopolitan)

## Family Oonopidae

### *Orchestina furcillata* Wunderlich, 2008

- <http://azoresbioportal.uac.pt/azores-species/orchestina-furcillata-7958/>

Native status: Azores endemic

Distribution: SMG\*



Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

## Family Pisauridae

### *Pisaura acoreensis* Wunderlich, 1992

- <http://azoresbioportal.uac.pt/azores-species/pisaura-acoreensis-7082/>

Native status: Azores endemic

Distribution: FLO; FAI; PIC\*; GRA; SJG\*; TER; SMG; SMR

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

## Family Salticidae

### *Macaroeris cata* (Blackwall, 1867)

- <http://azoresbioportal.uac.pt/azores-species/macaroeris-cata-7152/>

Native status: Native

Distribution: COR; FLO; FAI; PIC\*; GRA; SJG\*; TER; SMG; SMR

Notes: Also present: MAD; CAN (Biogeographical Realm: Western Palearctic (Macaronesia); Romania)

### *Macaroeris diligens* (Blackwall, 1867)

- <http://azoresbioportal.uac.pt/azores-species/macaroeris-diligens-7736/>

Native status: Native

Distribution: COR; FAI; TER; SMG; SMR\*

Notes: Also present: MAD; CAN (Biogeographical Realm: Western Palearctic (Macaronesia))

### *Neon acoreensis* Wunderlich, 2008

- <http://azoresbioportal.uac.pt/azores-species/neon-acoreensis-7790/>

Native status: Azores endemic

Distribution: FLO; FAI; PIC\*; SJG\*; TER; SMG; SMR

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Pseudeuophrys vafra* (Blackwall, 1867)**

- <http://azoresbiportal.uac.pt/azores-species/pseudeuophrys-vafra-7701/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Palearctic)

### **Family Tetragnathidae**

### ***Metellina merianae* (Scopoli, 1763)**

- <http://azoresbiportal.uac.pt/azores-species/metellina-merianae-7965/>

**Native status:** Introduced

**Distribution:** FLO\*; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Palearctic)

### ***Sancus acorensis* (Wunderlich, 1992)**

- <http://azoresbiportal.uac.pt/azores-species/sancus-acorensis-7971/>

**Native status:** Azores endemic

**Distribution:** FLO; FAI; PIC; SJG\*; TER; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### **Family Theridiidae**

### ***Cryptachaea blattea* (Urquhart, 1886)**

- <http://azoresbiportal.uac.pt/azores-species/cryptachaea-blattea-7774/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; TER; SMG; SMR

**Notes:** Also present: CAN (Biogeographical Realm: Nearctic)

### ***Lasaeola oceanica* Simon, 1883**

- <http://azoresbiportal.uac.pt/azores-species/lasaeola-oceanica-7751/>

**Native status:** Azores endemic

**Distribution:** COR; FLO; FAI\*; PIC\*; GRA; SJG\*; TER; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Neottiura bimaculata* (Linnaeus, 1767)**

- <http://azoresbiportal.uac.pt/azores-species/neottiura-bimaculata-7778/>

**Native status:** Introduced

**Distribution:** PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Biogeographical Realm: Holarctic

### ***Rhomphaea nasica* (Simon, 1873)**

- <http://azoresbiportal.uac.pt/azores-species/rhomphaea-nasica-7766/>

**Native status:** Introduced

**Distribution:** FLO; PIC; GRA; TER; SMG

**Notes:** Also present: MAD (Biogeographical Realm: Palearctic)

### ***Rugathodes acorensis* Wunderlich, 1992**

- <http://azoresbiportal.uac.pt/azores-species/rugathodes-acorensis-7698/>

**Native status:** Azores endemic

**Distribution:** FLO; FAI; PIC; GRA; SJG\*; TER; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Steatoda grossa* (C. L. Koch, 1838)**

- <http://azoresbiportal.uac.pt/azores-species/steatoda-grossa-7691/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

### ***Theridion melanurum* Hahn, 1831**

- <http://azoresbiportal.uac.pt/azores-species/theridion-melanurum-9697/>

**Native status:** Introduced

**Distribution:** PIC\*; SMG\*; SMR\*

**Notes:** Also present: MAD (Biogeographical Realm: Holarctic)

### ***Theridion musivum* Schmidt, 1956**

- <http://azoresbioportal.uac.pt/azores-species/theridion-musivum-7703/>

**Native status:** Native

**Distribution:** COR; FLO; FAI; PIC\*; GRA; TER; SMG; SMR

**Notes:** Also present: MAD; CAN; CVP (Biogeographical Realm: Western Palearctic (Macaronesia))

## **Family Thomisidae**

### ***Xysticus cor* Canestrini, 1873**

- <http://azoresbioportal.uac.pt/azores-species/xysticus-cor-7922/>

**Native status:** Native

**Distribution:** COR; FLO; FAI\*; PIC; GRA; SJG\*; TER; SMG; SMR\*

**Notes:** Biogeographical Realm: Palearctic

### ***Xysticus nubilus* Simon, 1875**

- <http://azoresbioportal.uac.pt/azores-species/xysticus-nubilus-7737/>

**Native status:** Introduced

**Distribution:** FLO\*; FAI; PIC; GRA; SJG\*; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Palearctic)

## **Family Zodariidae**

### ***Zodarion atlanticum* Pekár & Cardoso, 2006**

- <http://azoresbioportal.uac.pt/azores-species/zodarion-atlanticum-7786/>

**Native status:** Introduced

**Distribution:** FAI; PIC; GRA; TER\*; SMG

Notes: Biogeographical Realm: Palearctic

## Class Diplopoda

### Order Polydesmida

#### Family Paradoxosomatidae

##### *Oxidus gracilis* (C. L. Koch, 1847)

- <http://azoresbioportal.uac.pt/azores-species/oxidus-gracilis-8134/>

Native status: Introduced

Distribution: COR; FLO\*; FAI\*; PIC; GRA; TER\*; SMG; SMR\*

Notes: Also present: MAD; CAN (Biogeographical Realm: Afro-tropical; Australian; Eastern Palearctic; Nearctic; Neotropical; Oriental )

#### Family Polydesmidae

##### *Brachydesmus superus* Latzel, 1884

- <http://azoresbioportal.uac.pt/azores-species/brachydesmus-superus-8136/>

Native status: Introduced

Distribution: FLO\*; FAI; PIC; SJG; TER\*; SMG; SMR

Notes: Also present: MAD; CAN; CVP (Biogeographical Realm: Australian; Eastern Palearctic; Nearctic; North Africa)

##### *Polydesmus coriaceus* Porat, 1871

- <http://azoresbioportal.uac.pt/azores-species/polydesmus-coriaceus-8146/>

Native status: Introduced

Distribution: COR; FLO\*; FAI; PIC; GRA; SJG\*; TER; SMG; SMR

Notes: Also present: CAN (Biogeographical Realm: Western Palearctic)

### Order Julida

#### Family Blaniulidae

### ***Blaniulus guttulatus* (Fabricius, 1798)**

- <http://azoresbiportal.uac.pt/azores-species/blaniulus-guttulatus-8151/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR\*

**Notes:** Also present: MAD (Biogeographical Realm: Australian; Eastern Palearctic; Nearctic)

### ***Choneiulus palmatus* (Nemec, 1895)**

- <http://azoresbiportal.uac.pt/azores-species/choneiulus-palmatus-8152/>

**Native status:** Introduced

**Distribution:** FLO\*; PIC\*; GRA; SJG\*; TER; SMG; SMR\*

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Nearctic)

### ***Nopoiulus kochii* (Gervais, 1847)**

- <http://azoresbiportal.uac.pt/azores-species/nopoiulus-kochii-8153/>

**Native status:** Introduced

**Distribution:** FLO\*; GRA; SMG; SMR\*

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Australian; Near East; Nearctic; Neotropical)

### ***Proteroiulus fuscus* (Am Stein, 1857)**

- <http://azoresbiportal.uac.pt/azores-species/proteroiulus-fuscus-8154/>

**Native status:** Introduced

**Distribution:** FLO\*; FAI; TER\*; SMG; SMR\*

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Nearctic)

## **Family Julidae**

### ***Brachyiulus pusillus* (Leach, 1814)**

- <http://azoresbiportal.uac.pt/azores-species/brachyiulus-pusillus-8156/>

**Native status:** Introduced

**Distribution:** FLO; FAI; GRA; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Afro-tropical; Australian; Nearctic)

### ***Cylindroiulus latestriatus* (Curtis, 1845)**

- <http://azoresbiportal.uac.pt/azores-species/cylindroiulus-latestriatus-8159/>

**Native status:** Introduced

**Distribution:** COR; FLO\*; FAI; SMG; SMR

**Notes:** Biogeographical Realm: Afro-tropical; Australian; Nearctic; Oriental

### ***Cylindroiulus propinquus* (Porat, 1870)**

- <http://azoresbiportal.uac.pt/azores-species/cylindroiulus-propinquus-8161/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG\*; TER; SMG; SMR

**Notes:** Biogeographical Realm: Palearctic

### ***Ommatoiulus moreletii* (Lucas, 1860)**

- <http://azoresbiportal.uac.pt/azores-species/ommatoiulus-moreletii-6874/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Afro-tropical; Australian)

## **Order Chordeumatida**

### **Family Haplobainosomatidae**

#### ***Haplobainosoma lusitanum* Verhoeff, 1900**

- <http://azoresbiportal.uac.pt/azores-species/haplobainosoma-lusitanum-8162/>

**Native status:** Introduced

**Distribution:** FAI\*; PIC; TER\*; SMG\*; SMR\*

Notes: Biogeographical Realm: Palearctic

## Class Chilopoda

### Order Lithobiomorpha

#### Family Lithobiidae

##### *Lithobius pilicornis* subsp. *pilicornis* Newport, 1844

- <http://azoresbioportal.uac.pt/azores-species/lithobius-pilicornis-pilicornis-13445/>

Native status: Native

Distribution: COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

Notes: Also present: MAD; CAN (Biogeographical Realm: Afro-tropical)

### Order Scolopendromorpha

#### Family Cryptopidae

##### *Cryptops hortensis* (Donovan, 1810)

- <http://azoresbioportal.uac.pt/azores-species/cryptops-hortensis-8171/>

Native status: Native

Distribution: COR; FLO; FAI\*; PIC; GRA; SJG; TER\*; SMG

Notes: Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

### Order Geophilomorpha

#### Family Geophilidae

##### *Geophilus truncorum* Bergsoe & Meinert, 1866

- <http://azoresbioportal.uac.pt/azores-species/geophilus-truncorum-8174/>

Native status: Native

Distribution: FLO; FAI; PIC\*; GRA; SJG\*; TER\*; SMG\*; SMR

Notes: Also present: MAD (Biogeographical Realm: Western Palearctic)



## Family Linotaeniidae

### *Strigamia crassipes* (C. L. Koch, 1835)

- <http://azoresbioportal.uac.pt/azores-species/strigamia-crassipes-8177/>

Native status: Native

Distribution: FLO\*; TER\*; SMG\*

Notes: Biogeographical Realm: Western Palearctic

## Class Insecta

### Order Microcoryphia

#### Family Machilidae

### *Dilta saxicola* (Womersley, 1930)

- <http://azoresbioportal.uac.pt/azores-species/dilta-saxicola-8352/>

Native status: Native

Distribution: COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

Notes: Biogeographical Realm: Easternern Palearctic

### *Trigoniophthalmus borgesii* Mendes, Gaju, Bach & Molero, 2000

- <http://azoresbioportal.uac.pt/azores-species/trigoniophthalmus-borgesii-8350/>

Native status: Azores endemic

Distribution: FAI\*; PIC\*; SJG\*; TER; SMG\*; SMR

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

## Order Ephemeroptera

#### Family Baetidae

### *Cloeon dipterum* Linnaeus, 1761

- <http://azoresbioportal.uac.pt/azores-species/cloeon-dipterum-8286/>

**Native status:** Native

**Distribution:** FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Holarctic)

## Order Blattaria

### Family Polyphagidae

#### *Zetha vestita* (Brullé, 1838)

- <http://azoresbiportal.uac.pt/azores-species/zetha-vestita-7095/>

**Native status:** Native

**Distribution:** FLO\*; FAI; PIC\*; SJG; TER; SMG; SMR\*

**Notes:** Also present: MAD; CAN; CVP (Biogeographical Realm: Palearctic)

## Order Orthoptera

### Family Conocephalidae

#### *Conocephalus chavesi* (Bolivar, 1905)

- <http://azoresbiportal.uac.pt/azores-species/conocephalus-chavesi-8303/>

**Native status:** Azores endemic

**Distribution:** PIC; TER; SMG

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### Family Gryllidae

#### *Gryllus bimaculatus* De Geer, 1773

- <http://azoresbiportal.uac.pt/azores-species/gryllus-bimaculatus-8305/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN; CVP (Biogeographical Realm: Afro-tropical; Eastern Palearctic; Near East; North Africa; Oriental)

## Order Dermaptera

### Family Anisolabididae

#### *Euborellia annulipes* (Lucas, 1847)

- <http://azoresbiportal.uac.pt/azores-species/euborellia-annulipes-8315/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN; CVP (Biogeographical Realm: Cosmopolitan)

### Family Forficulidae

#### *Forficula auricularia* Linnaeus, 1758

- <http://azoresbiportal.uac.pt/azores-species/forficula-auricularia-8316/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Holarctic)

## Order Psocoptera

### Family Caeciliusidae

#### *Valenzuela burmeisteri* (Brauer, 1876)

- <http://azoresbiportal.uac.pt/azores-species/valenzuela-burmeisteri-7098/>

**Native status:** Native

**Distribution:** FLO\*; FAI\*; SJG\*; TER\*; SMG\*; SMR\*

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Holarctic)

#### *Valenzuela flavidus* (Stephens, 1836)

- <http://azoresbiportal.uac.pt/azores-species/valenzuela-flavidus-8351/>

**Native status:** Native

**Distribution:** COR; FLO; FAI\*; PIC\*; GRA; SJG\*; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Holarctic)

## Family Ectopsocidae

### *Ectopsocus briggsi* McLachlan, 1899

- <http://azoresbioportal.uac.pt/azores-species/ectopsocus-briggsi-8349/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI\*; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

### *Ectopsocus pumilis* (Banks, 1920)

- <http://azoresbioportal.uac.pt/azores-species/ectopsocus-pumilis-8331/>

**Native status:** Introduced

**Distribution:** SMG; SMR\*

**Notes:** Biogeographical Realm: Cosmopolitan

### *Ectopsocus trauchi* Enderlein, 1906

- <http://azoresbioportal.uac.pt/azores-species/ectopsocus-trauchi-8333/>

**Native status:** Native

**Distribution:** COR; FLO; FAI\*; PIC\*; GRA; TER; SMG; SMR

**Notes:** Also present: MAD; CAN; CVP (Biogeographical Realm: Palearctic)

## Family Elipsocidae

### *Elipsocus azoricus* Meinander, 1975

- <http://azoresbioportal.uac.pt/azores-species/elipsocus-azoricus-7156/>

**Native status:** Azores endemic

**Distribution:** COR; FLO\*; FAI\*; PIC\*; GRA; SJG\*; TER\*; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Elipsocus brincki* Badonnel, 1963**

- <http://azoresbiportal.uac.pt/azores-species/elipsocus-brincki-8348/>

**Native status:** Azores endemic

**Distribution:** COR; FLO\*; FAI\*; PIC\*; GRA; SJG; TER\*; SMG; SMR\*

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### **Family Epipsocidae**

#### ***Bertkauia lucifuga* (Rambur, 1842)**

- <http://azoresbiportal.uac.pt/azores-species/bertkauia-lucifuga-8346/>

**Native status:** Native

**Distribution:** FAI\*; TER; SMG

**Notes:** Also present: MAD (Biogeographical Realm: Western Palearctic)

### **Family Lachesillidae**

#### ***Lachesilla greeni* (Pearman, 1933)**

- <http://azoresbiportal.uac.pt/azores-species/lachesilla-greeni-8334/>

**Native status:** Introduced

**Distribution:** TER\*; SMG; SMR\*

**Notes:** Also present: MAD (Biogeographical Realm: Western Palearctic)

### **Family Peripsocidae**

#### ***Peripsocus milleri* (Tillyard, 1923)**

- <http://azoresbiportal.uac.pt/azores-species/peripsocus-milleri-8341/>

**Native status:** Native

**Distribution:** FAI\*; SJG\*; TER\*; SMG

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

***Peripsocus phaeopterus* (Stephens, 1836)**

- <http://azoresbioportal.uac.pt/azores-species/peripsocus-phaeopterus-8342/>

**Native status:** Native

**Distribution:** PIC\*; SJG\*; TER\*; SMG; SMR

**Notes:** Also present: CAN (Biogeographical Realm: Palearctic)

***Peripsocus subfasciatus* (Rambur, 1842)**

- <http://azoresbioportal.uac.pt/azores-species/peripsocus-subfasciatus-8343/>

**Native status:** Native

**Distribution:** FAI\*; TER\*; SMG; SMR

**Notes:** Biogeographical Realm: Holarctic

**Family Psocidae**

***Atlantopsocus adustus* (Hagen, 1865)**

- <http://azoresbioportal.uac.pt/azores-species/atlantopsocus-adustus-6897/>

**Native status:** Native

**Distribution:** FLO\*; FAI\*; PIC\*; GRA; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic (Macaronesia))

**Family Trichopsocidae**

***Trichopsocus clarus* (Banks, 1908)**

- <http://azoresbioportal.uac.pt/azores-species/trichopsocus-clarus-7158/>

**Native status:** Native

**Distribution:** COR; FLO; FAI\*; PIC\*; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

**Family Trogidae**

## ***Lepinotus reticulatus* Enderlein, 1905**

- <http://azoresbioportal.uac.pt/azores-species/lepinotus-reticulatus-8362/>

**Native status:** Introduced

**Distribution:** TER\*

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

## **Order Hemiptera**

### **Family Anthocoridae**

## ***Brachysteles parvicornis* (A. Costa, 1847)**

- <http://azoresbioportal.uac.pt/azores-species/brachysteles-parvicornis-7079/>

**Native status:** Native

**Distribution:** PIC\*; GRA; TER\*; SMG\*; SMR

**Notes:** Also present: CAN (Biogeographical Realm: Holartic; Afro-tropical; Northern Asia (except China))

## ***Buchananiella continua* (White, 1880)**

- <http://azoresbioportal.uac.pt/azores-species/buchananiella-continua-7214/>

**Native status:** Introduced

**Distribution:** FLO; FAI; PIC; SJG\*; TER; SMG; SMR\*

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Afro-tropical; Australian; Neotropical)

## ***Orius laevigatus* subsp. *laevigatus* (Fieber, 1860)**

- <http://azoresbioportal.uac.pt/azores-species/orius-laevigatus-laevigatus-13520/>

**Native status:** Native

**Distribution:** FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: CAN (Biogeographical Realm: Oriental)

## **Family Aphididae**

### ***Acyrtosiphon pisum* (Harris, 1776)**

- <http://azoresbioportal.uac.pt/azores-species/acyrtosiphon-pisum-8553/>

**Native status:** Native

**Distribution:** FLO\*; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Cosmopolitan)

### ***Amphorophora rubi* (Kaltenbach, 1843)**

- <http://azoresbioportal.uac.pt/azores-species/amphorophora-rubi-8560/>

**Native status:** Native

**Distribution:** FLO\*; GRA; TER

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Australian; Eastern Palearctic; Near East; Nearctic; North Africa)

### ***Aphis craccivora* Koch, 1854**

- <http://azoresbioportal.uac.pt/azores-species/aphis-craccivora-8555/>

**Native status:** Native

**Distribution:** COR; FLO; FAI; PIC; TER; SMG; SMR

**Notes:** Also present: MAD; CAN; CVP (Biogeographical Realm: Cosmopolitan)

### ***Aulacorthum solani* (Kaltenbach, 1843)**

- <http://azoresbioportal.uac.pt/azores-species/aulacorthum-solani-8576/>

**Native status:** Native

**Distribution:** FLO; FAI\*; TER; SMG; SMR

**Notes:** Also present: MAD; CAN; CVP (Biogeographical Realm: Cosmopolitan)

### ***Cavariella aegopodii* (Scopoli, 1763)**

- <http://azoresbioportal.uac.pt/azores-species/cavariella-aegopodii-8590/>

**Native status:** Introduced

**Distribution:** FLO; SJG\*; TER; SMG; SMR



Notes: Biogeographical Realm: Cosmopolitan

### ***Dysaphis plantaginea* (Passerini, 1860)**

- <http://azoresbioportal.uac.pt/azores-species/dysaphis-plantaginea-8602/>

**Native status:** Introduced

**Distribution:** FLO; FAI; GRA; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

### ***Longiunguis luzulella* Hille Ris Lambers, 1947**

- <http://azoresbioportal.uac.pt/azores-species/longiunguis-luzulella-8613/>

**Native status:** Introduced

**Distribution:** SJG\*

**Notes:** Biogeographical Realm: Western Palearctic

### ***Myzus cerasi* (Fabricius, 1775)**

- <http://azoresbioportal.uac.pt/azores-species/myzus-cerasi-8641/>

**Native status:** Introduced

**Distribution:** FLO\*; TER

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Australian; Eastern Palearctic; Near East; Nearctic; North Africa; Oriental)

### ***Neomyzus circumflexus* (Buckton, 1876)**

- <http://azoresbioportal.uac.pt/azores-species/neomyzus-circumflexus-8644/>

**Native status:** Introduced

**Distribution:** FLO\*; TER; SMG

**Notes:** Also present: MAD (Biogeographical Realm: Cosmopolitan)

### ***Pseudacaudella rubida* (Börner, 1939)**

- <http://azoresbioportal.uac.pt/azores-species/pseudacaudella-rubida-8653/>

**Native status:** Native

**Distribution:** FLO\*; PIC; TER; SMG\*; SMR

Notes: Biogeographical Realm: Nearctic

### ***Rhopalosiphonius latysiphon* (Davidson, 1912)**

- <http://azoresbiportal.uac.pt/azores-species/rhopalosiphonius-latysiphon-7155/>

**Native status:** Introduced

**Distribution:** FLO\*; FAI\*; PIC\*; GRA; SJG\*; TER\*; SMG; SMR\*

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

### ***Rhopalosiphum oxyacanthae* (Schrank, 1801)**

- <http://azoresbiportal.uac.pt/azores-species/rhopalosiphum-oxyacanthae-8659/>

**Native status:** Introduced

**Distribution:** FLO; FAI; PIC; GRA; SJG\*; TER; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Western Palaearctic; Japan)

### ***Rhopalosiphum padi* (Linnaeus, 1758)**

- <http://azoresbiportal.uac.pt/azores-species/rhopalosiphum-padi-8662/>

**Native status:** Introduced

**Distribution:** COR; FLO; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

### ***Rhopalosiphum rufiabdominalis* (Sasaki, 1899)**

- <http://azoresbiportal.uac.pt/azores-species/rhopalosiphum-rufiabdominale-8663/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC\*; GRA; SJG; TER\*; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Cosmopolitan)

### ***Toxoptera aurantii* (Boyer de Fonscolombe, 1841)**

- <http://azoresbiportal.uac.pt/azores-species/toxoptera-aurantii-8672/>

**Native status:** Introduced

**Distribution:** FLO; FAI; PIC\*; GRA; SJG; TER; SMG; SMR

Notes: Also present: MAD; CAN; CVP (Biogeographical Realm: Cosmopolitan)

### ***Uroleucon erigeronense* (Thomas, 1878)**

- <http://azoresbiportal.uac.pt/azores-species/uroleucon-erigeronense-8673/>

**Native status:** Introduced

**Distribution:** SJG\*; TER\*; SMG\*; SMR\*

**Notes:** Biogeographical Realm: Eastern Palearctic; Near East; Nearctic; Neotropical; North Africa; Oriental

### **Family Cercopidae**

#### ***Philaenus spumarius* (Linnaeus, 1758)**

- <http://azoresbiportal.uac.pt/azores-species/philaenus-spumarius-8400/>

**Native status:** Introduced

**Distribution:** TER; SMG

**Notes:** Also present: CAN (Biogeographical Realm: Cosmopolitan)

### **Family Cicadellidae**

#### ***Anoscopus albifrons* (Linnaeus, 1758)**

- <http://azoresbiportal.uac.pt/azores-species/anoscopus-albifrons-8403/>

**Native status:** Native

**Distribution:** FLO\*; FAI\*; PIC; GRA; SJG\*; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Holarctic)

#### ***Aphrodes hamiltoni* Quartau & Borges, 2003**

- <http://azoresbiportal.uac.pt/azores-species/aphrodes-hamiltoni-8404/>

**Native status:** Azores endemic

**Distribution:** FLO\*; FAI\*; PIC\*; GRA; SJG\*; TER\*; SMG\*; SMR\*

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Eupteryx azorica* Ribaut, 1941**

- <http://azoresbioportal.uac.pt/azores-species/eupteryx-azorica-6899/>

**Native status:** Azores endemic

**Distribution:** COR; FLO; PIC; GRA; SJG; TER; SMG

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Opsius stactogallus* Fieber, 1866**

- <http://azoresbioportal.uac.pt/azores-species/opsius-stactogallus-8414/>

**Native status:** Native

**Distribution:** COR; FLO\*; FAI; PIC; GRA; SJG; TER; SMR

**Notes:** Also present: CAN (Biogeographical Realm: Holarctic)

## **Family Cixiidae**

### ***Cixius azofloresi* Remane & Asche, 1979**

- <http://azoresbioportal.uac.pt/azores-species/cixius-azofloresi-8420/>

**Native status:** Azores endemic

**Distribution:** COR; FLO

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Cixius azomariae* Remane & Asche, 1979**

- <http://azoresbioportal.uac.pt/azores-species/cixius-azomariae-8417/>

**Native status:** Azores endemic

**Distribution:** SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Cixius azopifajo* subsp. *azofa* Remane & Asche, 1979**

- <http://azoresbioportal.uac.pt/azores-species/cixius-azopifajo-azofa-13516/>

**Native status:** Azores endemic

**Distribution:** FAI

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

***Cixius azopifajo* subsp. *azojo* Remane & Asche, 1979**

- <http://azoresbioportal.uac.pt/azores-species/cixius-azopifajo-azojo-13518/>

Native status: Azores endemic

Distribution: SJG

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

***Cixius azopifajo* subsp. *azopifajo* Remane & Asche, 1979**

- <http://azoresbioportal.uac.pt/azores-species/cixius-azopifajo-azopifajo-13517/>

Native status: Azores endemic

Distribution: PIC

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

***Cixius azoricus* subsp. *azoricus* Lindberg, 1954**

- <http://azoresbioportal.uac.pt/azores-species/cixius-azoricus-azoricus-13532/>

Native status: Azores endemic

Distribution: FAI; SJG; TER; SMG\*

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

***Cixius azoricus* subsp. *azoropicoi* Remane & Asche, 1979**

- <http://azoresbioportal.uac.pt/azores-species/cixius-azoricus-azoropicoi-13519/>

Native status: Azores endemic

Distribution: PIC

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

***Cixius azoterceirae* Remane & Asche, 1979**

- <http://azoresbioportal.uac.pt/azores-species/cixius-azoterceirae-7099/>

Native status: Azores endemic

Distribution: TER

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Cixius insularis* Lindberg, 1954**

- <http://azoresbiportal.uac.pt/azores-species/cixius-insularis-8419/>

Native status: Azores endemic

Distribution: SMG

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

### **Family Cydnidae**

#### ***Geotomus punctulatus* (A. Costa, 1847)**

- <http://azoresbiportal.uac.pt/azores-species/geotomus-punctulatus-8440/>

Native status: Native

Distribution: FAI\*; GRA; TER; SMG; SMR

Notes: Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

### **Family Delphacidae**

#### ***Megamelodes quadrimaculatus* (Signoret, 1865)**

- <http://azoresbiportal.uac.pt/azores-species/megamelodes-quadrimaculatus-8427/>

Native status: Native

Distribution: FLO\*; FAI\*; PIC; GRA; SJG\*; TER; SMG\*; SMR

Notes: Also present: MAD (Biogeographical Realm: Western Palearctic (Macaronesia))

### **Family Drepanosiphidae**

#### ***Anoecia corni* (Fabricius, 1775)**

- <http://azoresbiportal.uac.pt/azores-species/anoecia-corni-8629/>

Native status: Introduced

Distribution: FLO; PIC; SJG\*; TER; SMG; SMR

Notes: Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan (except Australia))

## Family Flatidae

### *Cyphopterum adcondens* (Herrich-Schaeffer, 1835)

- <http://azoresbioportal.uac.pt/azores-species/cyphopterum-adcondens-7089/>

Native status: Native

Distribution: COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR\*

Notes: Biogeographical Realm: Western Palearctic

## Family Lachnidae

### *Cinara juniperi* (De Geer, 1773)

- <http://azoresbioportal.uac.pt/azores-species/cinara-juniperi-7078/>

Native status: Native

Distribution: COR; FLO\*; FAI\*; PIC; SJG\*; TER; SMG; SMR

Notes: Also present: MAD (Biogeographical Realm: Holarctic)

## Family Lygaeidae

### *Beosus maritimus* (Scopoli, 1763)

- <http://azoresbioportal.uac.pt/azores-species/beosus-maritimus-8446/>

Native status: Native

Distribution: FLO; FAI; TER; SMR

Notes: Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

### *Gastrodes grossipes* subsp. *grossipes* (De Geer, 1773)

- <http://azoresbioportal.uac.pt/azores-species/gastrodes-grossipes-grossipes-13559/>

Native status: Introduced

Distribution: TER\*

Notes: Biogeographical Realm: Palearctic

### ***Heterogaster urticae* (Fabricius, 1775)**

- <http://azoresbioportal.uac.pt/azores-species/heterogaster-urticae-8449/>

**Native status:** Native

**Distribution:** PIC; TER\*; SMG

**Notes:** Also present: MAD (Biogeographical Realm: Western Palearctic)

### ***Kleidocerys ericae* (Horváth, 1908)**

- <http://azoresbioportal.uac.pt/azores-species/kleidocerys-ericae-7157/>

**Native status:** Native

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG\*; TER; SMG; SMR\*

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

### ***Microplax plagiata* (Fieber, 1837)**

- <http://azoresbioportal.uac.pt/azores-species/microplax-plagiata-8451/>

**Native status:** Native

**Distribution:** SMR\*

**Notes:** Also present: CAN (Biogeographical Realm: Palearctic)

### ***Nysius atlantidum* Horváth, 1990**

- <http://azoresbioportal.uac.pt/azores-species/nysius-atlantidum-7085/>

**Native status:** Azores endemic

**Distribution:** FLO; FAI; GRA; TER; SMG; SMR\*

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Nysius ericae* subsp. *ericae* Schilling, 1829**

- <http://azoresbioportal.uac.pt/azores-species/nysius-ericae-ericae-13521/>

**Native status:** Native

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Afro-tropical)



### ***Plinthisus brevipennis* (Latreille, 1807)**

- <http://azoresbioportal.uac.pt/azores-species/plinthisus-brevipennis-8452/>

**Native status:** Native

**Distribution:** FAI\*; PIC; GRA; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Western Palearctic)

### ***Plinthisus minutissimus* Fieber, 1864**

- <http://azoresbioportal.uac.pt/azores-species/plinthisus-minutissimus-7151/>

**Native status:** Native

**Distribution:** FAI\*; TER

**Notes:** Biogeographical Realm: Western Palearctic

### ***Scolopostethus decoratus* (Hahn, 1833)**

- <http://azoresbioportal.uac.pt/azores-species/scolopostethus-decoratus-7097/>

**Native status:** Native

**Distribution:** FLO; FAI\*; PIC; GRA; TER; SMG; SMR

**Notes:** Biogeographical Realm: Palearctic

## **Family Microphysidae**

### ***Loricula coleoptrata* (Fallén, 1807)**

- <http://azoresbioportal.uac.pt/azores-species/loricula-coleoptrata-8458/>

**Native status:** Native

**Distribution:** FAI; SMG\*; SMR

**Notes:** Biogeographical Realm: Western Palearctic

### ***Loricula elegantula* (Bärensprung, 1858)**

- <http://azoresbioportal.uac.pt/azores-species/loricula-elegantula-8445/>

**Native status:** Native

**Distribution:** FLO; PIC\*; GRA; SMG\*; SMR

Notes: Biogeographical Realm: Western Palearctic

## Family Miridae

### *Campyloneura virgula* (Herrich-Schaeffer, 1835)

- <http://azoresbioportal.uac.pt/azores-species/campyloneura-virgula-8460/>

Native status: Native

Distribution: FLO; FAI; PIC; GRA; SJG\*; TER; SMG

Notes: Biogeographical Realm: Nearctic

### *Closterotomus norwegicus* (Gmelin, 1790)

- <http://azoresbioportal.uac.pt/azores-species/closterotomus-norwegicus-8461/>

Native status: Native

Distribution: FLO; FAI; PIC; TER; SMR\*

Notes: Also present: MAD; CAN (Biogeographical Realm: Australian; Nearctic)

### *Heterotoma planicornis* (Pallas, 1772)

- <http://azoresbioportal.uac.pt/azores-species/heterotoma-planicornis-8462/>

Native status: Native

Distribution: FAI; PIC; GRA; TER; SMG; SMR

Notes: Biogeographical Realm: Nearctic

### *Monalocoris filicis* (Linnaeus, 1758)

- <http://azoresbioportal.uac.pt/azores-species/monalocoris-filicis-8465/>

Native status: Native

Distribution: COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

Notes: Biogeographical Realm: Holartic; Afro-tropical; Northern Asia (except China)

### *Pinalitus oromii* J. Ribes, 1992

- <http://azoresbioportal.uac.pt/azores-species/pinalitus-oromii-7093/>

Native status: Azores endemic

**Distribution:** FLO\*; FAI; PIC; GRA; SJG; TER\*; SMG; SMR\*

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Polymerus cognatus* (Fieber, 1858)**

- <http://azoresbioportal.uac.pt/azores-species/polymerus-cognatus-8474/>

**Native status:** Native

**Distribution:** COR; FLO\*; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Biogeographical Realm: Nearctic

### ***Polymerus vulneratus* (Panzer, 1806)**

- <http://azoresbioportal.uac.pt/azores-species/polymerus-vulneratus-8475/>

**Native status:** Native

**Distribution:** PIC\*; TER

**Notes:** Biogeographical Realm: Nearctic

## **Family Nabidae**

### ***Nabis pseudoferus* subsp. *ibericus* Remane, 1962**

- <http://azoresbioportal.uac.pt/azores-species/nabis-pseudoferus-ibericus-13443/>

**Native status:** Native

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

## **Family Pentatomidae**

### ***Nezara viridula* (Linnaeus, 1758)**

- <http://azoresbioportal.uac.pt/azores-species/nezara-viridula-8482/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN; CVP (Biogeographical Realm: Cosmopolitan)

## **Family Psyllidae**

### ***Acizzia uncatoides* (Ferris & Klyver, 1932)**

- <http://azoresbioportal.uac.pt/azores-species/acizzia-uncatoides-8547/>

**Native status:** Introduced

**Distribution:** PIC; GRA; TER\*

**Notes:** Also present: CAN (Biogeographical Realm: Australian)

### ***Cacopsylla pulchella* (Löw, 1877)**

- <http://azoresbioportal.uac.pt/azores-species/cacopsylla-pulchella-8527/>

**Native status:** Introduced

**Distribution:** PIC\*

**Notes:** Biogeographical Realm: Western Palearctic

### ***Strophingia harteni* Hodkinson, 1981**

- <http://azoresbioportal.uac.pt/azores-species/strophingia-harteni-7087/>

**Native status:** Azores endemic

**Distribution:** COR; FLO; FAI\*; PIC\*; GRA; SJG\*; TER\*; SMG; SMR\*

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

## **Family Reduviidae**

### ***Empicoris rubromaculatus* (Blackburn, 1889)**

- <http://azoresbioportal.uac.pt/azores-species/empicoris-rubromaculatus-8483/>

**Native status:** Introduced

**Distribution:** PIC; TER\*; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Afro-tropical; Australian; Neotropical; Oriental)

## **Family Saldidae**

### ***Saldula palustris* (Douglas, 1874)**

- <http://azoresbioportal.uac.pt/azores-species/saldula-palustris-8471/>

**Native status:** Native

**Distribution:** TER; SMG

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Afro-tropical; Eastern Palearctic; Near East; North Africa)

## Family Tingidae

### *Acalypta parvula* (Fallén, 1807)

- <http://azoresbiportal.uac.pt/azores-species/acalypta-parvula-8491/>

**Native status:** Native

**Distribution:** FLO; FAI; PIC; TER; SMG

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Nearctic; North Africa (except Sinai Peninsula))

## Family Triozidae

### *Trioza laurisilvae* Hodkinson, 1990

- <http://azoresbiportal.uac.pt/azores-species/trioza-laurisilvae-7090/>

**Native status:** Native

**Distribution:** FLO\*; FAI\*; PIC; GRA; SJG\*; TER\*; SMG; SMR\*

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic (Macaronesia))

## Order Thysanoptera

### Family Aeolothripidae

### *Aeolothrips collaris* Priesner, 1919

- <http://azoresbiportal.uac.pt/azores-species/aeolothrips-collaris-8269/>

**Native status:** Native

**Distribution:** FAI; PIC; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Palearctic)

### ***Aeolothrips gloriosus* Bagnall, 1914**

- <http://azoresbiportal.uac.pt/azores-species/aeolothrips-gloriosus-8271/>

**Native status:** Native

**Distribution:** FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Biogeographical Realm: Palearctic

### **Family Phlaeothripidae**

### ***Eurythrips tristis* Hood, 1941**

- <http://azoresbiportal.uac.pt/azores-species/eurythrips-tristis-8370/>

**Native status:** Introduced

**Distribution:** SJG\*; TER\*

**Notes:** Biogeographical Realm: Nearctic

### ***Hoplandrothrips consobrinus* (Knechtel, 1951)**

- <http://azoresbiportal.uac.pt/azores-species/hoplandrothrips-consobrinus-8371/>

**Native status:** Introduced

**Distribution:** SJG\*; TER; SMG

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Palearctic)

### ***Hoplothrips corticis* (De Geer, 1773)**

- <http://azoresbiportal.uac.pt/azores-species/hoplothrips-corticis-7086/>

**Native status:** Native

**Distribution:** FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Biogeographical Realm: Cosmopolitan

### ***Hoplothrips ulmi* (Fabricius, 1781)**

- <http://azoresbiportal.uac.pt/azores-species/hoplothrips-ulmi-8382/>

**Native status:** Introduced

**Distribution:** FLO\*; FAI; SJG\*; TER; SMG\*

Notes: Also present: MAD (Biogeographical Realm: Palearctic)

### ***Nesothrips propinquus* (Bagnall, 1916)**

- <http://azoresbioportal.uac.pt/azores-species/nesothrips-propinquus-8383/>

Native status: Introduced

Distribution: FAI; PIC; SJG; TER; SMG; SMR

Notes: Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

## **Family Thripidae**

### ***Aptinothrips rufus* Haliday, 1836**

- <http://azoresbioportal.uac.pt/azores-species/aptinothrips-rufus-8365/>

Native status: Introduced

Distribution: FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

Notes: Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

### ***Ceratohrips ericae* (Haliday, 1836)**

- <http://azoresbioportal.uac.pt/azores-species/ceratohrips-ericae-8366/>

Native status: Native

Distribution: FAI; PIC; SJG; TER; SMG; SMR

Notes: Also present: MAD (Biogeographical Realm: Holarctic)

### ***Heliothrips haemorrhoidalis* (Bouché, 1833)**

- <http://azoresbioportal.uac.pt/azores-species/heliothrips-haemorrhoidalis-7080/>

Native status: Introduced

Distribution: FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

Notes: Also present: MAD; CAN; CVP (Biogeographical Realm: Cosmopolitan)

### ***Hercinothrips bicinctus* (Bagnall, 1919)**

- <http://azoresbioportal.uac.pt/azores-species/hercinothrips-bicinctus-7092/>

Native status: Introduced

**Distribution:** FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

### ***Isoneurothrips australis* Bagnall, 1915**

- <http://azoresbioportal.uac.pt/azores-species/isoneurothrips-australis-8387/>

**Native status:** Introduced

**Distribution:** TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

### ***Thrips atratus* Haliday, 1836**

- <http://azoresbioportal.uac.pt/azores-species/thrips-atratus-8392/>

**Native status:** Native

**Distribution:** FAI; PIC; SJG; TER; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Holarctic)

### ***Thrips flavus* Schrank, 1776**

- <http://azoresbioportal.uac.pt/azores-species/thrips-flavus-8394/>

**Native status:** Native

**Distribution:** FAI; PIC; SJG; TER; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Holarctic)

## **Order Neuroptera**

### **Family Hemerobiidae**

#### ***Hemerobius azoricus* Tjeder, 1948**

- <http://azoresbioportal.uac.pt/azores-species/hemerobius-azoricus-6862/>

**Native status:** Azores endemic

**Distribution:** FLO\*; FAI\*; PIC; GRA; SJG; TER\*; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

## **Order Coleoptera**



## Family Anobiidae

### *Anobium punctatum* (De Gueer, 1774)

- <http://azoresbioportal.uac.pt/azores-species/anobium-punctatum-7571/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

## Family Brentidae

### *Aspidapion radiolus* subsp. *chalybeipenne* (Wollaston, 1854)

- <http://azoresbioportal.uac.pt/azores-species/aspidapion-radiolus-chalybeipenne-13444/>

**Native status:** Native

**Distribution:** COR; FLO; FAI; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Palearctic)

## Family Carabidae

### *Acupalpus dubius* Schilsky, 1888

- <http://azoresbioportal.uac.pt/azores-species/acupalpus-dubius-7371/>

**Native status:** Native

**Distribution:** FLO; FAI; GRA; SJG\*; TER; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Western Palearctic)

### *Acupalpus flavicollis* (Sturm, 1825)

- <http://azoresbioportal.uac.pt/azores-species/acupalpus-flavicollis-7306/>

**Native status:** Native

**Distribution:** FAI\*; TER

**Notes:** Biogeographical Realm: Palearctic

### ***Amara aenea* (De Geer, 1774)**

- <http://azoresbioportal.uac.pt/azores-species/amara-aenea-7366/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN; CVP (Biogeographical Realm: Holarctic)

### ***Anisodactylus binotatus* (Fabricius, 1787)**

- <http://azoresbioportal.uac.pt/azores-species/anisodactylus-binotatus-7367/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Holarctic)

### ***Calathus lundbladi* Colas, 1938**

- <http://azoresbioportal.uac.pt/azores-species/calathus-lundbladi-7354/>

**Native status:** Azores endemic

**Distribution:** SMG

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Cedrurum azoricus* subsp. *azoricus* Borges & Serrano, 1993**

- <http://azoresbioportal.uac.pt/azores-species/cedrurum-azoricus-azoricus-13442/>

**Native status:** Azores endemic

**Distribution:** TER; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Cedrurum azoricus* subsp. *caveirensis* Borges & Serrano, 1993**

- <http://azoresbioportal.uac.pt/azores-species/cedrurum-azoricus-caveirensis-13453/>

**Native status:** Azores endemic

**Distribution:** PIC

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Laemostenus complanatus* (Dejean, 1828)**

- <http://azoresbioportal.uac.pt/azores-species/laemostenus-complanatus-7362/>

**Native status:** Introduced

**Distribution:** FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

### ***Ocys harpaloides* (Audinet-Serville, 1821)**

- <http://azoresbioportal.uac.pt/azores-species/ocys-harpaloides-7335/>

**Native status:** Native

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Western Palearctic)

### ***Paranchus albipes* (Fabricius, 1796)**

- <http://azoresbioportal.uac.pt/azores-species/paranchus-albipes-7350/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Holarctic)

### ***Pseudanchomenus aptinoides* Tarnier, 1860**

- <http://azoresbioportal.uac.pt/azores-species/pseudanchomenus-aptinoides-6831/>

**Native status:** Azores endemic

**Distribution:** PIC; SMG

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Pseudoophonus rufipes* De Geer, 1774**

- <http://azoresbioportal.uac.pt/azores-species/pseudoophonus-rufipes-7373/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Western Palearctic)

***Pterostichus aterrimus* subsp. *aterrimus* (Herbst, 1784)**

- <http://azoresbioportal.uac.pt/azores-species/pterostichus-aterrimus-aterrimus-13452/>

**Native status:** Native

**Distribution:** PIC\*; SJG; TER

**Notes:** Also present: MAD (Biogeographical Realm: Palearctic)

***Pterostichus vernalis* (Panzer, 1796)**

- <http://azoresbioportal.uac.pt/azores-species/pterostichus-vernalis-7348/>

**Native status:** Introduced

**Distribution:** FAI; PIC; GRA; SJG; TER; SMG

**Notes:** Biogeographical Realm: Palearctic

***Stenolophus teutonius* (Schrank, 1781)**

- <http://azoresbioportal.uac.pt/azores-species/stenolophus-teutonius-7368/>

**Native status:** Native

**Distribution:** COR; FLO; FAI; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

***Trechus terrabravensis* Borges, Serrano & Amorim, 2004**

- <http://azoresbioportal.uac.pt/azores-species/trechus-terrabravensis-7345/>

**Native status:** Azores endemic

**Distribution:** TER

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

**Family Cerambycidae**

***Crotchiella brachyptera* Israelson, 1985**

- <http://azoresbioportal.uac.pt/azores-species/crotchiella-brachyptera-7879/>

**Native status:** Azores endemic

**Distribution:** PIC; TER; SMG; SMR

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

## Family Chrysomelidae

### *Chaetocnema hortensis* (Fourcroy , 1785)

- <http://azoresbioportal.uac.pt/azores-species/chaetocnema-hortensis-7888/>

Native status: Introduced

Distribution: FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

Notes: Also present: MAD (Biogeographical Realm: Western Palearctic)

### *Epitrix hirtipennis* (Melsheimer, 1847)

- <http://azoresbioportal.uac.pt/azores-species/epitrix-hirtipennis-7886/>

Native status: Introduced

Distribution: PIC; GRA; TER; SMG; SMR

Notes: Biogeographical Realm: Nearctic

### *Psylliodes marcidus* (Illiger, 1807)

- <http://azoresbioportal.uac.pt/azores-species/psylliodes-marcidus-7916/>

Native status: Native

Distribution: FLO; FAI; PIC; GRA; TER; SMG; SMR

Notes: Also present: MAD (Biogeographical Realm: Palearctic)

## Family Ciidae

### *Atlantocis gillerforsi* Israelson, 1986

- <http://azoresbioportal.uac.pt/azores-species/atlantocis-gillerforsi-7674/>

Native status: Azores endemic

Distribution: FLO; PIC; TER\*; SMG; SMR

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

## Family Coccinellidae

***Clitostethus arcuatus* (Rossi, 1794)**

- <http://azoresbiportal.uac.pt/azores-species/clitostethus-arcuatus-7638/>

**Native status:** Introduced

**Distribution:** GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

***Coccinella undecimpunctata* subsp. *undecimpunctata* Linnaeus, 1758**

- <http://azoresbiportal.uac.pt/azores-species/coccinella-undecimpunctata-undecimpunctata-13471/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Biogeographical Realm: Holarctic

***Lindorus lophanthae* (Blaisdell, 1892)**

- <http://azoresbiportal.uac.pt/azores-species/lindorus-lophanthae-7649/>

**Native status:** Introduced

**Distribution:** FLO; GRA; SJG\*; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

***Rodolia cardinalis* (Mulsant, 1850)**

- <http://azoresbiportal.uac.pt/azores-species/rodolia-cardinalis-7648/>

**Native status:** Introduced

**Distribution:** COR; FLO; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN; CVP (Biogeographical Realm: Cosmopolitan)

**Family Corylophidae**

***Sericoderus lateralis* (Gyllenhal, 1827)**

- <http://azoresbiportal.uac.pt/azores-species/sericoderus-lateralis-7672/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN; CVP (Biogeographical Realm: Palearctic)

## Family Curculionidae

### ***Calacalles subcarinatus* (Israelson, 1984)**

- <http://azoresbioportal.uac.pt/azores-species/calacalles-subcarinatus-6896/>

**Native status:** Azores endemic

**Distribution:** COR; FLO; FAI\*; PIC; GRA; SJG\*; TER; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Caulotrupis parvus* Israelson, 1985**

- <http://azoresbioportal.uac.pt/azores-species/caulotrupis-parvus-7942/>

**Native status:** Azores endemic

**Distribution:** SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Coccotrypes carpophagus* (Hornung, 1842)**

- <http://azoresbioportal.uac.pt/azores-species/coccotrypes-carpophagus-7872/>

**Native status:** Introduced

**Distribution:** FAI; PIC\*; GRA; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

### ***Drouetius borgesii* subsp. *borgesii* Machado, 2009**

- <http://azoresbioportal.uac.pt/azores-species/drouetius-borgesii-borgesii-13569/>

**Native status:** Azores endemic

**Distribution:** TER

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Drouetius borgesii* subsp. *centralis* Machado, 2009**

- <http://azoresbioportal.uac.pt/azores-species/drouetius-borgesii-centralis-13568/>

**Native status:** Azores endemic

**Distribution:** FAI; PIC; GRA; SJG

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Drouetius borgesii* subsp. *sanctmichaelis* Machado, 2009**

- <http://azoresbioportal.uac.pt/azores-species/drouetius-borgesii-sanctmichaelis-13566/>

**Native status:** Azores endemic

**Distribution:** SMG

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Gymnetron pascuorum* (Gyllenhal, 1813)**

- <http://azoresbioportal.uac.pt/azores-species/gymnetron-pascuorum-7951/>

**Native status:** Introduced

**Distribution:** FAI; TER; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

### ***Orthochaetes insignis* (Aubé, 1863)**

- <http://azoresbioportal.uac.pt/azores-species/orthochaetes-insignis-7946/>

**Native status:** Native

**Distribution:** FLO; FAI\*; TER; SMR

**Notes:** Biogeographical Realm: Palearctic

### ***Otiorhynchus cribricollis* Gyllenhal, 1834**

- <http://azoresbioportal.uac.pt/azores-species/otiorhynchus-cribricollis-7907/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

### ***Otiorhynchus rugosostriatus* (Goeze, 1777)**

- <http://azoresbioportal.uac.pt/azores-species/otiorhynchus-rugosostriatus-7912/>



**Native status:** Introduced

**Distribution:** FLO\*; FAI; PIC; SJG\*; TER; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Palearctic)

### ***Phloeosinus gillerforsi* Bright, 1987**

- <http://azoresbioportal.uac.pt/azores-species/phloeosinus-gillerforsi-7163/>

**Native status:** Azores endemic

**Distribution:** FLO; PIC; SJG\*; TER\*; SMG

**Notes:** Also present: CAN (Biogeographical Realm: Western Palearctic (Macaronesia))

### ***Pseudechinosoma nodosum* Hustache, 1936**

- <http://azoresbioportal.uac.pt/azores-species/pseudechinosoma-nodosum-6827/>

**Native status:** Azores endemic

**Distribution:** FLO; FAI\*; PIC; SJG\*; TER\*; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Pseudophloeophagus aenopiceus* (Boheman, 1845)**

- <http://azoresbioportal.uac.pt/azores-species/pseudophloeophagus-aenopiceus-7949/>

**Native status:** Native

**Distribution:** FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Palearctic)

### ***Pseudophloeophagus tenax* Wollaston, 1854**

- <http://azoresbioportal.uac.pt/azores-species/pseudophloeophagus-tenax-7094/>

**Native status:** Native

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Western Palearctic (Macaronesia))

### ***Sitona discoideus* Gyllenhal, 1834**

- <http://azoresbioportal.uac.pt/azores-species/sitona-discoideus-7925/>

**Native status:** Introduced

**Distribution:** FLO; FAI; GRA; SJG; TER\*; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Palearctic)

### ***Xyleborinus alni* Nijima, 1909**

- <http://azoresbioportal.uac.pt/azores-species/xyleborinus-alni-7920/>

**Native status:** Introduced

**Distribution:** FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Holarctic)

### **Family Dryophthoridae**

#### ***Sitophilus oryzae* (Linnaeus, 1763)**

- <http://azoresbioportal.uac.pt/azores-species/sitophilus-oryzae-7910/>

**Native status:** Introduced

**Distribution:** FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN; CVP (Biogeographical Realm: Cosmopolitan)

### **Family Dryopidae**

#### ***Dryops algericus* (Lucas, 1846)**

- <http://azoresbioportal.uac.pt/azores-species/dryops-algericus-7545/>

**Native status:** Native

**Distribution:** FLO; TER; SMG; SMR

**Notes:** Biogeographical Realm: Palearctic

#### ***Dryops luridus* (Erichson, 1847)**

- <http://azoresbioportal.uac.pt/azores-species/dryops-luridus-7546/>

**Native status:** Native

**Distribution:** COR; FLO; FAI\*; GRA; TER\*; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Palearctic)

## Family Dytiscidae

### *Agabus bipustulatus* (Linnaeus, 1767)

- <http://azoresbioportal.uac.pt/azores-species/agabus-bipustulatus-7393/>

**Native status:** Native

**Distribution:** FLO; PIC; SJG; TER

**Notes:** Also present: MAD (Biogeographical Realm: Palearctic)

### *Agabus godmani* Crotch, 1867

- <http://azoresbioportal.uac.pt/azores-species/agabus-godmani-7395/>

**Native status:** Azores endemic

**Distribution:** FLO; FAI; PIC; GRA; SJG; TER; SMG

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### *Hydroporus guernei* Régimbart, 1891

- <http://azoresbioportal.uac.pt/azores-species/hydroporus-guernei-7411/>

**Native status:** Azores endemic

**Distribution:** COR; FLO; FAI; PIC; SJG; TER; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

## Family Elateridae

### *Aeolus melliculus* subsp. *moreleti* Tarnier, 1860

- <http://azoresbioportal.uac.pt/azores-species/aeolus-melliculus-moreleti-13463/>

**Native status:** Introduced

**Distribution:** FLO; FAI; GRA; SJG; TER; SMG; SMR

**Notes:** Biogeographical Realm: Neotropical

### *Alestrus dolosus* (Crotch, 1867)

- <http://azoresbioportal.uac.pt/azores-species/alestrus-dolosus-7551/>

**Native status:** Azores endemic

**Distribution:** FLO; FAI\*; PIC\*; TER; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Athous pomboi* Platia & Borges, 2002**

- <http://azoresbioportal.uac.pt/azores-species/athous-pomboi-6826/>

**Native status:** Azores endemic

**Distribution:** SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

## **Family Hydrophilidae**

### ***Cercyon haemorrhoidalis* (Fabricius, 1775)**

- <http://azoresbioportal.uac.pt/azores-species/cercyon-haemorrhoidalis-7400/>

**Native status:** Introduced

**Distribution:** FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Biogeographical Realm: Holarctic

## **Family Lathridiidae**

### ***Cartodere bifasciata* Reitter, 1877**

- <http://azoresbioportal.uac.pt/azores-species/cartodere-bifasciata-7673/>

**Native status:** Introduced

**Distribution:** FAI; GRA; TER\*; SMG; SMR

**Notes:** Also present: MAD (Biogeographical Realm: Cosmopolitan)

### ***Cartodere nodifer* (Westwood, 1839)**

- <http://azoresbioportal.uac.pt/azores-species/cartodere-nodifer-7165/>

**Native status:** Introduced

**Distribution:** FLO; FAI; PIC; GRA; SJG\*; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

***Cartodere satelles* (Blackburn, 1888)**

- <http://azoresbioportal.uac.pt/azores-species/cartodere-satelles-9639/>

**Native status:** Introduced

**Distribution:** TER\*; SMR\*

**Notes:** Also present: MAD (Biogeographical Realm: Cosmopolitan)

***Metophtalmus occidentalis* Israelson, 1984**

- <http://azoresbioportal.uac.pt/azores-species/metophtalmus-occidentalis-7663/>

**Native status:** Azores endemic

**Distribution:** FAI; GRA; SMG; SMR

**Notes:** Biogeographical Realm: Cosmopolitan

**Family Leiodidae**

***Catops coracinus* Kellner, 1846**

- <http://azoresbioportal.uac.pt/azores-species/catops-coracinus-7091/>

**Native status:** Native

**Distribution:** FAI\*; GRA; SJG\*; TER\*; SMG\*

**Notes:** Biogeographical Realm: Cosmopolitan

**Family Monotomidae**

***Rhizophagus ferrugineus* (Paykull, 1800)**

- <http://azoresbioportal.uac.pt/azores-species/rhizophagus-ferrugineus-7068/>

**Native status:** Introduced

**Distribution:** TER\*

**Notes:** Also present: CAN (Biogeographical Realm: Cosmopolitan)

**Family Mycetophagidae**

### ***Typhaea stercorea* (Linnaeus, 1758)**

- <http://azoresbiportal.uac.pt/azores-species/typhaea-stercorea-7676/>

**Native status:** Introduced

**Distribution:** FLO; FAI; PIC; GRA; TER; SMG; SMR

**Notes:** Also present: MAD; CAN; CVP (Biogeographical Realm: Cosmopolitan)

### **Family Nitidulidae**

### ***Carpophilus fumatus* (Boheman, 1851)**

- <http://azoresbiportal.uac.pt/azores-species/carpophilus-fumatus-7562/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CVP (Biogeographical Realm: Cosmopolitan)

### ***Carpophilus hemipterus* (Linnaeus, 1758)**

- <http://azoresbiportal.uac.pt/azores-species/carpophilus-hemipterus-7580/>

**Native status:** Introduced

**Distribution:** FAI; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN; CVP (Biogeographical Realm: Cosmopolitan)

### ***Epuraea biguttata* (Thunberg, 1784)**

- <http://azoresbiportal.uac.pt/azores-species/epuraea-biguttata-7616/>

**Native status:** Introduced

**Distribution:** FLO\*; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Palearctic)

### ***Meligethes aeneus* (Fabricius, 1775)**

- <http://azoresbiportal.uac.pt/azores-species/meligethes-aeneus-7606/>

**Native status:** Introduced

**Distribution:** FLO; FAI; PIC; SJG; TER; SMG; SMR

Notes: Also present: MAD; CAN (Biogeographical Realm: Holarctic)

### ***Stelidota geminata* (Say, 1825)**

- <http://azoresbiportal.uac.pt/azores-species/stelidota-geminata-7618/>

Native status: Introduced

Distribution: FLO; FAI\*; PIC\*; GRA; SJG\*; TER\*; SMR\*

Notes: Biogeographical Realm: Neotropical

### **Family Phalacridae**

### ***Stilbus testaceus* (Panzer, 1797)**

- <http://azoresbiportal.uac.pt/azores-species/stilbus-testaceus-7480/>

Native status: Native

Distribution: FLO; FAI; GRA; SJG; TER; SMG; SMR

Notes: Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

### **Family Ptiliidae**

### ***Ptenidium pusillum* (Gyllenhal, 1808)**

- <http://azoresbiportal.uac.pt/azores-species/ptenidium-pusillum-7320/>

Native status: Introduced

Distribution: FLO; FAI; PIC; TER; SMG; SMR

Notes: Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

### **Family Scarabaeidae**

### ***Onthophagus taurus* (Schreber, 1759)**

- <http://azoresbiportal.uac.pt/azores-species/onthophagus-taurus-7532/>

Native status: Introduced

Distribution: COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

Notes: Biogeographical Realm: Palearctic

## Family Scraptiidae

### *Anaspis proteus* Wollaston, 1854

- <http://azoresbiportal.uac.pt/azores-species/anaspis-proteus-7855/>

**Native status:** Native

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic (Macaronesia))

## Family Silvanidae

### *Cryptamorpha desjardinsii* (Guérin-Méneville, 1844)

- <http://azoresbiportal.uac.pt/azores-species/cryptamorpha-desjardinsii-7620/>

**Native status:** Introduced

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Western Palearctic)

## Order Trichoptera

### Family Limnephilidae

#### *Limnephilus atlanticus* Nybom, 1948

- <http://azoresbiportal.uac.pt/azores-species/limnephilus-atlanticus-8582/>

**Native status:** Azores endemic

**Distribution:** COR; FLO\*; FAI; PIC\*; SJG; TER\*; SMG\*

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

## Order Lepidoptera

### Family Crambidae



### ***Eudonia luteusalis* (Hampson, 1907)**

- <http://azoresbioportal.uac.pt/azores-species/eudonia-luteusalis-8816/>

**Native status:** Azores endemic

**Distribution:** FLO; FAI; PIC; SJG; TER; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Scoparia coecimaculalis* Warren, 1905**

- <http://azoresbioportal.uac.pt/azores-species/scoparia-coecimaculalis-8821/>

**Native status:** Azores endemic

**Distribution:** FLO\*; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Scoparia semiampalis* Warren, 1905**

- <http://azoresbioportal.uac.pt/azores-species/scoparia-semiampalis-8822/>

**Native status:** Azores endemic

**Distribution:** FLO; FAI; PIC; SJG; TER; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

## **Family Gelechiidae**

### ***Brachmia infuscatella* Rebel, 1940**

- <http://azoresbioportal.uac.pt/azores-species/brachmia-infuscatella-8738/>

**Native status:** Azores endemic

**Distribution:** FAI; PIC; SJG; TER; SMR\*

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

## **Family Geometridae**

### ***Ascotis fortunata* subsp. *azorica* Pinker, 1971**

- <http://azoresbioportal.uac.pt/azores-species/ascotis-fortunata-azorica-13542/>

**Native status:** Azores endemic

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Cyclophora azorensis* (Prout, 1920)**

- <http://azoresbioportal.uac.pt/azores-species/cyclophora-azorensis-8745/>

**Native status:** Azores endemic

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Cyclophora pupillaria* subsp. *granti* (Prout, 1935)**

- <http://azoresbioportal.uac.pt/azores-species/cyclophora-pupillaria-granti-13543/>

**Native status:** Azores endemic

**Distribution:** SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Nycterosea obstipata* (Fabricius, 1794)**

- <http://azoresbioportal.uac.pt/azores-species/nycterosea-obstipata-8749/>

**Native status:** Native

**Distribution:** FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN; CVP (Biogeographical Realm: Cosmopolitan)

### ***Xanthorhoe inaequata* Warren, 1905**

- <http://azoresbioportal.uac.pt/azores-species/xanthorhoe-inaequata-8750/>

**Native status:** Azores endemic

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

## **Family Gracillariidae**

***Caloptilia schinella* (Walsingham, 1908)**

- <http://azoresbioportal.uac.pt/azores-species/caloptilia-schinella-8753/>

**Native status:** Introduced

**Distribution:** COR; FAI; PIC; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

***Micrurapteryx bistrigella* (Rebel, 1940)**

- <http://azoresbioportal.uac.pt/azores-species/micrurapteryx-bistrigella-8754/>

**Native status:** Azores endemic

**Distribution:** FLO; PIC; SJG; TER\*

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

***Phyllocnistis citrella* Stainton, 1856**

- <http://azoresbioportal.uac.pt/azores-species/phyllocnistis-citrella-8759/>

**Native status:** Introduced

**Distribution:** FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

**Family Noctuidae**

***Agrotis ipsilon* (Hufnagel, 1766)**

- <http://azoresbioportal.uac.pt/azores-species/agrotis-ipsilon-8763/>

**Native status:** Native

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Also present: MAD; CAN; CVP (Biogeographical Realm: Cosmopolitan)

***Autographa gamma* (Linnaeus, 1758)**

- <http://azoresbioportal.uac.pt/azores-species/autographa-gamma-8765/>

**Native status:** Native

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

Notes: Also present: MAD; CAN (Biogeographical Realm: Palearctic)

### ***Chrysodeixis chalcites* (Esper, 1789)**

- <http://azoresbioportal.uac.pt/azores-species/chrysodeixis-chalcites-8766/>

Native status: Native

Distribution: COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

Notes: Also present: MAD; CAN; CVP (Biogeographical Realm: Western Palearctic)

### ***Mesapamea storai* (Rebel, 1940)**

- <http://azoresbioportal.uac.pt/azores-species/mesapamea-storai-8778/>

Native status: Azores endemic

Distribution: COR; FLO; FAI; PIC; GRA; SJG; TER; SMG

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Mythimna unipuncta* (Haworth, 1809)**

- <http://azoresbioportal.uac.pt/azores-species/mythimna-unipuncta-8780/>

Native status: Native

Distribution: COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

Notes: Also present: MAD; CAN (Biogeographical Realm: Cosmopolitan)

### ***Phlogophora interrupta* (Warren, 1905)**

- <http://azoresbioportal.uac.pt/azores-species/phlogophora-interrupta-8761/>

Native status: Azores endemic

Distribution: FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

### ***Xestia c-nigrum* (Linnaeus, 1758)**

- <http://azoresbioportal.uac.pt/azores-species/xestia-c-nigrum-8792/>

Native status: Native

Distribution: COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

Notes: Also present: MAD (Biogeographical Realm: Holarctic)

## Family Nymphalidae

### *Hipparchia azorina* subsp. *occidentalis* (Sousa, 1985)

- <http://azoresbioportal.uac.pt/azores-species/hipparchia-azorina-occidentalis-13545/>

Native status: Azores endemic

Distribution: COR; FLO

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

### *Hipparchia miguelensis* (Le Cerf, 1935)

- <http://azoresbioportal.uac.pt/azores-species/hipparchia-miguelensis-8798/>

Native status: Azores endemic

Distribution: SMG

Notes: Biogeographical Realm: Western Palearctic (Macaronesia)

## Family Tineidae

### *Oinophila v-flava* (Haworth, 1828)

- <http://azoresbioportal.uac.pt/azores-species/oinophila-v-flava-8833/>

Native status: Introduced

Distribution: FLO; FAI; PIC\*; TER; SMG

Notes: Also present: MAD; CAN (Biogeographical Realm: Palearctic)

### *Opogona sacchari* (Bojer, 1856)

- <http://azoresbioportal.uac.pt/azores-species/opogona-sacchari-8838/>

Native status: Introduced

Distribution: COR; FAI; PIC; GRA; SJG\*; TER; SMG; SMR

Notes: Also present: MAD; CAN; CVP (Biogeographical Realm: Cosmopolitan)

## Family Tortricidae

## ***Rhopobota naevana* (Hübner, 1817)**

- <http://azoresbiportal.uac.pt/azores-species/rhopobota-naevana-8858/>

**Native status:** Introduced

**Distribution:** FLO\*; FAI\*; PIC; GRA; SJG\*; TER\*; SMG\*; SMR\*

**Notes:** Biogeographical Realm: Holarctic

## **Family Yponomeutidae**

### ***Argyresthia atlanticella* Rebel, 1940**

- <http://azoresbiportal.uac.pt/azores-species/argyresthia-atlanticella-8859/>

**Native status:** Azores endemic

**Distribution:** COR; FLO; FAI; PIC; GRA; SJG; TER; SMG; SMR

**Notes:** Biogeographical Realm: Western Palearctic (Macaronesia)

## **Analysis**

### **Azorean Arthropod biodiversity - towards a more complete knowledge**

The ultimate goal of biodiversity assessments is documenting all species inhabiting a region. However, this has often proven impossible to achieve given the unfeasibility of collecting every single species that exists in a study area. This study focuses on the terrestrial arthropod diversity of the Azores and encompasses most orders of the phylum Arthropoda. A pool of a total of 1215 species and subspecies was surveyed, representing 53% of the whole arthropod fauna known from the Azores (Borges et al. 2010). By deliberately not surveying Crustacea, Acari, Collembola, Diptera and Hymenoptera, we excluded 47% of the archipelago's species pool. Yet, this study added 10 endemic and at least 16 other species, mostly exotics, to the known Azorean arthropod fauna. More will be added soon after the on-going revision of Staphylinidae (in prep.) and Zopheridae (Borges et al. 2016, in press). Overall, at least 26 species that occur in native forests were added to the Azorean arthropod fauna list. The new 346 taxonomic records provided by this study (see Suppl. material 4 for the complete list of new records per island) represent on average an increase in species number of about 10% for each studied island (Table 2). However, the increment for São Jorge island was about 22%, while for São Miguel this represented only 3% (Table 2). 164 species were found in new islands, with an average of two islands per species. For 82 of those species only one new island was added to their known distribution contrasting with 27 species for which four or more islands were added (Fig. 2). Notably, nine out of the 27 species with more than three island added to their previous

distribution belong to Arachnida. In fact, arachnids but also millipedes and centipedes experienced a large proportion of new records (more than 30%) (see Table 3).

The number of species identified for each of the 18 native forest fragments surveyed is shown in Fig. 3. The fragment with the highest species diversity is Serra de Santa Bárbara in Terceira island ( $S = 124$ ), which is also the larger native forest area in the Azores. Remarkably, one of the smallest fragments, Pico Alto in Santa Maria island, is the second most diverse ( $S = 121$ ).

BALA2 samples only added 4% of species to the previous BALA survey (Fig. 4). Interestingly, 59 samples collected in the first two years of survey (1999 and 2000) provided about 81% of the total species recorded in this study.

### The most abundant species

A total of 163744 individuals were identified as belonging to the 286 species (see Suppl. material 5 for the complete list of abundance per species). The ten most abundant species (Fig. 5) accommodate 56% of the total number of individuals and include mostly indigenous species (endemic or native non-endemic). The single introduced species is the millipede *Ommatoiulus moreletii* (Fig. 6). With exception of the millipede *Ommatoiulus moreletii*, the centipede *Lithobius pilicornis pilicornis* and the opilion *Leiobunum blackwalli* (Fig. 7) that are mostly soil epigeal species, the other seven species live preferentially in the canopies of Azorean endemic trees. The moth *Argyresthia atlanticella* (Fig. 8) is particularly common in *Juniperus brevifolia* and *Erica azorica*; the spider *Savigniorrhhipis açorensis* (Fig. 9) is particularly abundant in *Juniperus brevifolia*, but can also be found in other plants

### Discussion

Cardoso et al. (2011) identified seven impediments in invertebrate conservation. Three of them are particularly relevant for our study: most species are undescribed (the Linnean shortfall), the distribution of described species is mostly unknown (the Wallacean shortfall), and the abundance of species and its variation in space and time are unknown (the Prestonian shortfall). We argue that with the BALA project we were able to contribute to overcome some of these impediments in the Azores. In fact, we show that as a result of the standardized sampling performed in Azorean native forests we were able to: i) decrease the Linnean shortfall, by increasing the number of described Azorean endemics (e.g. Blas and Borges 1999, Ribes and Borges 2001, Platia and Borges 2002, Quartau and Borges 2003, Borges et al. 2004, Borges and Wunderlich 2008, Crespo et al. 2013, Crespo et al. 2014, Borges et al. 2016); ii) decrease the Wallacean shortfall, by increasing the known distribution of many endemic and exotic species in the archipelago (e.g. Borges et al. 2005a, Borges et al. 2006, Cardoso et al. 2009, Meijer et al. 2011); and iii) decrease the Prestonian shortfall, by using standardized sampling, which allowed the comparison of species abundances in space and time as many of the same sites were sampled in two different time periods.

The increase in the number of islands from where each species is known and the distribution increase for many species within each island shows the importance of regional standardized surveys, which provided a major improvement in the knowledge of the distribution of arthropod species in the native forests of the Azores.

The fact that most diversity was captured during the first two years of the project reflects the importance of sampling a wide geographic range covering all the islands and the maximum number of sites. Increasing the number of samples per fragment (sampling performed in 2004) or replicating the sampling at a different time (29 sites in 2010 to 2011; [BALA2](#) project) had a lesser impact in increasing our knowledge about biodiversity (Fig. 4).

The future agenda for surveying and monitoring Azorean arthropod biodiversity includes:

- a) expanding the standardized survey of Azorean arthropods to other habitat types, mostly man-modified, an already on-going task for some of the islands (see e.g. Cardoso et al. 2009, Meijer et al. 2011, Cardoso et al. 2013, Florencio et al. 2013, Santos et al. 2010);
- b) selecting study areas along a comprehensive environmental gradient where an optimal sampling strategy will be applied in order to sample the entire arthropod communities (All Taxa Biodiversity Inventory - ATBI). ATBIs are intensive sampling efforts to identify and record all living species that exist within a given area and simultaneously create a common and standardized biodiversity database (Lawton and Gaston 2001);
- c) finishing the identification of many morphospecies. Good progress has been made with Staphylinidae (Borges et al. in prep.), but other taxa need further effort to reach proper identification;
- d) increase sampling and update the current list of Azorean Hymenoptera and Diptera, which is clearly incomplete (Borges et al. 2010). The shortage of taxonomists who can adequately identify species (i.e. the so-called *Taxonomic Impediment*) has prevented advances in the knowledge for many diverse groups in the Azores, including these two.
- e) contributing to the validation and updating of the pan-European checklists programs, including [Fauna Europaea](#) (Jong et al. 2014) and [PE SI](#) (Jong et al. 2015) allowing a more general evaluation and comparison of species distributions and statuses.

This study advances the knowledge on the unique arthropod biodiversity of the Azores, but at the same time highlights the need for further surveys. We strongly believe that the [BALA](#) project will stimulate further research and conservation actions towards the preservation of Azorean biodiversity. Furthermore, we hope that all the taxa yet to be identified will entice taxonomist to join us in the endeavour of cataloguing all terrestrial arthropods of the most



remote of the Macaronesian archipelagos, the Azores. The ongoing longterm research projects in Azores and the recent creation of the E-Repository [ISLANDLAB](#) will create new opportunities for biodiversity studies in Azores.

## Acknowledgements

We are grateful to all researchers that collaborated in the field and lab work: Álvaro Vitorino, Anabela Arraiol, Annabella Borges, Ana Rodrigues, Francisco Dinis, Emanuel Barcelos, Hugo Mas, João Amaral, João Moniz, Lara Dinis, Paula Gonçalves, Sandra Jarroca and Luís Vieira. The Forest Services provided logistic support on each island. Acknowledgments are due to the taxonomists Fernando Ilharco, Ole Karsholt, Wolfgang Rucker and Richard zur Strassen who assisted with species identification. This work was funded by the Azorean *Direcção Regional dos Recursos Florestais* (Azorean Government / project 17.01-080203) and FCT- project PTDC/BIA-BEC/100182/2008 – “Predicting extinctions on islands: a multi-scale assessment”. Additional data was obtained from project ATLANTISMAR (DRCT–M2.1.2 //027/2011). CR was supported by FCT grant SFRH/BPD/91357/2012. AMCS was supported by a Marie Curie Intra-European Fellowship (IEF 331623 ‘COMMSTRUCT’) and by a Juan de la Cierva Fellowship (IJCI-2014-19502) funded by the Spanish ‘Ministerio de Economía y Competitividad’. Open Access was funded by national funds through FCT - Fundação para a Ciência e a Tecnologia in the frame of the project UID/BIA/00329/2013 (2015-2017).

## Author contributions

PAVB, ARMS, JQ and KAT conceived the ideas; PAVB, CG, LC, FR, PC, FP, CR, IRA, CM, CA, GA, SPR, JH, AMCS, ABS, JW, JAQ, ARMS and KAT obtained samples; PAVB, CG, EM and LB prepared the databases; PAVB, LC, PC, HE, FI, VM, MTP, JR, AB, ABS, RzS, VV, JW, JAQ and ARMS performed taxonomic work and identified species; PAVB led the writing with substantial input from the other authors.

## References

- Blas M, Borges P (1999) A new species of Catops (Coleoptera: Leiodidae, Cholevinae) from the Azores with remarks on the Macaronesian fauna. *Elytron* 13: 173-184. URL: [http://islandlab.uac.pt/fotos/publicacoes/publicacoes\\_Bias1999\\_ANewSpeciesOfCatopsPaukull.pdf](http://islandlab.uac.pt/fotos/publicacoes/publicacoes_Bias1999_ANewSpeciesOfCatopsPaukull.pdf)
- Borges PA, Serrano AR, Quartau JA (2000) Ranking the Azorean Natural Forest Reserves for conservation using their endemic arthropods. *Journal of Insect Conservation* 4 (2): 129-147. <https://doi.org/10.1023/A:1009629012205>
- Borges PA, Serrano AR, Amorim I, Terzopoulou S, Rigal F, Emerson B (2016) Cryptic diversity in the Azorean beetle genus *Tarphius* Erichson, 1845 (Coleoptera: Zopheridae): An integrative taxonomic approach with description of four new species. *Zootaxa* 4176.


- Borges PA, Gaspar CS, Santos AM, Ribeiro SP, Cardoso P, Triantis K, Amorim IR (2011) Patterns of colonization and species distribution for Azorean arthropods: evolution, diversity, rarity and extinction. Celebrating Darwin: Proceedings of the Symposium "Darwin's Mistake and what we are doing to correct it, Ponta Delgada. Açoreana, Supl. 7, 30 pp. URL: <http://hdl.handle.net/10400.3/2058>
- Borges PA, Vieira V, Amorim IR, Bicudo N, Fritzén N, Gaspar C, Heleno R, Hortal J, Lissner J, Logunov D, Machado A, Marcelino J, Meijer SS, Melo C, Mendonça EP, Moniz J, Pereira F, Santos AS, Simões AM, Torrão E (2010) List of arthropods (Arthropoda). In: Borges PA, Costa A, Cunha R, Gabriel R, Gonçalves V, Martins AF, Melo I, Parente M, Raposeiro P, Rodrigues P, Santos RS, Silva L, Vieira P, Vieira V (Eds) A list of the terrestrial and marine biota from the Azores. Principia, Caiscais, 67 pp. URL: [http://www.azoresbiportal.angra.uac.pt/files/publicacoes\\_Listagem\\_ml.pdf](http://www.azoresbiportal.angra.uac.pt/files/publicacoes_Listagem_ml.pdf) [ISBN 978-989-8131-75-1].
- Borges PA, Aguiar C, Amaral J, Amorim IR, André G, Arraiol A, Baz A, Dinis F, Enghoff H, Gaspar C, Ilharco F, Mahner V, Melo C, Pereira F, Quartau JA, Ribeiro SP, Ribes J, Serrano AR, Sousa AB, Strassen RZ, Vieira L, Vieira V, Vitorino A, Wunderlich J (2005a) Ranking protected areas in the Azores using standardised sampling of soil epigeal arthropods. Biodiversity and Conservation 14 (9): 2029-2060. <https://doi.org/10.1007/s10531-004-4283-y>
- Borges PA, Vieira V, Dinis F, Jarroca S, Aguiar C, Amaral J, Aarvik L, Ashmole P, Ashmole M, Amorim IR, André G, Argente MC, Arraiol A, Cabrera A, Diaz S, Enghoff H, Gaspar C, Mendonça EP, Gisbert HM, Gonçalves P, Lopes DH, Melo C, Mota JA, Oliveira O, Oromí P, Pereira F, Pombo DT, Quartau JA, Ribeiro SP, Rodrigues AC, Santos AM, Serrano AR, Simões. AM, Soares AO, Sousa AB, Vieira L, Vitorino A, Wunderlich J (2005b) List of arthropods (Arthropoda). In: Borges PA, Cunha R, Gabriel R, Martins AM, Silva L, Vieira V (Eds) A list of the terrestrial fauna (Mollusca and Arthropoda) and flora (Bryophyta, Pteridophyta and Spermatophyta) from the Azores. Direcção Regional de Ambiente & Universidade dos Açores, Horta, Angra do Heroísmo & Ponta Delgada, 58 pp. URL: <http://hdl.handle.net/10400.3/1989> [ISBN 972-8612-22-2].
- Borges PAV, Serrano ARM, Amorim IR (2004) New species of cave-dwelling beetles (Coleoptera: Carabidae: Trechinae) from the Azores. Journal of Natural History 38 (10): 1303-1313. <https://doi.org/10.1080/0022293031000155214>
- Borges PV, Wunderlich J (2008) Spider biodiversity patterns and their conservation in the Azorean archipelago, with descriptions of new species. Systematics and Biodiversity 6 (2): 249-282. <https://doi.org/10.1017/S1477200008002648>
- Borges PV, Lobo J, Azevedo E, Gaspar C, Melo C, Nunes L (2006) Invasibility and species richness of island endemic arthropods: a general model of endemic vs. exotic species. Journal of Biogeography 33 (1): 169-187. <https://doi.org/10.1111/j.1365-2699.2005.01324.x>
- Cardoso P, Borges PV, Gaspar C (2007) Biotic integrity of the arthropod communities in the natural forests of Azores. Biodiversity and Conservation 16 (10): 2883-2901. <https://doi.org/10.1007/s10531-006-9078-x>
- Cardoso P, Erwin T, Borges PV, New T (2011) The seven impediments in invertebrate conservation and how to overcome them. Biological Conservation 144 (11): 2647-2655. <https://doi.org/10.1016/j.biocon.2011.07.024>

- Cardoso P, Rigal F, Fattorini S, Terzopoulou S, Borges PA (2013) Integrating Landscape Disturbance and Indicator Species in Conservation Studies. *PLoS ONE* 8: e63294. <https://doi.org/10.1371/journal.pone.0063294>
- Cardoso P, Aranda S, Lobo J, Dinis F, Gaspar C, Borges PV (2009) A spatial scale assessment of habitat effects on arthropod communities of an oceanic island. *Acta Oecologica* 35 (5): 590-597. <https://doi.org/10.1016/j.actao.2009.05.005>
- Crespo L, Bosmans R, Cardoso P, Borges P (2013) On the endemic spider species of the genus *Savigniorhipis* Wunderlich, 1992 (Araneae: Linyphiidae) in the Azores (Portugal), with description of a new species. *Zootaxa* 3745 (3): 330-342. <https://doi.org/10.11646/zootaxa.3745.3.2>
- Crespo L, Bosmans R, Cardoso P, Borges P (2014) On three endemic species of the linyphiid spider genus *Canariphantes* Wunderlich, 1992 (Araneae, Linyphiidae) from the Azores archipelago. *Zootaxa* 3841 (3): 403-417. <https://doi.org/10.11646/zootaxa.3841.3.5>
- Florencio M, Cardoso P, Lobo JM, Azevedo EB, Borges PA (2013) Arthropod assemblage homogenization in oceanic islands: the role of exotic and indigenous species under landscape disturbance. *Diversity and Distributions* 19: 1450-1460. <https://doi.org/10.1111/ddi.12121>
- Florencio M, Lobo J, Cardoso P, Almeida-Neto M, Borges P (2015) The Colonisation of Exotic Species Does Not Have to Trigger Faunal Homogenisation: Lessons from the Assembly Patterns of Arthropods on Oceanic Islands. *PLOS ONE* 10 (5): e0128276. <https://doi.org/10.1371/journal.pone.0128276>
- Gaspar C, Borges PA, Gaston KJ (2008) Diversity and distribution of arthropods in native forests of the Azores archipelago. *Arquipelago - Life and Marine Sciences* 25: 1-30. URL: [http://www.horta.uac.pt/intradop/images/stories/arquipelago/25/Arquipelago\\_25\\_1-30\\_Gaspar\\_etal.pdf](http://www.horta.uac.pt/intradop/images/stories/arquipelago/25/Arquipelago_25_1-30_Gaspar_etal.pdf)
- Gaspar C, Gaston K, Borges PV, Cardoso P (2011) Selection of priority areas for arthropod conservation in the Azores archipelago. *Journal of Insect Conservation* 15 (5): 671-684. <https://doi.org/10.1007/s10841-010-9365-4>
- Gaston KJ, Borges PAV, He F, Gaspar C (2006) Abundance, spatial variance and occupancy: arthropod species distribution in the Azores. *The Journal of animal ecology* 75 (3): 646-56. <https://doi.org/10.1111/j.1365-2656.2006.01085.x>
- Hortal J, Borges P, Gaspar C (2006) Evaluating the performance of species richness estimators: sensitivity to sample grain size. *Journal of Animal Ecology* 75 (1): 274-287. <https://doi.org/10.1111/j.1365-2656.2006.01048.x>
- Jong Yd, Verbeek M, Michelsen V, Place Bjørn Pd, Los W, Steeman F, Bailly N, Basire C, Chylarecki P, Stloukal E, Hagedorn G, Wetzel F, Glöckler F, Kroupa A, Korb G, Hoffmann A, Häuser C, Kohlbecker A, Müller A, Güntsch A, Stoev P, Penev L (2014) Fauna Europaea – all European animal species on the web. *Biodiversity Data Journal* 2: e4034. <https://doi.org/10.3897/bdj.2.e4034>
- Jong Yd, Kouwenberg J, Boumans L, Hussey C, Hyam R, Nicolson N, Kirk P, Paton A, Michel E, Guiry M, Boegh P, Pedersen H, Enghoff H, Raab-Straube Ev, Güntsch A, Geoffroy M, Müller A, Kohlbecker A, Berendsohn W, Appeltans W, Arvanitidis C, Vanhoorne B, Declerck J, Vandepitte L, Hernandez F, Nash R, Costello M, Ouvrard D, Bezarid-Falgas P, Bourgoïn T, Wetzel F, Glöckler F, Korb G, Ring C, Hagedorn G, Häuser C, Aktaç N, Asan A, Ardelean A, Borges P, Dhora D, Khachatryan H, Malicky M, Ibrahimov S, Tuzikov A, Wever AD, Moncheva S, Spassov N, Chobot K, Popov A,

- Boršić I, Sfenthourakis S, Kõljalg U, Uotila P, Olivier G, Dauvin J, Tarkhishvili D, Chaladze G, Tuerkay M, Legakis A, Peregovits L, Gudmundsson G, Ólafsson E, Lysaght L, Galil B, Raimondo F, Domina G, Stoch F, Minelli A, Spungis V, Budryš E, Olenin S, Turpel A, Walisch T, Krpach V, Gambin M, Ungureanu L, Karaman G, Kleukers R, Stur E, Aagaard K, Valland N, Moen T, Bogdanowicz W, Tykarski P, Węśławski J, Kędra M, Frias Martins Ad, Abreu A, Silva R, Medvedev S, Ryss A, Šimić S, Marhold K, Stloukal E, Tome D, Ramos M, Valdés B, Pina F, Kullander S, Telenius A, Gonseth Y, Tschudin P, Sergejeva O, Vladymyrov V, Rizun V, Raper C, Lear D, Stoev P, Penev L, Rubio A, Backeljau T, Saarenmaa H, Ulenberg S (2015) PESI - a taxonomic backbone for Europe. *Biodiversity Data Journal* 3: e5848. <https://doi.org/10.3897/bdj.3.e5848>
- Lawton JH, Gaston KJ (2001) Indicator species. In: Levin SA (Ed.) *Encyclopedia of Biodiversity* Vol3. Academic Press, San Diego, CA, 13 pp.
  - Lobo J, Borges PA (2010) The provisional status of arthropod inventories in the Macaronesian islands. In: Serrano AR, Borges PA, Boieiro M, Oromí P (Eds) *Terrestrial arthropods of Macaronesia – Biodiversity, Ecology and Evolution*. Sociedade Portuguesa de Entomologia, Lisboa, 14 pp. URL: [http://cita.angra.uac.pt/ficheiros/projectos/3\\_1312353279.pdf](http://cita.angra.uac.pt/ficheiros/projectos/3_1312353279.pdf)
  - Martín J, Cardoso P, Arechavaleta M, Borges PV, Faria B, Abreu C, Aguiar A, Carvalho J, Costa A, Cunha R, Fernandes F, Gabriel R, Jardim R, Lobo C, Martins AF, Oliveira P, Rodrigues P, Silva L, Teixeira D, Amorim I, Homem N, Martins B, Martins M, Mendonça E (2010) Using taxonomically unbiased criteria to prioritize resource allocation for oceanic island species conservation. *Biodiversity and Conservation* 19 (6): 1659-1682. <https://doi.org/10.1007/s10531-010-9795-z>
  - Meijer S, Whittaker R, Borges PV (2011) The effects of land-use change on arthropod richness and abundance on Santa Maria Island (Azores): unmanaged plantations favour endemic beetles. *Journal of Insect Conservation* 15 (4): 505-522. <https://doi.org/10.1007/s10841-010-9330-2>
  - Platia G, Borges PA (2002) Description of a new species of *Athous* and record of the female of *A. azoricus* Platia & Gudenzi from the Azores (Coleoptera, Elateridae). *Elytron* 16: 91-95. URL: <http://repositorio.uac.pt/handle/10400.3/1858>
  - Quartau JA, Borges PA (2003) A new species of the genus *Aphrodes* Curtis from the Azores (Hemiptera, Cicadellidae). *Bocagiana* 213: 1-11. URL: <http://publications.cm-funchal.pt/handle/100/1571>
  - Ribeiro S, Borges PV, Gaspar C, Melo C, Serrano AM, Amaral J, Aguiar C, André G, Quartau J (2005) Canopy insect herbivores in the Azorean Laurisilva forests: key host plant species in a highly generalist insect community. *Ecography* 28 (3): 315-330. <https://doi.org/10.1111/j.0906-7590.2005.04104.x>
  - Ribes J, Borges PA (2001) A new subspecies of *Orthotylus junipericola* Linnavuori, 1965 (Heteroptera; Miridae) from the Azores. *Arquipelago. Life and Marine Sciences* 18A: 1-4. URL: [http://www.horta.uac.pt/intradop/images/stories/arquipelago/18a/1\\_Ribes\\_%20Borges\\_18A.pdf](http://www.horta.uac.pt/intradop/images/stories/arquipelago/18a/1_Ribes_%20Borges_18A.pdf)
  - Rigal F, Whittaker R, Triantis K, Borges PV (2013) Integration of non-indigenous species within the interspecific abundance–occupancy relationship. *Acta Oecologica* 48: 69-75. <https://doi.org/10.1016/j.actao.2013.02.003>
  - Santos AM, Borges PA, Rodrigues AC, Lopes DJ (2010) Lista de espécies de artrópodes associados a diferentes culturas frutícolas da ilha Terceira (Açores). *Boletim*

de la Sociedad Entomologica Aragonesa 46: 437-447. [In Portuguese]. URL: <http://repositorio.uac.pt/handle/10400.3/1869>

- Terzopoulou S, Rigal F, Whittaker R, Borges PV, Triantis K (2015) Drivers of extinction: the case of Azorean beetles. *Biology Letters* 11 (6): 1-4. <https://doi.org/10.1098/rsbl.2015.0273>
- Triantis K, Borges PV, Ladle R, Hortal J, Cardoso P, Gaspar C, Dinis F, Mendonça E, Silveira LA, Gabriel R, Melo C, Santos AC, Amorim I, Ribeiro S, Serrano AM, Quartau J, Whittaker R (2010) Extinction debt on oceanic islands. *Ecography* 33: 285-294. <https://doi.org/10.1111/j.1600-0587.2010.06203.x>
- Turquin M (1973) Une biocenose cavernicole originale pour le Bugey: le puits de Rappe. *Comptes Rendus 96e Congresse Naturel Societes Savantes, Toulouse 1071. Science* 3.



**Figure 1.**  
 Location of the Azores and of native forest fragments in the archipelago. Codes for forest fragments as in Table 1.




Figure 2.  
Frequency distribution of the number of new island records per species.




Figure 3.  
 Number of species per native forest fragments. Island codes as in Table 1






Figure 4.

Species accumulation curve for the 286 species of arthropods collected in 152 pitfall and beating samples between 1999 and 2011. The solid line corresponds to the chronological sample sequence and the dotted line is a randomized curve (1000 runs). Samples to the left of the vertical line were collected in BALA1 and to the right in BALA2.




Figure 5.

The ten most abundant species in the database. END - endemic from Azores; NAT - native non-endemic species; INTR - species introduced in the archipelago.



Figure 6.  
The millipede *Ommatoiulus moreletii* (Credit: Pedro Cardoso)



Figure 7.  
The opilion *Leiobunum blackwalli* (Credit: Paulo A.V. Borges).



Figure 8.  
The moth *Argyresthia atlanticella* (Credit: Paulo A.V. Borges)



Figure 9.  
The spider *Savigniorhipis acorensis* (Credit: Paulo A.V. Borges)

Table 1.

Main characteristics of the Azorean islands (bold) and native forest fragments sampled from 1999 to 2011, including area (hectares), highest point (altitude in metres), distance to the nearest island/fragment (isolation in kilometres) and the oldest geological age of emerged substrate (million years BP) (adapted from Gaspar et al. 2008).

Island	Fragment	Code	Area (ha)	Altitude (m)	Isolation (km)	Age (my)
<b>Flores</b>		<b>FLO</b>	<b>14102</b>	<b>911</b>	<b>236.43</b>	<b>2.16</b>
	Morro Alto e Pico da Sé	MO	1331	911	6.02	2.16
	Caldeiras Funda e Rasa	FR	240	773	6.02	2.16
<b>Faial</b>		<b>FAI</b>	<b>17306</b>	<b>1043</b>	<b>34.26</b>	<b>0.73</b>
	Caldeira do Faial	CA	190	934	4.67	0.73
	Cabeço do Fogo	CG	36	597	4.67	0.60
<b>Pico</b>		<b>PIC</b>	<b>44498</b>	<b>2350</b>	<b>32.42</b>	<b>0.30</b>
	Mistério da Prainha	MP	689	881	2.92	0.26
	Caveiro	CA	184	1077	4.61	0.27
	Lagoa do Caiado	LC	79	945	2.92	0.28
<b>São Jorge</b>		<b>SJG</b>	<b>24365</b>	<b>1053</b>	<b>32.42</b>	<b>0.55</b>
	Topo	TO	220	946	15.13	0.55
	Pico Pinheiro	PP	73	717	15.13	0.55
<b>Terceira</b>		<b>TER</b>	<b>40030</b>	<b>1021</b>	<b>71.67</b>	<b>3.52</b>
	S. Bárbara e M. Negros	SB	1347	1021	7.20	1.24
	Biscoito da Ferraria	BF	557	809	3.03	0.10
	Guilherme Moniz	GM	223	487	2.70	0.41
	Terra Brava	TB	180	726	2.70	0.10
	Pico do Galhardo	PG	38	655	2.79	0.10
<b>São Miguel</b>		<b>SMG</b>	<b>74456</b>	<b>1105</b>	<b>97.53</b>	<b>4.01</b>
	Pico da Vara	PV	306	1105	3.42	3.20
	Graminhais	GR	15	930	4.02	3.20
	Atalhada	AT	10	500	3.42	4.01

Table 2.

Species richness for the Azores archipelago and each island. Total currently known species, the number of species surveyed during this study and those that represent new records are presented.

	Known species in the Azores	Pool of surveyed taxa	New records	New records (%)
AZORES	2316	1215	26	2.13
FLO	797	461	55	11.93
FAI	945	537	51	9.49
PIC	808	463	46	9.93
SJG	620	359	76	21.17
TER	1224	731	52	7.11
SMG	1592	861	28	3.25
SMR	799	573	38	6.63



Table 3.

Total species and subspecies records for the Azores, new species and subspecies records during this study and increment for the most speciose classes and orders. Values for all islands are added, so richness may be up to 7 times higher than the archipelago's richness (as 7 islands were surveyed). (\*)The Coleoptera families Staphylinidae and Zopheridae were not considered (see text).

	Total records	New records	New Records (%)
<b>Class Arachnida</b>	<b>362</b>	<b>124</b>	<b>34.25</b>
Order Pseudoscorpiones	19	5	26.32
Order Opiliones	12	11	91.67
Order Araneae	331	108	32.63
<b>Class Diplopoda</b>	<b>67</b>	<b>24</b>	<b>35.82</b>
Order Polydesmida	18	8	44.44
Order Polyxenida	0	0	0.00
Order Julida	44	12	27.77
Order Chordeumatida	5	4	80.00
<b>Class Chilopoda</b>	<b>21</b>	<b>9</b>	<b>42.86</b>
Order Scutigermorpha	0	0	0.00
Order Lithobiomorpha	7	0	0.00
Order Scolopendromorpha	4	2	50.00
Order Geophilomorpha	10	7	70.00
<b>Class Insecta</b>	<b>1012</b>	<b>189</b>	<b>18.68</b>
Order Microcoryphia	13	4	30.77
Order Zygentoma	0	0	0.00
Order Ephemeroptera	6	0	0.00
Order Odonata	0	0	0.00
Order Blattaria	7	3	42.86
Order Orthoptera	10	0	0.00
Order Phasmatodea	0	0	0.00
Order Dermaptera	14	0	0.00
Order Psocoptera	75	40	53.33
Order Thysanoptera	76	6	7.89
Order Hemiptera	290	82	28.28
Order Neuroptera	7	3	42.86

Order Coleoptera (*)	361	36	9.97
Order Trichoptera	6	4	66.67
Order Lepidoptera	147	11	7.84

## Supplementary materials

### Suppl. material 1: Appendix 1 - Detailed data on the distribution and abundance of the studied species

**Authors:** Borges et al.

**Data type:** Occurrences and abundance

**Brief description:** Detailed data on the occurrences and abundances of the studied species. Data on species abundance in each individual sample (pitfall trap or canopy beating) for the 152 transects in eighteen protected areas and seven Azorean islands.

**Filename:** Appendix 1\_Main Database.xlsx - [Download file](#) (5.78 MB)

### Suppl. material 2: Appendix 2 - Metadata from Appendix 1

**Authors:** Borges et al.

**Data type:** Text in pdf

**Brief description:** METADATA from Appendix 1 – Detailed data on the distribution and abundance of the studied species

**Filename:** Supplementary Material 2\_Metadata.pdf - [Download file](#) (203.42 kb)

### Suppl. material 3: Appendix 3 - Sites UTM coordinates

**Authors:** Borges et al.

**Data type:** Sites coordinates

**Brief description:** UTM coordinates (regions 25S for Flores and 26S for all other islands), altitude (meters) and supporting project of the studied transects in the Azores. Transect code according to island, reserve and transect number (see text)

**Filename:** Appendix\_Sites.xlsx - [Download file](#) (12.70 kb)

### Suppl. material 4: Appendix 4. Complete list of new records per island.

**Authors:** Borges et al.

**Data type:** Occurrences

**Brief description:** The complete list of new records per island.

**Filename:** Appendix 4\_New records.xlsx - [Download file](#) (29.50 kb)

### Suppl. material 5: Appendix 5 -Abundance data

**Authors:** Borges et al.

**Data type:** Abundance data

**Brief description:** Detailed abundance for each species in each of the 18 protected areas

**Filename:** Appendix 5\_Species abundances in detail.xlsx - [Download file](#) (28.93 kb)