Micro-CT image gallery visually presenting the effects of ocean warming and acidification on marine gastropod shells

Eva Chatzinikolaou[‡], Kleoniki Keklikoglou^{‡,§}, Panagiotis Grigoriou^l, Christos Arvanitidis[¶]

- ‡ Hellenic Centre for Marine Research (HCMR), Institute of Marine Biology, Biotechnology and Aquaculture (IMBBC), Heraklion, Crete, Greece
- § Biology Department, University of Crete, Heraklion, Crete, Greece
- | Cretaquarium, Hellenic Centre for Marine Research, Heraklion, Crete, Greece
- ¶ LifeWatch ERIC, Seville, Spain

Corresponding author: Eva Chatzinikolaou (evachatz@hcmr.gr)

Academic editor: Vasilis Gerovasileiou

Abstract

Background

Digitisation of specimens (e.g. zoological, botanical) can provide access to advanced morphological and anatomical information and promote new research opportunities. The micro-CT technology may support the development of "virtual museums" or "virtual laboratories" where digital 3D imaging data are shared widely and freely. There is currently a lack of universal standards concerning the publication and curation of micro-CT datasets.

New information

The aim of the current project was to create a virtual gallery with micro-CT scans of individuals of the marine gastropod *Hexaplex trunculus*, which were maintained under a combination of increased temperature and low pH conditions, thus simulating future climate change scenarios. The 3D volume-rendering models created were used to visualise the structure properties of the gastropods shells. Finally, the 3D analysis performed on the micro-CT scans was used to investigate potential changes in the shell properties of the gastropods. The derived micro-CT 3D images were annotated with detailed metadata and can be interactively displayed and manipulated using online tools through the micro-CT virtual laboratory, which was developed under the LifeWatchGreece Research Infrastructure for the dissemination of virtual image galleries collection supporting the principles of FAIR data.

Keywords

micro-CT, 3D image galleries, gastropod, shell, *Hexaplex trunculus*, climate change, ocean acidification, ocean warming

Introduction

The need for access to accurate virtual representations of species has been mentioned by several authors (Faulwetter et al. 2013Akkari et al. 2015). Museums and academic institutions increasingly recognise the value of specimen digitisation as a means to boost the impact of collections for research and society through limitless information access and use (Beaman and Cellinese 2012). Virtual representations of species or type materials, also called "cybertypes", can provide new research opportunities through the access to anatomical and morphological information (Faulwetter et al. 2013). Microcomputed tomography (micro-CT) may support the development of "virtual museums" or "virtual laboratories" as an imaging technology, where digital data (and images as data) are widely and freely shared (Abel et al. 2011, Keklikoglou et al. 2016). Micro-CT is a non-destructive imaging technique which allows the creation of 3D morphological data and allows the full virtual representation of both internal and external features of the scanned specimen at micrometre resolution (Faulwetter et al. 2013). Micro-CT has the ability to create 3D virtual representations of samples which can contribute to the aforementioned needs. There are currently no standards concerning the publication of micro-CT datasets, since their size is large and there are no rules and guidelines for data curation and documentation of such datasets (Keklikoglou et al. 2016, Keklikoglou et al. 2019). Additionally, no universal standards of micro-CT metadata exist, while the DICOM protocol is mainly applicable to medical sciences (Digital Imaging and Communications in Medicine; http://dicom.nema.org).

General description

Purpose: The aim of the project was to investigate the effect of ocean warming and acidification, as a result of climate change, on the shell structure of the marine gastropod *Hexaplex trunculus*, using a non-destructive 3D imaging technique. Furthermore, this data paper presents an example of how the micro-CT datasets can be shared and retrieved in order to contribute to the massive digitisation and open access of biological collections.

The higher levels of greenhouse gas emissions are mainly responsible for the increase observed in the global average sea surface temperature during the last 60 years (IPCC 2014). More specifically, the upper 75 m of the sea surface has been experiencing a warming of 0.11°C per decade over the period 1971 to 2010 (IPCC 2014). At the same time, oceans have absorbed approximately 25% of the CO₂ released into the atmosphere

by humans since the start of the Industrial Revolution, which has resulted in a reduction of the ocean pH by 0.1 units (IPCC 2014). Climate change and ocean acidification are affecting the shell structure of calcifying marine organisms, such as gastropods because the chemistry of the ocean is altered, thereby leading to a reduction in the calcium carbonate saturation state (Kleypas et al. 2006).

Individuals with calcified structures are able to adjust their shell properties under ocean acidification conditions, mainly the ones related to thickness and packing (i.e. porosity) of calcium carbonate crystals, in order to build more resilient shells (Leung et al. 2020). Shell features, such as density, thickness and porosity, can thoroughly describe alterations in shell integrity and compaction and, therefore, indicate the ability of gastropods to successfully adapt to future climate change challenges. Visual comparisons between different micro-CT scans revealed that the shell of individuals maintained under acidified conditions (low pH) had more transparent (i.e. less dense) areas and an increased number of closed pores.

The micro-CT image datasets of the present study were stored in the Micro-CT virtual laboratory (micro-CT vLab), which is developed under the LifeWatchGreece ESFRI Research Infrastructure and supports the integration of imaging data into a large European Infrastructure. The micro-CT vLab hosts and disseminates micro-CT virtual image galleries with 3D specimens of various taxa, annotated with detailed metadata through a catalogue API service. The users are able to either retrieve the datasets or to interact with the 3D models by using a series of online tools giving the opportunity to virtually dissect the samples. All scans have been performed using a Skyscan 1172 microtomograph (Bruker, Kontich, Belgium) at the Hellenic Centre for Marine Research (HCMR). The cross-section images can be used to create 3D volume rendering images and videos of specimens. The wide dissemination of these "cyber-specimens" aims to contribute to a massive digitisation and open access of biological collections, thus contributing to the well recognised FAIR data principles.

Project description

Title: Effects of climate change and ocean acidification on marine gastropods (ECCO project)

Personnel: Dr Eva Chatzinikolaou (scientific responsible, experimental design, sample scanning, image analysis, data management), Kleoniki Keklikoglou (sample scanning, image analysis, data management), Dr Panagiotis Grigoriou (experimental design).

Study area description: Mediterranean Sea, Greece, Crete

Design description: Individuals of the gastropod *Hexaplex trunculus* (Linnaeus, 1758) were collected from shallow (< 5 m) soft bottom habitats (Crete, Greece), acclimatised in laboratory conditions for a month and then equally separated into four different experimental treatments (55-60 individuals per treatment; size range 13.2-70.9 mm): a) Control (normal pH = 8.1 and ambient temperature, b) Acid (low pH = 7.8 and ambient

temperature, c) Warm (normal pH = 8.1 and increased temperature $+3^{\circ}$ C) and d) Warm and acid (low pH = 7.8 and increased temperature $+3^{\circ}$ C). The experimental treatments were representing the RCP8.5 "high GHG emission" scenario according to the Intergovernmental Panel for Climate Change (IPCC 2014). The experiment lasted for 12 months

Hexaplex trunculus was selected as the model species for this experiment since it is a common and widely distributed sublittoral gastropod, which is well-adjusted to varying physical environmental conditions characterising transitional coastal systems (e.g. rock pools, lagoons) where temperature and pH fluctuations occur naturally (Wahl et al. 2016). Hexaplex trunculus has been widely used as a Tributyltin (TBT) pollution bioindicator and is also an edible species with important economic value in several countries (Abidli et al. 2009).

Funding: This work was funded under the project ECCO (HFRI, Hellenic Foundation for Research and Innovation for the support of Post-doctoral Researchers, project ID 343).

Sampling methods

Sampling description: A group of six individuals per treatment were randomly sampled for scanning in the micro-CT after the gastropods were maintained for 12 months under the experimental conditions.

Quality control: One of the four experimental treatments was the Control (ambient temperature, normal pH) which serves as a quality control measure for the experimental design. Six randomly-selected replicates (specimens) were scanned from each treatment in order to adjust for any possible variability between individual gastropods. A 1:1 ratio of female:male was selected for the scanned specimens.

Step description: The following steps were followed for scanning and analysis of the selected specimens:

- 1. Anaesthetisation of *Hexaplex trunculus* gastropods with 7% MgCl₂ and storage at -20°C.
- Scanning of samples without any staining using a SkyScan 1172 micro-tomograph (Bruker, Kontich, Belgium) at the Hellenic Centre for Marine Research (HCMR), Institute of Marine Biology, Biotechnology and Aquaculture (IMBBC), Heraklion, Crete, Greece.
- 3. Reconstruction of projection images into cross sections using the SkyScan's NRecon software (Bruker, Kontich, Belgium).
- 4. Creation of volume renderings of each specimen using the CTVox software (Bruker, Kontich, Belgium).
- 5. Calculation of the mean grey scale values of the total shell using the binary threshold module of the software CT Analyser (CTAn, Bruker, Kontich, Belgium), which allows for comparable measurements of the relative density of the shell. Relative grey scale density was used as a proxy for estimating "micro-density"

- (i.e. density of the shell material including CaCO₃ and intraskeletal organic matrix, excluding porosity).
- 6. 3D analysis using the custom processing plugin of the CTAn software in order to calculate the porosity and the structure thickness for each specimen. Porosity was calculated as the percentage of the closed porosity of the shell (i.e. total volume of enclosed pores of each specimen as a percentage of the total shell volume). Structure thickness of the shell was calculated as the average of the diameters of the largest spheres which can be fitted into each point of the shell structure ("sphere-fitting" method) (Hildebrand and Rüegsegge 1997).

The parameters of the scanning, reconstruction and analysis procedure remain the same amongst the different treatments in order to obtain comparable results.

The detailed protocols for *Hexaplex trunculus* scanning and analysis have been published and received a DOI under https://dx.doi.org/10.17504/protocols.io.bxwqppdw.

Geographic coverage

Description: The collection of samples was performed in Elounda, Crete, Greece (N 35° 16' 2.4", E 25° 43' 27.2").

Taxonomic coverage

Description: Phylum: Mollusca, Class: Gastropoda, Order: Neogastropoda, Family: Muricidae, Genus: *Hexaplex*, Species: *Hexaplex trunculus*

Traits coverage

Non-applicable.

Collection data

Collection name: ECCO project - Hexaplex trunculus

Specimen preservation method: Frozen at -20°C

Curatorial unit: Institute of Marine biology, Biotechnology and Aquaculture (IMBBC) -

Hellenic Centre for Marine Research (HCMR)

Usage licence

Usage licence: Other

IP rights notes: Creative Commons Attribution 4.0 International License

Data resources

Data package title: ECCO project data - Hexaplex trunculus

Resource link: https://microct.portal.lifewatchgreece.eu/

Number of data sets: 1

Data set name: Effect of increased temperature and low pH on Hexaplex trunculus

Download URL: https://microct.portal.lifewatchgreece.eu/node/72, https://microct.portal.lifewatchgreece.eu/node/71, https://microct.portal.lifewatchgreece.eu/node/69

Data format: NIfTI image files (Neuroimaging Informatics Technology Initiative) is a data format for the storage of Functional Magnetic Resonance Imaging (fMRI) and other medical images.

Description: The dataset is available through the Micro-CT vLab hosted in the Institute of Marine Biology, Biotechnology and Aquaculture (IMBBC) of the Hellenic Centre for Marine Research (HCMR). The current publication aims to describe the 3D image galleries produced during the micro-CT scanning of specimens derived from the four ECCO project experimental treatments: 1) Hexaplex trunculus in normal conditions (https://microct.portal.lifewatchgreece.eu/node/70), 2) Hexaplex trunculus in acidified conditions (https://microct.portal.lifewatchgreece.eu/node/69), 3) Hexaplex trunculus in warm conditions (https://microct.portal.lifewatchgreece.eu/node/71) and trunculus in and acidified conditions Hexaplex warm (https:// microct.portal.lifewatchgreece.eu/node/72). These four galleries (i.e. "Hexaplex trunculus projects") are freely available for downloading and online manipulation through the LifeWatchGreece web portal interface.

The micro-CT gallery for each "project" includes a General Info tab (Fig. 1) where the specimen and scan IDs are shown, together with the taxonomic classification of the species. In addition, a short description of the specimen, the experimental treatment (aim of scanning) and the scanning parameters (e.g. contrast agent, voltage, current, filter, rotation, resolution, exposure time, specimen and scan provider) are indicated. Three images are presented for each specimen/treatment in the General Info tab: a) volume rendering of the shell, b) closed porosity of the shell and c) colour-coded visualisation of the shell structure thickness. The type of Creative Common Attribution licence and the appropriate citation applied for the specific dataset can be seen at the bottom of the page.

In the 3D visualisation tab, a "volume" slider appears on the upper left side of the panel, which enables the display of the selected micro-CT dataset either as 2D or 3D using the <u>Slice:Drop</u> software. The user can explore the micro-CT dataset in 2D and view all the micro-CT slices in three orthogonal views (x, y, z axes) (Fig. 2A).

Selection of the 3D icon in the "volume" slider tab (sliding on the left side of the panel) displays the 3D volume of the specimen (Fig. 2B). The user has the ability: a) to rotate this 3D specimen, b) to change the opacity (transparency parameters), c) to alter the thresholding parameters (i.e. to "compress" the grey-scale values so that only the most dense parts or all parts are visible) and d) to colour the specimen and thus create contrasts with the different colours.

The Video tab displays a short preview video as a demonstration of the specific micro-CT dataset (Fig. 3), featuring the morphology and anatomy of the internal and external features of the selected *Hexaplex trunculus* specimen.

The Metadata tab contains complete detailed information about the dataset, the prescanning procedures and the scanning parameters, following the schema proposed by Faulwetter et al. (2015). An info icon is located next to each metadata term offering an explanation for the description of each field (see Table below). At the bottom of the Metadata tab, the user is able to download: a) the full micro-CT dataset (i.e. 3D volume rendering of cross section images in NlfTl format) of the selected specimen/scan (see field "Dataset"), b) the image files (jpg format) for structure thickness and closed porosity of the shell (see field "Micro-CT images") and c) a video file (mp4 format) provided for each specimen (see field "Video file"). The type of Creative Common Attribution licence applied for the specific dataset can be seen at the bottom of the page.

Table: Metadata terms of micro-CT vLab datasets and their definitions.

Column label	Column description
Specimen ID	A unique identifier for the specimen in the format mCT-xxxxx (where $x =$ incrementing number from 00001 to 99999, with preceding zeros).
Scan ID	A unique code of the format scan-xxxxx (where x = incrementing number from 00001 to 99999, with preceding zeros).
Sample Category	The category to which the specimen belongs, for example, Zoology, Botany.
Scientific name	The lowest taxonomic name to which the specimen has been identified.
Taxonomic Group	The general taxonomic group to which the specimen belongs, for example, Polychaeta, Insecta
Specimen Description	A verbatim description of the specimen, which allows the understanding of the nature of the specimen at a glance.
Provider Institute	Institution (i.e. academic, scientific) which provided the specimen.
Specimen Provider	Name of the person who provided the specimen.
Material	The material of the scanned sample, for example, soft tissue.
Fixation Type	Type of chemical used for the fixation of the specimen, for example, formalin.
Preservation Medium	Means used for preservation of the specimen, for example, ethanol, freezer.

Contrast Enhancement Method	Contrast agent (short name of the chemical, for example, PTA) used in order to achieve contrast difference between the specimen and its surrounding medium.
Scope of Scan	Reason for performing a scan.
Scan date	Start date of the scanning in the format MM/DD/YYYY.
Scanned By	The name of the person who performed the scan.
Sample Holder	A description of the sample holder, for example, pipette tip.
Scanning Medium	The medium that surrounds the sample during scanning, for example, air, ethanol.
Scanned Part	The part of the specimen that has been scanned, for example, anterior part, full specimen.
Digital Device Type	The brand (manufacturer) of the Digital Device that was used for the scanning.
Voltage kV	The voltage of scanning in kilovolt (kV).
Current µA	The current of scanning in µAmpere.
Filter	The type of the filter that is used for scanning, for example, Aluminium
Zoom (µm)	The resolution of the scan in µm (zoom level), for example, 1.24.
Camera Resolution	Camera resolution settings in pixels, for example, 4000.
Exposure Time (ms)	Duration of time (milliseconds) the sample is exposed under X-rays.
360	Full (360°) or half (180°) rotation of the specimen during scanning.
Random Movement	The maximum number of pixels to randomly move the specimen up and down in order to avoid "dead pixels".
Averaging	The number of images acquired for each position (angle) in order to estimate the frame averaging value.
Oversize Settings	The number of parts (vertical & horizontal) used for scanning of oversize specimens.
Dataset	Download the dataset in NIfTI format.
Micro-CT Images	Download the micro-CT images.
Video File	Download the micro-CT video in mp4.

Acknowledgements

This work was funded under the project ECCO (HFRI, Hellenic Foundation for Research and Innovation for the support of Post-doctoral Researchers, project ID 343). The development of the micro-CT vLab was supported by the projects: a) LifeWatchGreece Infrastructure (ESFRI, MIS 384676) funded by GSRT/NSRF, b) ELIXIR-GR: Managing and Analysing Life Sciences Data (MIS: 5002780) co-financed by Greece and the European Union - European Regional Development Fund, c) BIOIMAGING-GR (MIS 5002755) implemented under "Action for Strengthening Research and Innovation Infrastructures",

funded by the Operational Programme "Competitiveness, Entrepreneurship and Innovation" (NSRF 2014–2020) and co-financed by Greece and the European Union (European Regional Development Fund), d) ENVRI FAIR (Horizon H2020, Grand Agreement 824068) and e) SYNTHESYS PLUS (Horizon H2020, Grand Agreement 823827).

Author contributions

Dr Eva Chatzinikolaou (writing of manuscript, experimental design, design of scanning protocols, implementation of scanning and 3D analysis, project scientific responsible, funding acquisition)

Kleoniki Keklikoglou (writing of manuscript, design of scanning protocols, implementation of scanning and 3D analysis)

Dr Panagiotis Grigoriou (writing of manuscript, experimental design)

Dr Christos Arvanitidis (writing of manuscript, support on micro-CT vLab development)

References

- Abel RL, Parfitt S, Ashton N, Lewis SG, Scott B, Stringer C (2011) Digital preservation and dissemination of ancient lithic technology with modern micro-CT. Computers & Graphics 35 (4): 878-884. https://doi.org/10.1016/j.cag.2011.03.001
- Abidli S, Lahbib Y, Trigui EI Menif N (2009) Effects of TBT on the imposex development, reproduction and mortality in *Hexaplex trunculus* (Gastropoda: Muricidae). Journal of the Marine Biological Association of the United Kingdom 89: 139. https://doi.org/10.1017/S0025315408002282
- Akkari N, Enghoff H, Metsche rD (2015) A new dimension in documenting new species: high detail imaging for myriapod taxonomy and first 3D cybertype of a new millipede species (Diplopoda, Julida, Julidae). PLOS One 10 (8): e0135243. https://doi.org/10.1371/journal.pone.0135243
- Beaman R, Cellinese N (2012) Mass digitization of scientific collections: New opportunities to transform the use of biological specimens and underwrite biodiversity science. ZooKeys 209: 7-17. https://doi.org/10.3897/zookeys.209.3313
- Faulwetter S, Vasileiadou A, Kouratoras M, Dailianis T, Arvanitidis C (2013) Microcomputed tomography: Introducing new dimensions to taxonomy. ZooKeys 263: 1-45. https://doi.org/10.3897/zookeys.263.4261
- Faulwetter S, Minadakis N, Keklikoglou K, Doerr M, Arvanitidis C (2015) First steps towards the development of an integrated metadata management system for biodiversityrelated micro-CT datasets. Bruker microCT 2015 user meeting, Bruges, Belgium, 4-8/5/2015.
- Hildebrand T, Rüegsegge P (1997) A new method for the model independent assessment of thickness in three-dimensional images. Journal of Microscopy 185: 67-75. https://doi.org/10.1046/j.1365-2818.1997.1340694.x

- IPCC (2014) Climate change 2014: synthesis report," in Contribution of Working Groups I, II and III to the 5th Assessment Report of the Intergovernmental Panel on Climate Change. IPCC, Geneva, 151 pp.
- Keklikoglou K, Faulwetter S, Chatzinikolaou E, Michalakis N, Filiopoulou I, Minadakis N, Panteri E, Perantinos G, Gougousis A, Arvanitidis C (2016) MicroCTvlab: A web based virtual gallery of biological specimens using X-ray microtomography (microCT).
 Biodiversity Data Journal 4: e8740. https://doi.org/10.3897/BDJ.4.e8740
- Keklikoglou K, Faulwetter S, Chatzinikolaou E, Wils P, Brecko J, Kvaček J, Metscher B, Arvanitidis C (2019) Micro-computed tomography for natural history specimens: A handbook of best practice protocols. European Journal of Taxonomy 522: 1-55. URL: https://doi.org/10.5852/ejt.2019.522
- Kleypas JA, Feely RA, Fabry VJ, Langdon C, Sabine CL (2006) Impacts of Ocean acidification on coral reefs and other marine calcifiers: A guide to future research. NOAA workshop Contribution No. 2897, St. Petersburg, 18-20 April 2005.
- Leung JYS, Chen Y, Nagelkerken I, Zhang S, Xie Z, Connell SD (2020) Calcifiers can adjust shell building at the nanoscale to resist ocean acidification. Small 16: 2003186. https://doi.org/10.1002/smll.202003186
- Wahl M, Saderne V, Sawall Y (2016) How good are we at assessing the impact of ocean acidification in coastal systems? Limitations, omissions and strengths of commonly used experimental approaches with special emphasis on the neglected role of fluctuations.
 Marine and Freshwater Research 67: 25-36. https://doi.org/10.1071/MF14154




Figure 1. The General Info tab in the Micro-CT vLab.




Figure 2.

- A) micro-CT slices in three orthogonal views (x, y, z axes), B) volume rendering of the micro-CT scan using the Slice:Drop software.




Figure 3. The preview video of a $Hexaplex\ trunculus\ micro-CT\ scan.$